

Nos meses de **Março e Abril de 2018** foram publicados os seguintes artigos na área das fases iniciais da psicose:

1- Mobile Intensive Care Unit: A case management team dedicated to early psychosis in France.

Lecardeur L, Meunier-Cussac S, Dollfus S.

Early Interv Psychiatry. 2018 May 2. doi: 10.1111/eip.12674. [Epub ahead of print]

2- Disagreement between service-users and clinicians assessment of physical health during early psychosis.

Renwick L, Drennan J, Sheridan A, Lyne J, Kinsella A, O' Callaghan E, Clarke M.

Early Interv Psychiatry. 2018 Apr 30. doi: 10.1111/eip.12668. [Epub ahead of print]

3- Predictors of 'all-cause discontinuation' of initial oral antipsychotic medication in first episode psychosis.

Mustafa S, Joobar R, Lepage M, Iyer S, Shah J, Malla A.

Schizophr Res. 2018 Apr 26. pii: S0920-9964(18)30240-8. doi: 10.1016/j.schres.2018.04.027. [Epub ahead of print]

4- The effect of implementation of an early detection team: A nationwide register-based study of characteristics and help-seeking behavior in first-episode schizophrenia in Denmark.

Hastrup LH, Haahr UH, Nordgaard J, Simonsen E.

Schizophr Res. 2018 Apr 26. pii: S0920-9964(18)30247-0. doi: 10.1016/j.schres.2018.04.034. [Epub ahead of print]

5- Abnormal auditory-evoked gamma band oscillations in first-episode schizophrenia during both eye open and eye close states.

Wang J, Tang Y, Curtin A, Chan RCK, Wang Y, Li H, Zhang T, Qian Z, Guo Q, Li Y, Liu X, Tang X, Wang J.

Prog Neuropsychopharmacol Biol Psychiatry. 2018 Apr 26. pii: S0278-5846(17)30982-X. doi: 10.1016/j.pnpbp.2018.04.016. [Epub ahead of print]

6-Patients participating to neurobiological research in early psychosis: A selected subgroup?

Golay P, Baumann PS, Jenni R, Do KQ, Conus P.

Schizophr Res. 2018 Apr 26. pii: S0920-9964(18)30246-9. doi: 10.1016/j.schres.2018.04.033. [Epub ahead of print]

7-Collaborative, individualised lifestyle interventions are acceptable to people with first episode psychosis; a qualitative study.

Pedley R, Lovell K, Bee P, Bradshaw T, Gellatly J, Ward K, Woodham A, Wearden A.

BMC Psychiatry. 2018 Apr 25;18(1):111. doi: 10.1186/s12888-018-1692-0.

8-The complex association between the antioxidant defense system and clinical status in early psychosis.

García S, Alberich S, Martínez-Cengotitabengoa M, Arango C, Castro-Fornieles J, Parellada M, Baeza I, Moreno C, Micó JA, Berrocoso E, Graell M, Otero S, Simal T, González-Pinto A.

PLoS One. 2018 Apr 26;13(4):e0194685. doi: 10.1371/journal.pone.0194685. eCollection 2018.

9-Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis.

Sullivan SA, Carroll R, Peters TJ, Amos T, Jones PB, Marshall M, Birchwood M, Fowler D, Johnson S, Fisher HL, Major B, Rahaman N, Joyce J, Chamberlain-Kent N, Lawrence J, Moran P, Tilling K.

Early Interv Psychiatry. 2018 Apr 26. doi: 10.1111/eip.12676. [Epub ahead of print]

10-Stigma experiences and perceived stigma in patients with first-episode schizophrenia in the course of 1 year after their first in-patient treatment.

Zäske H, Linden M, Degner D, Jockers-Scherübl M, Klingberg S, Klosterkötter J, Maier W, Möller HJ, Sauer H, Schmitt A, Gaebel W.

Eur Arch Psychiatry Clin Neurosci. 2018 Apr 25. doi: 10.1007/s00406-018-0892-4. [Epub ahead of print]

11-Does dissociation mediate the relationship between childhood trauma and hallucinations, delusions in first episode psychosis?

Sun P, Alvarez-Jimenez M, Simpson K, Lawrence K, Peach N, Bendall S.

Compr Psychiatry. 2018 Apr 11;84:68-74. doi: 10.1016/j.comppsy.2018.04.004. [Epub ahead of print]

12-Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for Horyzons-Canada Phase 1.

Lal S, Gleeson J, Malla A, Rivard L, Joobar R, Chandrasena R, Alvarez-Jimenez M.

JMIR Res Protoc. 2018 Apr 23;7(4):e100. doi: 10.2196/resprot.8810.

13-Determinants of treatment response in first-episode psychosis: an ¹⁸F-DOPA PET study.

Jauhar S, Veronese M, Nour MM, Rogdaki M, Hathway P, Turkheimer FE, Stone J, Egerton A, McGuire P, Kapur S, Howes OD.

Mol Psychiatry. 2018 Apr 20. doi: 10.1038/s41380-018-0042-4. [Epub ahead of print]

14-Progressive symptom-associated prefrontal volume loss occurs in first-episode schizophrenia but not in affective psychosis.

Ohtani T, Del Re E, Levitt JJ, Niznikiewicz M, Konishi J, Asami T, Kawashima T, Roppongi T, Nestor PG, Shenton ME, Salisbury DF, McCarley RW.

Brain Struct Funct. 2018 Apr 18. doi: 10.1007/s00429-018-1634-0. [Epub ahead of print]

15-First-episode psychosis as the initial presentation of multiple sclerosis: a case report.
Enderami A, Fouladi R, Hosseini SH.

Int Med Case Rep J. 2018 Apr 5;11:73-76. doi: 10.2147/IMCRJ.S157287. eCollection 2018.

16-Abnormalities in thalamo-cortical connections in patients with first-episode schizophrenia: a two-tensor tractography study.

Hamoda HM, Makhoul AT, Fitzsimmons J, Rathi Y, Makris N, Meshulam-Gately RI, Wojcik JD, Goldstein J, McCarley RW, Seidman LJ, Kubicki M, Shenton ME.

Brain Imaging Behav. 2018 Apr 17. doi: 10.1007/s11682-018-9862-8. [Epub ahead of print]

17-Social Determinants of Health and Preclinical Glycemic Control in Newly Diagnosed First-Episode Psychosis Patients.

Veru-Lesmes F, Rho A, King S, Joober R, Pruessner M, Malla A, Iyer SN.

Can J Psychiatry. 2018 Jan 1;706743718762097. doi: 10.1177/0706743718762097. [Epub ahead of print]

18-Clozapine Titration for People in Early Psychosis: A Chart Review and Treatment Guideline.

Ballon JS, Ashfaq H, Noordsy DL.

J Clin Psychopharmacol. 2018 Jun;38(3):234-238. doi: 10.1097/JCP.0000000000000860.

19-Interaction between childhood adversity and functional polymorphisms in the dopamine pathway on first-episode psychosis.

Trotta A, Iyegbe C, Yiend J, Dazzan P, David AS, Pariante C, Mondelli V, Colizzi M, Murray RM, Di Forti M, Fisher HL.

Schizophr Res. 2018 Apr 10. pii: S0920-9964(18)30199-3. doi: 10.1016/j.schres.2018.04.010. [Epub ahead of print]

20-A randomized controlled trial of comprehensive early intervention care in patients with first-episode psychosis in Japan: 1.5-year outcomes from the J-CAP study.

Nishida A, Ando S, Yamasaki S, Koike S, Ichihashi K, Miyakoshi Y, Maekawa S, Nakamura T, Natsubori T, Ichikawa E, Ishigami H, Sato K, Matsunaga A, Smith J, French P, Harima H, Kishi Y, Fujita I, Kasai K, Okazaki Y.

J Psychiatr Res. 2018 Apr 8;102:136-141. doi: 10.1016/j.jpsychires.2018.04.007. [Epub ahead of print]

21-Machine learning classification of first-episode schizophrenia spectrum disorders and controls using whole brain white matter fractional anisotropy.

Mikolas P, Hlinka J, Skoch A, Pitra Z, Frodl T, Spaniel F, Hajek T.

BMC Psychiatry. 2018 Apr 10;18(1):97. doi: 10.1186/s12888-018-1678-y.

22-Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients.

Nordholm D, Rostrup E, Mondelli V, Randers L, Nielsen MØ, Wulff S, Nørbak-Emig H, Broberg BV, Krakauer K, Dazzan P, Zunszain PA, Nordentoft M, Glenthøj B. Psychoneuroendocrinology. 2018 Jun;92:72-80. doi: 10.1016/j.psyneuen.2018.03.015. Epub 2018 Mar 27.

23-Non-adherence to antipsychotic medication in first-episode psychosis patients.

Hickling LM, Kouvaras S, Nterian Z, Perez-Iglesias R. Psychiatry Res. 2018 Apr 3;264:151-154. doi: 10.1016/j.psychres.2018.04.002. [Epub ahead of print]

24-Cerebrospinal fluid levels of sphingolipids associate with disease severity in first episode psychosis patients.

Checa A, Malmqvist A, Flyckt L, Schwieler L, Samuelsson M, Skogh E, Cervenka S, Dahl ML, Piehl F; Karolinska Schizophrenia Project (KaSP) Consortium, Erhardt S, Wheelock CE. Schizophr Res. 2018 Apr 4. pii: S0920-9964(18)30181-6. doi: 10.1016/j.schres.2018.03.029. [Epub ahead of print] No abstract available.

25-Gray matter differences between affective and non-affective first episode psychosis: A review of Magnetic Resonance Imaging studies.

Calvo A, Delvecchio G, Altamura AC, Soares JC, Brambilla P. J Affect Disord. 2018 Mar 17. pii: S0165-0327(17)32317-0. doi: 10.1016/j.jad.2018.03.008. [Epub ahead of print] Review.

26-20-Year Nationwide Follow-Up Study on Discontinuation of Antipsychotic Treatment in First-Episode Schizophrenia.

Tiihonen J, Tanskanen A, Taipale H. Am J Psychiatry. 2018 Apr 6;appiajp201817091001. doi: 10.1176/appi.ajp.2018.17091001. [Epub ahead of print]

27-Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders.

Chan SKW, Chan SWY, Pang HH, Yan KK, Hui CLM, Chang WC, Lee EHM, Chen EYH. JAMA Psychiatry. 2018 Apr 4. doi: 10.1001/jamapsychiatry.2018.0185. [Epub ahead of print]

28-Smoking does not impact social and non-social cognition in patients with first episode psychosis.

Sánchez-Gutiérrez T, García-Portilla MP, Parellada M, Bobes J, Calvo A, Moreno-Izco L, González-Pinto A, Lobo A, de la Serna E, Cabrera B, Torrent C, Roldán L, Sanjuan J, Ibáñez Á, Sánchez-Torres AM, Corripio I, Bernardo M, Cuesta MJ; PEPs group. Schizophr Res. 2018 Mar 30. pii: S0920-9964(18)30177-4. doi: 10.1016/j.schres.2018.03.025. [Epub ahead of print]

29-Molecular Pathogenicity of Anti-NMDA Receptor Autoantibody From Patients With First-Episode Psychosis.

Jézéquel J, Lepleux M, Kahn RS, Honnorat J, Leboyer M, Groc L.

Am J Psychiatry. 2018 Apr 1;175(4):382-383. doi: 10.1176/appi.ajp.2017.17091053. No abstract available.

30-Psychopathology, cognition and outcome in Dutch and immigrant first-episode psychosis patients.

Stouten LH, Veling W, Laan W, Van der Gaag M.

Early Interv Psychiatry. 2018 Mar 30. doi: 10.1111/eip.12561. [Epub ahead of print]

31-Aberrant within- and between-network connectivity of the mirror neuron system network and the mentalizing network in first episode psychosis.

Choe E, Lee TY, Kim M, Hur JW, Yoon YB, Cho KK, Kwon JS.

Schizophr Res. 2018 Mar 26. pii: S0920-9964(18)30175-0. doi: 10.1016/j.schres.2018.03.024. [Epub ahead of print]

32-Interleukin-17 Alteration in First-Episode Psychosis: A Meta-Analysis.

Fang X, Zhang Y, Fan W, Tang W, Zhang C.

Mol Neuropsychiatry. 2018 Feb;3(3):135-140. doi: 10.1159/000481661. Epub 2017 Oct 28.

33-Connectivity of the precuneus-posterior cingulate cortex with the anterior cingulate cortex-medial prefrontal cortex differs consistently between control subjects and first-episode psychosis patients during a movie stimulus.

Rikandi E, Mäntylä T, Lindgren M, Kieseppä T, Suvisaari J, Rajj TT.

Schizophr Res. 2018 Mar 24. pii: S0920-9964(18)30170-1. doi: 10.1016/j.schres.2018.03.018. [Epub ahead of print]

34-Aberrant salience network functional connectivity in auditory verbal hallucinations: a first episode psychosis sample.

Mallikarjun PK, Lalousis PA, Dunne TF, Heinze K, Reniers RL, Broome MR, Farmah B, Oyeboode F, Wood SJ, Upthegrove R.

Transl Psychiatry. 2018 Mar 27;8(1):69. doi: 10.1038/s41398-018-0118-6.

35-Specific White Matter Impairments in Patients with Treatment-Refractory First-Episode Schizophrenia: A 1-Year Follow-up Pilot Study.

Chen M, Zhuo CJ, Qian LJ, Wang B, Zhai JG, Ji F, Ke XY.

Chin Med J (Engl). 2018 Apr 5;131(7):879-880. doi: 10.4103/0366-6999.228233. No abstract available.

36-Introducing a family intervention to elderly with first episode psychosis.

Saarela T, Johansson M, Louhija U, Appelberg B, Juva K.

Int Psychogeriatr. 2018 Mar 26;1-2. doi: 10.1017/S1041610218000248. [Epub ahead of print]

37-Clinical and functional correlates of financially deprived women with first-episode psychosis.

Hui CLM, Ko WT, Chang WC, Lee EHM, Chan SKW, Chen EYH.

Early Interv Psychiatry. 2018 Mar 25. doi: 10.1111/eip.12551. [Epub ahead of print]

38-Functional outcome and service engagement in major depressive disorder with psychotic features: comparisons with schizophrenia, schizoaffective disorder and bipolar disorder in a 6-year follow-up of the Cavan-Monaghan First Episode Psychosis Study (CAMFEPS).

Kingston T, Scully PJ, Browne DJ, Baldwin PA, Kinsella A, O'Callaghan E, Russell V, Waddington JL.

CNS Neurosci Ther. 2018 Mar 25. doi: 10.1111/cns.12836. [Epub ahead of print]

39-Theory of mind in a first-episode psychosis population using the Hinting Task.

Lindgren M, Torniainen-Holm M, Heiskanen I, Voutilainen G, Pulkkinen U, Mehtälä T, Jokela M, Kieseppä T, Suvisaari J, Therman S.

Psychiatry Res. 2018 May;263:185-192. doi: 10.1016/j.psychres.2018.03.014. Epub 2018 Mar 14.

40-Lived experiences of negative symptoms in first-episode psychosis: A qualitative secondary analysis.

Gee B, Hodgekins J, Lavis A, Notley C, Birchwood M, Everard L, Freemantle N, Jones PB, Singh SP, Amos T, Marshall M, Sharma V, Smith J, Fowler D.

Early Interv Psychiatry. 2018 Mar 24. doi: 10.1111/eip.12558. [Epub ahead of print]

41-Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study.

Lappin JM, Heslin M, Lomas B, Jones PB, Doody GA, Reininghaus UA, Croudace T, Craig T, Fearon P, Murray RM, Dazzan P, Morgan C.

Schizophr Res. 2018 Mar 20. pii: S0920-9964(18)30166-X. doi: 10.1016/j.schres.2018.03.014. [Epub ahead of print]

42-Impact of Political Rhetoric on Mental Health: A Case Report of First-Episode Psychosis After the 2017 US Presidential Inauguration.

Aimua FA.

Prim Care Companion CNS Disord. 2018 Mar 22;20(2). pii: 17102155. doi: 10.4088/PCC.17102155. No abstract available.

43-Disparities in Access to Early Psychosis Intervention Services: Comparison of Service Users and Nonusers in Health Administrative Data.

Anderson KK, Norman R, MacDougall AG, Edwards J, Palaniyappan L, Lau C, Kurdyak P.

Can J Psychiatry. 2018 Jan 1:706743718762101. doi: 10.1177/0706743718762101. [Epub ahead of print]

44-Adjunctive nutrients in first-episode psychosis: A systematic review of efficacy, tolerability and neurobiological mechanisms.

Firth J, Rosenbaum S, Ward PB, Curtis J, Teasdale SB, Yung AR, Sarris J.
Early Interv Psychiatry. 2018 Mar 21. doi: 10.1111/eip.12544. [Epub ahead of print]
Review.

45-Career Decision-Making Processes of Young Adults With First-Episode Psychosis.

Boychuk C, Lysaght R, Stuart H.
Qual Health Res. 2018 May;28(6):1016-1031. doi: 10.1177/1049732318761864. Epub
2018 Mar 20.

46-Neural correlates of binocular depth inversion illusion in antipsychotic-naïve first-episode schizophrenia patients.

Rohleder C, Koethe D, Fritze S, Topor CE, Leweke FM, Hirjak D.
Eur Arch Psychiatry Clin Neurosci. 2018 Mar 19. doi: 10.1007/s00406-018-0886-2.
[Epub ahead of print]

47-Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial.

Hui CLM, Honer WG, Lee EHM, Chang WC, Chan SKW, Chen ESM, Pang EPF, Lui SSY, Chung DWS, Yeung WS, Ng RMK, Lo WTL, Jones PB, Sham P, Chen EYH.
Lancet Psychiatry. 2018 May;5(5):432-442. doi: 10.1016/S2215-0366(18)30090-7. Epub
2018 Mar 15.

48-Corrigendum to "Therapeutic Effectiveness and Tolerability of Aripiprazole as Initial Choice of Treatment in First Episode Psychosis in an Early Intervention Service: A One-Year Outcome Study" [Schizophr. Res. 147, 120-125].

Malla A, Mustafa S, Rho A, Abadi S, Lepage M, Joober R.
Schizophr Res. 2018 Mar;193:490. doi: 10.1016/j.schres.2018.03.009. No abstract
available.

49-Immune and metabolic alterations in first episode psychosis (FEP) patients.

Bocchio-Chiavetto L, Zanardini R, Tosato S, Ventriglia M, Ferrari C, Bonetto C, Lasalvia A, Giubilini F, Fioritti A, Pileggi F, Pratelli M, Pavanati M, Favaro A, De Girolamo G, Frisoni GB, Ruggeri M, Gennarelli M; GET UP Group.
Brain Behav Immun. 2018 Mar 13. pii: S0889-1591(18)30061-8. doi:
10.1016/j.bbi.2018.03.013. [Epub ahead of print]

50-Investigating brain structural patterns in first episode psychosis and schizophrenia using MRI and a machine learning approach.

de Moura AM, Pinaya WHL, Gadelha A, Zugman A, Noto C, Cordeiro Q, Belangero SI, Jackowski AP, Bressan RA, Sato JR.
Psychiatry Res Neuroimaging. 2018 May 30;275:14-20. doi:
10.1016/j.psychres.2018.03.003. Epub 2018 Mar 6.

51-Hyper- and Hypomentalizing in Patients with First-Episode Schizophrenia: fMRI and Behavioral Studies.

Bliksted V, Frith C, Videbech P, Fagerlund B, Emborg C, Simonsen A, Roepstorff A, Campbell-Meiklejohn D.

Schizophr Bull. 2018 Mar 9. doi: 10.1093/schbul/sby027. [Epub ahead of print]

52-Disturbed functional connectivity within the left prefrontal cortex and sensorimotor areas predicts impaired cognitive speed in patients with first-episode schizophrenia.

Krukow P, Jonak K, Karakula-Juchnowicz H, Podkowiński A, Jonak K, Borys M, Harciarek M.

Psychiatry Res Neuroimaging. 2018 May 30;275:28-35. doi: 10.1016/j.psychres.2018.03.001. Epub 2018 Mar 4.

53-Clozapine use in early psychosis.

Thien K, Bowtell M, Eaton S, Bardell-Williams M, Downey L, Ratheesh A, McGorry P, O'Donoghue B.

Schizophr Res. 2018 Mar 8. pii: S0920-9964(18)30134-8. doi: 10.1016/j.schres.2018.02.054. [Epub ahead of print]

54-Considerations for the development and implementation of brief screening tools in the identification of early psychosis.

Schiffman J.

Schizophr Res. 2018 Mar 7. pii: S0920-9964(18)30150-6. doi: 10.1016/j.schres.2018.03.002. [Epub ahead of print] No abstract available.

55-Impaired insulin signaling in unaffected siblings and patients with first-episode psychosis.

Chouinard VA, Henderson DC, Dalla Man C, Valeri L, Gray BE, Ryan KP, Cypess AM, Cobelli C, Cohen BM, Öngür D.

Mol Psychiatry. 2018 Mar 9. doi: 10.1038/s41380-018-0045-1. [Epub ahead of print]

56-Medication adherence in first-episode psychosis patients in Singapore.

Tan C, Abidin E, Liang W, Poon LY, Poon NY, Verma S.

Early Interv Psychiatry. 2018 Mar 9. doi: 10.1111/eip.12559. [Epub ahead of print]

57-A YouTube video intervention as mHealth to promote first-episode psychosis education to Chinese.

Woo BKP, Kung E.

Asian J Psychiatr. 2018 Mar;33:38-39. doi: 10.1016/j.ajp.2018.02.021. Epub 2018 Feb 26. No abstract available.

58-[Service Use of an Early Intervention Centre, Clinical and Sociodemographic Characteristics of Young Adults with Early Psychosis with and without Migration Background].

Zarafonitis-Müller S, Leopold K, Batra M, Kallenbach M, Burkhardt E, Jäckel D, Bechdolf A.

Psychiatr Prax. 2018 Mar 7. doi: 10.1055/s-0043-124050. [Epub ahead of print] German.

59-Meals, Mindfulness, & Moving Forward: A feasibility study to a multi-modal lifestyle approach in early psychosis.

Usher C, Thompson A, Griebeler M, Senders A, Seibel C, Ly R, Murchison C, Hagen K, Afong KA, Bourdette D, Ross R, Borgatti A, Shinto L.

Early Interv Psychiatry. 2018 Mar 7. doi: 10.1111/eip.12546. [Epub ahead of print]

60-Understanding the experience of "burnout" in first-episode psychosis carers.

Onwumere J, Sirykaite S, Schulz J, Man E, James G, Afsharzadegan R, Khan S, Harvey R, Souray J, Raune D.

Compr Psychiatry. 2018 May;83:19-24. doi: 10.1016/j.comppsy.2018.02.003. Epub 2018 Feb 12.

61-Predictors of remission during acute treatment of first-episode schizophrenia patients involuntarily hospitalized and treated with algorithm-based pharmacotherapy: Secondary analysis of an observational study.

Yoshimura B, Sakamoto S, Sato K, Takaki M, Yamada N.

Early Interv Psychiatry. 2017 Dec 12. doi: 10.1111/eip.12531. [Epub ahead of print]

62-Serum cholesterol and Suicide in first episode psychosis: A preliminary study.

Shrivastava A, Johnston M, Campbell R, De Sousa A, Shah N.

Indian J Psychiatry. 2017 Oct-Dec;59(4):478-482. doi: 10.4103/psychiatry.IndianJPsychiatry_185_17.

63-Effectiveness of Early Psychosis Intervention: Comparison of Service Users and Nonusers in Population-Based Health Administrative Data.

Anderson KK, Norman R, MacDougall A, Edwards J, Palaniyappan L, Lau C, Kurdyak P.

Am J Psychiatry. 2018 May 1;175(5):443-452. doi: 10.1176/appi.ajp.2017.17050480. Epub 2018 Mar 2.

64-Understanding Pathways to Care of Individuals Entering a Specialized Early Intervention Service for First-Episode Psychosis.

Cabassa LJ, Piscitelli S, Haselden M, Lee RJ, Essock SM, Dixon LB.

Psychiatr Serv. 2018 Mar 1;appips201700018. doi: 10.1176/appi.ps.201700018. [Epub ahead of print]

65-Community-Academic Partnership: Establishing the Institute for Mental Health Research Early Psychosis Intervention Center.

Breitborde NJK, Labrecque L, Moe A, Gary T, Meyer M.

Psychiatr Serv. 2018 May 1;69(5):505-507. doi: 10.1176/appi.ps.201700516. Epub 2018 Mar 1.

66-The effect of excess weight on circulating inflammatory cytokines in drug-naïve first-episode psychosis individuals.

Juncal-Ruiz M, Riesco-Dávila L, de la Foz VO, Ramírez-Bonilla M, Martínez-García O, Irure-Ventura J, Leza JC, López-Hoyos M, Crespo-Facorro B.
J Neuroinflammation. 2018 Feb 28;15(1):63. doi: 10.1186/s12974-018-1096-6.

67-Therapeutic Potential of Physical Exercise in Early Psychosis.

Noordsy DL, Burgess JD, Hardy KV, Yudofsky LM, Ballon JS.
Am J Psychiatry. 2018 Mar 1;175(3):209-214. doi: 10.1176/appi.ajp.2017.17060716. No abstract available.

68-Mnemonic Discrimination Deficits in First-Episode Psychosis and a Ketamine Model Suggests Dentate Gyrus Pathology Linked to N-Methyl-D-Aspartate Receptor Hypofunction.

Kraguljac NV, Carle M, Frölich MA, Tran S, Yassa MA, White DM, Reddy A, Lahti AC.
Biol Psychiatry Cogn Neurosci Neuroimaging. 2018 Mar;3(3):231-238. doi: 10.1016/j.bpsc.2017.02.005. Epub 2017 Feb 28.

69-Association of Hippocampal Atrophy With Duration of Untreated Psychosis and Molecular Biomarkers During Initial Antipsychotic Treatment of First-Episode Psychosis.

Goff DC, Zeng B, Ardekani BA, Diminich ED, Tang Y, Fan X, Galatzer-Levy I, Li C, Troxel AB, Wang J.
JAMA Psychiatry. 2018 Apr 1;75(4):370-378. doi: 10.1001/jamapsychiatry.2017.4595.

70-Obesity, dyslipidemia and brain age in first-episode psychosis.

Kolenic M, Franke K, Hlinka J, Matejka M, Capkova J, Pausova Z, Uher R, Alda M, Spaniel F, Hajek T.
J Psychiatr Res. 2018 Apr;99:151-158. doi: 10.1016/j.jpsychires.2018.02.012. Epub 2018 Feb 10.

71-Modification of the association between antipsychotic treatment response and childhood adversity by MMP9 gene variants in a first-episode schizophrenia cohort.

McGregor N, Thompson N, O'Connell KS, Emsley R, van der Merwe L, Warnich L.
Psychiatry Res. 2018 Apr;262:141-148. doi: 10.1016/j.psychres.2018.01.044. Epub 2018 Feb 7.

72-Allostatic load is associated with psychotic symptoms and decreases with antipsychotic treatment in patients with schizophrenia and first-episode psychosis.

Berger M, Juster RP, Westphal S, Amminger GP, Bogerts B, Schiltz K, Bahn S, Steiner J, Sarnyai Z.
Psychoneuroendocrinology. 2018 Apr;90:35-42. doi: 10.1016/j.psyneuen.2018.02.001. Epub 2018 Feb 5.

73-Olfactory identification deficit and its relationship with hedonic traits in patients with first-episode schizophrenia and individuals with schizotypy.

Zou LQ, Zhou HY, Lui SSY, Wang Y, Wang Y, Gan J, Zhu XZ, Cheung EFC, Chan RCK.

Prog Neuropsychopharmacol Biol Psychiatry. 2018 Apr 20;83:137-141. doi: 10.1016/j.pnpbp.2018.01.014. Epub 2018 Jan 31.

74-Therapeutic Drug Monitoring of Second-Generation Antipsychotics for the Estimation of Early Drug Effect in First-Episode Psychosis: A Cross-sectional Assessment.

Bustillo M, Zabala A, Querejeta I, Carton JI, Mentxaka O, González-Pinto A, García S, Meana JJ, Eguiluz JI, Segarra R.

Ther Drug Monit. 2018 Apr;40(2):257-267. doi: 10.1097/FTD.0000000000000480.

75-Theory of mind performances in first-episode schizophrenia patients: An 18-month follow-up study.

Ho KKY, Lui SSY, Wang Y, Yeung HKH, Wong PTY, Cheung EFC, Chan RCK.

Psychiatry Res. 2018 Mar;261:357-360. doi: 10.1016/j.psychres.2018.01.014. Epub 2018 Jan 9.

76-Impulsivity in early psychosis: A complex link with violent behaviour and a target for intervention.

Moulin V, Golay P, Palix J, Baumann PS, Gholamrezaee MM, Azzola A, Gasser J, Do KQ, Alameda L, Conus P.

Eur Psychiatry. 2018 Mar;49:30-36. doi: 10.1016/j.eurpsy.2017.12.003. Epub 2018 Jan 30.

77-Gray and white matter changes and their relation to illness trajectory in first episode psychosis.

Keymer-Gausset A, Alonso-Solís A, Corripio I, Sauras-Quetcuti RB, Pomarol-Clotet E, Canales-Rodriguez EJ, Grasa-Bello E, Álvarez E, Portella MJ.

Eur Neuropsychopharmacol. 2018 Mar;28(3):392-400. doi: 10.1016/j.euroneuro.2017.12.117. Epub 2018 Jan 12.

78-Co-morbid depressive disorder is associated with better neurocognitive performance in first episode schizophrenia spectrum.

Herniman SE, Cotton SM, Killackey E, Hester R, Allott KA.

J Affect Disord. 2018 Mar 15;229:498-505. doi: 10.1016/j.jad.2017.12.088. Epub 2018 Jan 3.

79-Physical and psychological health of carers of young people with first episode psychosis.

Poon AWC, Curtis J, Ward P, Loneragan C, Lappin J.

Australas Psychiatry. 2018 Apr;26(2):184-188. doi: 10.1177/1039856217748250. Epub 2018 Jan 15.

80-Four-way multimodal fusion of 7 T imaging data using an mCCA+jICA model in first-episode schizophrenia.

Lottman KK, White DM, Kraguljac NV, Reid MA, Calhoun VD, Catao F, Lahti AC.

Hum Brain Mapp. 2018 Apr;39(4):1475-1488. doi: 10.1002/hbm.23906. Epub 2018 Jan 9.

81-Prevalence, correlates and outcomes of insomnia in patients with first episode psychosis from a tertiary psychiatric institution in Singapore.

Subramaniam M, Abdin E, Shahwan S, Satghare P, Vaingankar JA, Rama Sendren J, Picco L, Chua BY, Ng BT, Chong SA, Verma S.

Gen Hosp Psychiatry. 2018 Mar - Apr;51:15-21. doi: 10.1016/j.genhosppsy.2017.11.009. Epub 2017 Nov 24.

82-Telomerase level increase is related to n-3 polyunsaturated fatty acid efficacy in first episode schizophrenia: Secondary outcome analysis of the OFFER randomized clinical trial.

Pawełczyk T, Grancow-Grabka M, Trafalska E, Szemraj J, Żurner N, Pawełczyk A.

Prog Neuropsychopharmacol Biol Psychiatry. 2018 Apr 20;83:142-148. doi: 10.1016/j.pnpbp.2017.12.008. Epub 2017 Dec 11.

83-Change and dispersion of QT interval during treatment with quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: results from the TEA trial.

Jensen KG, Gärtner S, Correll CU, Rudå D, Klauber DG, Stentebjerg-Olesen M, Fagerlund B, Jepsen JR, Fink-Jensen A, Juul K, Pagsberg AK.

Psychopharmacology (Berl). 2018 Mar;235(3):681-693. doi: 10.1007/s00213-017-4784-5. Epub 2017 Nov 29.

84-Prefrontal and Striatal Gamma-Aminobutyric Acid Levels and the Effect of Antipsychotic Treatment in First-Episode Psychosis Patients.

de la Fuente-Sandoval C, Reyes-Madrigal F, Mao X, León-Ortiz P, Rodríguez-Mayoral O, Jung-Cook H, Solís-Vivanco R, Graff-Guerrero A, Shungu DC.

Biol Psychiatry. 2018 Mar 15;83(6):475-483. doi: 10.1016/j.biopsych.2017.09.028. Epub 2017 Oct 10.