

Nos meses de ***Maio e Junho de 2018*** foram publicados os seguintes artigos na área das fases iniciais da psicose:

1. First-Episode Psychosis and Hypokalemia: A Case Report and Review of the Literature.

Coentre R, Saraiva R, Levy P.

Clin Schizophr Relat Psychoses. 2018 Jun 26. doi: 10.3371/CSRP.COSA.061518. [Epub ahead of print]

2. Poststroke Psychosis Reduction: A Case Report.

Centorino MB, Catalano G, Grimsich LC, Antoun RM.

J Psychiatr Pract. 2018 May;24(3):194-198. doi: 10.1097/PRA.0000000000000304.

3. Predictors of Lifetime Suicide Attempts in Individuals With Attenuated Psychosis Syndrome.

Zuschlag ZD, Korte JE, Hamner M.

J Psychiatr Pract. 2018 May;24(3):169-178. doi: 10.1097/PRA.0000000000000303.

4. Promoting well-being in psychosis.

Austin SF.

Nord J Psychiatry. 2018 Jul 17;1-5. doi: 10.1080/08039488.2018.1492016. [Epub ahead of print]

5. Acute Psychosis After Treatment of Epididymitis with Ciprofloxacin.

Rossi G, Mazoki K.

Cureus. 2018 May 10;10(5):e2605. doi: 10.7759/cureus.2605.

6. Management of Psychosis in a Patient with Probable Dopa-Responsive Dystonia.

Wang M, Sison JJ.

Case Rep Psychiatry. 2018 Jun 14;2018:8040491. doi: 10.1155/2018/8040491. eCollection 2018.

7. The Predictive Coding Account of Psychosis.

Sterzer P, Adams RA, Fletcher P, Frith C, Lawrie SM, Muckli L, Petrovic P, Uhlhaas P, Voss M, Corlett PR.

Biol Psychiatry. 2018 May 25. pii: S0006-3223(18)31532-4. doi: 10.1016/j.biopsych.2018.05.015. [Epub ahead of print] Review.

8. Quick Identification of the Risk of Psychosis: The Italian Version of the Prodromal Questionnaire-Brief.

Preti A, Raballo A, Kotzalidis GD, Scanu R, Muratore T, Gabbriellini M, Tronci D, Masala C, Petretto DR, Carta MG.

Clin Pract Epidemiol Ment Health. 2018 May 23;14:120-131. doi: 10.2174/1745017901814010154. eCollection 2018

9. Maintenance antipsychotic treatment versus discontinuation strategies following remission from first episode psychosis: systematic review.

Thompson A, Winsper C, Marwaha S, Haynes J, Alvarez-Jimenez M, Hetrick S, Realpe A, Vail L, Dawson S, Sullivan SA.

BJPsych Open. 2018 Jun 29;4(4):215-225. doi: 10.1192/bjo.2018.17. eCollection 2018 Jul. Review.

10. IL-33/ST2 Pathway and Galectin-3 as a New Analytes in Pathogenesis and Cardiometabolic Risk Evaluation in Psychosis.

Borovcanin MM, Janicijevic SM, Jovanovic IP, Gajovic N, Arsenijevic NN, Lukic ML.

Front Psychiatry. 2018 Jun 22;9:271. doi: 10.3389/fpsyt.2018.00271. eCollection 2018.

11. The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis.

Leanza L, Egloff L, Studerus E, Andreou C, Heitz U, Ittig S, Beck K, Uttinger M, Riecher-Rössler A.

Psychiatry Res. 2018 Jun 21;268:21-27. doi: 10.1016/j.psychres.2018.06.047. [Epub ahead of print]

12. Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study.

Sanada K, de Azúa SR, Nakajima S, Alberich S, Ugarte A, Zugasti J, Vega P, Martínez-Cengotitabengoa M, González-Pinto A.

Psychiatry Res. 2018 Jun 28;268:1-7. doi: 10.1016/j.psychres.2018.06.053. [Epub ahead of print]

13. Efficacy of Dextromethorphan/Quinidine for Patients With Psychosis-Related Aggression: A Retrospective Case Series.

Chen Q, Calcagno HE, Shad M.

Prim Care Companion CNS Disord. 2018 Jun 28;20(3). pii: 18m02284. doi: 10.4088/PCC.18m02284.

14. Self-rated disability in first treated episode of psychosis: A 1-year follow-up study.

Simonsen C, Faerden A, Ueland T, Vaskinn A, Bjella T, Andreassen O, Romm KL, Melle I.

Compr Psychiatry. 2018 Jun 19;85:48-54. doi: 10.1016/j.comppsy.2018.06.004. [Epub ahead of print]

15. Decreased use of active coping styles contributes to elevated allostatic load index in first-episode psychosis.

Misiak B, Kotowicz K, Loska O, Stramecki F, Beszlej JA, Samochowiec J, Jabłoński M, Podwański P, Waszczuk K, Wroński M, Michalczyk A, Sagan L, Piotrowski P.

Psychoneuroendocrinology. 2018 Jun 28;96:166-172. doi: 10.1016/j.psychneuen.2018.06.021. [Epub ahead of print]

16. The highly selective 5-HT_{2A} antagonist EMD-281,014 reduces dyskinesia and psychosis in the L-DOPA-treated parkinsonian marmoset.

Hamadjida A, Nuara SG, Bédard D, Gaudette F, Beaudry F, Gourdon JC, Huot P.
Neuropharmacology. 2018 Jun 30;139:61-67. doi: 10.1016/j.neuropharm.2018.06.038.
[Epub ahead of print]

17. Microstructural Changes in Higher-Order Nuclei of the Thalamus in Patients With First-Episode Psychosis.

Cho KIK, Kwak YB, Hwang WJ, Lee J, Kim M, Lee TY, Kwon JS.
Biol Psychiatry. 2018 May 31. pii: S0006-3223(18)31558-0. doi:
10.1016/j.biopsych.2018.05.019. [Epub ahead of print]

18. Individuals with Borderline Personality Disorder manifest cognitive biases implicated in psychosis.

Puri P, Kumar D, Muralidharan K, Kishore MT.
Psychiatry Res. 2018 Jun 19;267:414-419. doi: 10.1016/j.psychres.2018.06.040. [Epub
ahead of print]

19. Oral health experiences and needs amongst young adults after a first episode psychosis.

Kuipers SA, Castelein S, Malda A, Kronenberg L, Boonstra TC.
J Psychiatr Ment Health Nurs. 2018 Jun 30. doi: 10.1111/jpm.12490. [Epub ahead of
print]

20. Adolescent inhalant use and psychosis risk - a prospective longitudinal study.

Mustonen A, Niemelä S, McGrath JJ, Murray GK, Nordström T, Mäki P, Miettunen J,
Scott JG.
Schizophr Res. 2018 Jun 26. pii: S0920-9964(18)30270-6. doi:
10.1016/j.schres.2018.05.013. [Epub ahead of print]

21. Cognitive therapies for psychosis: Advances and challenges.

Medalia A, Beck AT, Grant PM.
Schizophr Res. 2018 Jun 26. pii: S0920-9964(18)30278-0. doi:
10.1016/j.schres.2018.05.021. [Epub ahead of print] No abstract available.

22. Structured physical exercise and recovery from first episode psychosis in young adults, the FitForLife study.

Lambden B, Berge J, Forsell Y.
Psychiatry Res. 2018 Jun 19;267:346-353. doi: 10.1016/j.psychres.2018.06.001. [Epub
ahead of print]

23. Duration of untreated psychosis (DUP) and outcome of people with schizophrenia in rural China: 14-year follow-up study.

Ran MS, Xiao Y, Chui CHK, Hu XZ, Yu YH, Peng MM, Mao WJ, Liu B, Chen Eric YH,
Chan CL.
Psychiatry Res. 2018 Jun 20;267:340-345. doi: 10.1016/j.psychres.2018.06.043. [Epub
ahead of print]

24. Cognitive improvement in first-episode schizophrenia and healthy controls: A 6-year multi-assessment follow-up study.

Fu S, Czajkowski N, Torgalsbøen AK.

Psychiatry Res. 2018 Jun 18;267:319-326. doi: 10.1016/j.psychres.2018.06.016. [Epub ahead of print]

25. The relation of atypical antipsychotic use and stress with weight in individuals at clinical high risk for psychosis.

Hampton JN, Trotman HD, Addington J, Bearden CE, Cadenhead KS, Cannon TD, Cornblatt BA, Mathalon DH, McGlashan TH, Tsuang MT, Perkins DO, Seidman LJ, Woods SW, Walker EF.

Stress Health. 2018 Jun 28. doi: 10.1002/smi.2819. [Epub ahead of print]

26. Self-esteem moderates affective and psychotic responses to social stress in psychosis: A virtual reality study.

Jongeneel A, Pot-Kolder R, Counotte J, van der Gaag M, Veling W.

Schizophr Res. 2018 Jun 26. pii: S0920-9964(18)30376-1. doi: 10.1016/j.schres.2018.06.042. [Epub ahead of print]

27. Impaired associative inference in the early stage of psychosis.

Armstrong K, Avery S, Blackford JU, Woodward N, Heckers S.

Schizophr Res. 2018 Jun 25. pii: S0920-9964(18)30389-X. doi: 10.1016/j.schres.2018.06.049. [Epub ahead of print]

28. Beyond the dopamine hypothesis of schizophrenia to three neural networks of psychosis: dopamine, serotonin, and glutamate.

Stahl SM.

CNS Spectr. 2018 Jun;23(3):187-191. doi: 10.1017/S1092852918001013.

29. Stimulant-induced Psychosis in the Postpartum Period: A Case Report.

Gogne A, Erisman S.

J Addict Med. 2018 Jun 26. doi: 10.1097/ADM.0000000000000434. [Epub ahead of print]

30. Stigma of psychosis: Do diagnostic label, symptom manifestation, and gender matter?

Cheung RYM, Mak WWS, Tsang PS, Lau JTF.

Am J Orthopsychiatry. 2018 Jun 28. doi: 10.1037/ort0000315. [Epub ahead of print]

31. Head-to-head comparison of 1-year aripiprazole long-acting injectable (LAI) versus paliperidone LAI in comorbid psychosis and substance use disorder: impact on clinical status, substance craving, and quality of life.

Cuomo I, Kotzalidis GD, de Persis S, Piacentino D, Perrini F, Amici E, De Filippis S.

Neuropsychiatr Dis Treat. 2018 Jun 21;14:1645-1656. doi: 10.2147/NDT.S171002. eCollection 2018.

32. A predictive model for conversion to psychosis in clinical high-risk patients.

Ciarleglio AJ, Brucato G, Masucci MD, Altschuler R, Colibazzi T, Corcoran CM, Crump FM, Horga G, Lehembre-Shiah E, Leong W, Schobel SA, Wall MM, Yang LH, Lieberman JA, Girgis RR.

Psychol Med. 2018 Jun 28:1-10. doi: 10.1017/S003329171800171X. [Epub ahead of print]

33. Factors affecting Mental Health Nurses working with Clients with First Episode Psychosis: A qualitative study.

Odeyemi C, Morrissey J, Donohue G.

J Psychiatr Ment Health Nurs. 2018 Jun 27. doi: 10.1111/jpm.12489. [Epub ahead of print]

34. Adherence to Follow-Up in First-Episode Psychosis: Ethnicity Factors and Case Manager Perceptions.

Nikolitch K, Ryder A, Jarvis GE.

Prim Care Companion CNS Disord. 2018 Jun 7;20(3). pii: 17m02156. doi: 10.4088/PCC.17m02156.

35. Classification of First-Episode Schizophrenia Using Multimodal Brain Features: A Combined Structural and Diffusion Imaging Study.

Liang S, Li Y, Zhang Z, Kong X, Wang Q, Deng W, Li X, Zhao L, Li M, Meng Y, Huang F, Ma X, Li XM, Greenshaw AJ, Shao J, Li T.

Schizophr Bull. 2018 Jun 27. doi: 10.1093/schbul/sby091. [Epub ahead of print]

36. Caffeine-Induced Psychosis in a Bodybuilder With Chronic Testosterone and Amphetamine/Dextroamphetamine Misuse.

Gomes CAB, Mahgoub Y.

Prim Care Companion CNS Disord. 2018 Jun 21;20(3). pii: 17102197. doi: 10.4088/PCC.17102197. No abstract available.

37. Efficacy and Acceptability of Interventions for Attenuated Positive Psychotic Symptoms in Individuals at Clinical High Risk of Psychosis: A Network Meta-Analysis.

Davies C, Radua J, Cipriani A, Stahl D, Provenzano U, McGuire P, Fusar-Poli P.

Front Psychiatry. 2018 Jun 12;9:187. doi: 10.3389/fpsyt.2018.00187. eCollection 2018.

38. Neurocryptococcosis in immunocompetent patient with psychosis.

Florentino ISM, Júnior JBD, Cantilino A.

Clin Schizophr Relat Psychoses. 2018 Jun 26. doi: 10.3371/CSRP.FLJU.061518. [Epub ahead of print]

39. Premenstrual Psychosis in an Adolescent: A Case Report.

Fatica JP, Jiwani S, Salman R, Majeed S.

Clin Schizophr Relat Psychoses. 2018 Jun 26. doi: 10.3371/CSRP.FAJI.061518. [Epub ahead of print]

40. Comparison of the anti-inflammatory effect of aripiprazole and risperidone in 75 drug-naïve first episode psychosis individuals: A 3 months randomized study.

Juncal-Ruiz M, Riesco-Dávila L, Ortiz-García de la Foz V, Martínez-García O, Ramírez-Bonilla M, Ocejo-Viñals JG, Leza JC, López-Hoyos M, Crespo-Facorro B.

Schizophr Res. 2018 Jun 22. pii: S0920-9964(18)30372-4. doi: 10.1016/j.schres.2018.06.039. [Epub ahead of print]

41. Beneficial and adverse effects of antipsychotic medication on cognitive flexibility are related to COMT genotype in first episode psychosis.

Nelson CLM, Amsbaugh HM, Reilly JL, Rosen C, Marvin RW, Ragozzino ME, Bishop JR, Sweeney JA, Hill SK.

Schizophr Res. 2018 Jun 22. pii: S0920-9964(18)30363-3. doi: 10.1016/j.schres.2018.06.029. [Epub ahead of print]

42. A systematic scoping review of psychological therapies for psychosis within acute psychiatric in-patient settings.

Jacobsen P, Hodgkinson K, Peters E, Chadwick P.

Br J Psychiatry. 2018 Jun 26;1-8. doi: 10.1192/bjp.2018.106. [Epub ahead of print]

43. Aldosterone and aldosterone/cortisol ratio is higher in serum of long-term compared to first episode schizophrenia patients: A pilot study.

Ustohal L, Hlavacova N, Mayerova M, Ceskova E, Jezova D.

J Psychiatr Res. 2018 Jun 15;104:46-49. doi: 10.1016/j.jpsychires.2018.06.012. [Epub ahead of print]

44. "Brain Connectivity Deviates by Sex and Hemisphere in the First Episode of Schizophrenia"-A Route to the Genetic Basis of Language and Psychosis?

Wang Q, Zhang J, Liu Z, Crow TJ, Zhang K, Li M, Zhao L, Li X, Deng W, Guo W, Ma X, Cheng W, Ma L, Wan L, Lu G, Liu Z, Wang J, Feng J, Li T.

Schizophr Bull. 2018 Jun 25. doi: 10.1093/schbul/sby061. [Epub ahead of print]

45. Interventions and social functioning in youth at risk of psychosis: A systematic review and meta-analysis.

Devoe DJ, Farris MS, Townes P, Addington J.

Early Interv Psychiatry. 2018 Jun 25. doi: 10.1111/eip.12689. [Epub ahead of print] Review.

46. An Experimental Investigation into the Effect of State-Anxiety on State-Paranoia in People Experiencing Psychosis.

Cowles M, Hogg L.

Behav Cogn Psychother. 2018 Jun 25;1-15. doi: 10.1017/S1352465818000401. [Epub ahead of print]

47. Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients.

Heitz U, Pappmeyer M, Studerus E, Egloff L, Ittig S, Andreou C, Vogel T, Borgwardt S, Graf M, Eckert A, Riecher-Rössler A.

World J Biol Psychiatry. 2018 Jun 25;1-10. doi: 10.1080/15622975.2018.1462532. [Epub ahead of print]

48. Combination therapy of electroconvulsive therapy and aripiprazole for dopamine supersensitivity psychosis.

Kanahara N, Hirabayashi M, Mamada T, Nishimoto M, Iyo M.

Schizophr Res. 2018 Jun 21. pii: S0920-9964(18)30373-6. doi: 10.1016/j.schres.2018.06.038. [Epub ahead of print] No abstract available.

49. Social aversive conditioning in youth at clinical high risk for psychosis and with psychosis: An ERP study.

Watters AJ, Rupert PE, Wolf DH, Calkins ME, Gur RC, Gur RE, Turetsky BI.

Schizophr Res. 2018 Jun 21. pii: S0920-9964(18)30360-8. doi: 10.1016/j.schres.2018.06.027. [Epub ahead of print]

50. Low plasma concentrations of N-methyl-d-aspartate receptor subunits as a possible biomarker for psychosis.

Loureiro CM, Shuhama R, Fachim HA, Menezes PR, Del-Ben CM, Louzada-Junior P.

Schizophr Res. 2018 Jun 20. pii: S0920-9964(18)30371-2. doi: 10.1016/j.schres.2018.06.037. [Epub ahead of print]

51. Negative symptom dimensions differentially impact on functioning in individuals at-risk for psychosis.

Chang WC, Lee HC, Chan SI, Chiu SY, Lee HM, Chan KW, Wong MC, Chan KL, Yeung WS, Choy LW, Chong SY, Siu MW, Lo TL, Yan WC, Ng MK, Poon LT, Pang PF, Lam WC, Wong YC, Chung WS, Mo YM, Lui SY, Hui LM, Chen EYH.

Schizophr Res. 2018 Jun 20. pii: S0920-9964(18)30375-X. doi: 10.1016/j.schres.2018.06.041. [Epub ahead of print] No abstract available.

52. Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years.

Pruessner M, King S, Vracotas N, Abadi S, Iyer S, Malla AK, Shah J, Joobor R.

Schizophr Res. 2018 Jun 21. pii: S0920-9964(18)30381-5. doi: 10.1016/j.schres.2018.06.043. [Epub ahead of print]

53. Tractography-based classification in distinguishing patients with first-episode schizophrenia from healthy individuals.

Deng Y, Hung KSY, Lui SSY, Chui WWH, Lee JCW, Wang Y, Li Z, Mak HKF, Sham PC, Chan RCK, Cheung EFC.

Prog Neuropsychopharmacol Biol Psychiatry. 2018 Jun 20;88:66-73. doi: 10.1016/j.pnpbp.2018.06.010. [Epub ahead of print]

54. Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study.

Chang WC, Liu JTT, Hui CLM, Chan SKW, Lee EHM, Suen YN, Chen EYH.

Eur Arch Psychiatry Clin Neurosci. 2018 Jun 22. doi: 10.1007/s00406-018-0918-y. [Epub ahead of print]

55. Altered selection during language processing in individuals at high risk for psychosis.

Vargas T, Snyder H, Banich M, Newberry R, Shankman SA, Strauss GP, Mittal VA. Schizophr Res. 2018 Jun 20. pii: S0920-9964(18)30370-0. doi: 10.1016/j.schres.2018.06.036. [Epub ahead of print]

56. Correction to: Risk factors for relapse in patients with first-episode schizophrenia: analysis of the Health Insurance Review and Assessment Service data from 2011 to 2015.

Lee SU, Soh M, Ryu V, Kim CE, Park S, Roh S, Oh IH, Lee HY, Choi S. Int J Ment Health Syst. 2018 Jun 7;12:32. doi: 10.1186/s13033-018-0193-3. eCollection 2018.

57. Structural Magnetic Resonance Imaging Correlates of Aggression in Psychosis: A Systematic Review and Effect Size Analysis.

Widmayer S, Sowislo JF, Jungfer HA, Borgwardt S, Lang UE, Stieglitz RD, Huber CG. Front Psychiatry. 2018 Jun 7;9:217. doi: 10.3389/fpsy.2018.00217. eCollection 2018.

58. Significantly lower right middle cerebral artery blood flow velocity in the first episode of psychosis during neurocognitive testing.

Kekin I, Bosnjak D, Makaric P, Bajic Z, Rossini Gajsak L, Malojcic B, Boban M, Rojnic Kuzman M. Psychiatr Danub. 2018 Jun;30(2):172-182. doi: 10.24869/psy.2018.172.

59. Identification and prediction of clinical high risk of psychosis in Chinese outpatients using two-stage screening.

Xu L, Wang Y, Cui H, Tang Y, Wang J, Tang X, Zhang B, Wei Y, Zhu Y, Jiang L, Qian Z, Li H, Zhang T, Wang J. Schizophr Res. 2018 Jun 18. pii: S0920-9964(18)30359-1. doi: 10.1016/j.schres.2018.06.026. [Epub ahead of print]

60. Predicting suicidal behaviour after first episode of non-affective psychosis: The role of neurocognitive functioning.

Canal-Rivero M, López-Morínigo JD, Setién-Suero E, Ruiz-Veguilla M, Ayuso-Mateos JL, Ayesa-Arriola R, Crespo-Facorro B. Eur Psychiatry. 2018 Jun 18;53:52-57. doi: 10.1016/j.eurpsy.2018.06.001. [Epub ahead of print]

61. [To the origins of the 'unitary psychosis' doctrine: from Aretaeus to V. Chiarugi].

Pyatnitskiy NY. Zh Nevrol Psikhiatr Im S S Korsakova. 2018;118(5):111-119. doi: 10.17116/jnevro201811851111. Russian.

62. Is early management of psychosis designed for migrants? Improving transcultural variable collection when measuring duration of untreated psychosis.

Martin R, Moro MR, Benoit L.

Early Interv Psychiatry. 2018 Jun 21. doi: 10.1111/eip.12701. [Epub ahead of print] Review.

63. Trajectories after first-episode psychosis: Complement to ambiguous outcomes of long-term antipsychotic treatment by exploring a few hidden cases.

Liu CC, Lin YT, Liu CM, Hsieh MH, Chien YL, Hwang TJ, Hwu HG.

Early Interv Psychiatry. 2018 Jun 21. doi: 10.1111/eip.12696. [Epub ahead of print]

64. Blind Spots: Spatial analytics can identify nonrandom geographic variation in first episode psychosis program enrollments.

Mathis WS, Woods S, Srihari V.

Early Interv Psychiatry. 2018 Jun 21. doi: 10.1111/eip.12681. [Epub ahead of print]

65. Conceptualizations of subjective recovery from recent onset psychosis and its associated factors: A systematic review.

Temesgen WA, Chien WT, Bressington D.

Early Interv Psychiatry. 2018 Jun 21. doi: 10.1111/eip.12698. [Epub ahead of print] Review.

66. Clinical high risk for psychosis: The effects of labelling on public stigma in a undergraduate population.

Parrish EM, Kim NS, Woodberry KA, Friedman-Yakoobian M.

Early Interv Psychiatry. 2018 Jun 21. doi: 10.1111/eip.12691. [Epub ahead of print]

67. Aberrant cerebro-cerebellar functional connectivity and minimal self-disturbance in individuals at ultra-high risk for psychosis and with first-episode schizophrenia.

Bang M, Park HJ, Pae C, Park K, Lee E, Lee SK, An SK.

Schizophr Res. 2018 Jun 18. pii: S0920-9964(18)30365-7. doi: 10.1016/j.schres.2018.06.031. [Epub ahead of print]

68. Testing for antibodies to N-methyl-d-aspartate receptor and other neuronal cell surface antigens in patients with early psychosis.

Scott JG, Gillis D, Swayne A, Blum S.

Aust N Z J Psychiatry. 2018 Jun 1;4867418782421. doi: 10.1177/0004867418782421. [Epub ahead of print] No abstract available.

69. Psychosis as an Evolutionary Adaptive Mechanism to Changing Environments.

Scheepers FE, de Mul J, Boer F, Hoogendijk WJ.

Front Psychiatry. 2018 Jun 5;9:237. doi: 10.3389/fpsy.2018.00237. eCollection 2018.

70. Treatment response prediction and individualized identification of first-episode drug-naïve schizophrenia using brain functional connectivity.

Cao B, Cho RY, Chen D, Xiu M, Wang L, Soares JC, Zhang XY.

Mol Psychiatry. 2018 Jun 19. doi: 10.1038/s41380-018-0106-5. [Epub ahead of print]

71. Ultrahigh risk for developing psychosis and psychotic personality organization.

van der Gaag M, Eurelings-Bontekoe L, Ising H, van den Berg D.

Early Interv Psychiatry. 2018 Jun 19. doi: 10.1111/eip.12687. [Epub ahead of print]

72. Is the grass greener for those at risk of psychosis?

Murray RM.

Schizophr Res. 2018 Jun 16. pii: S0920-9964(18)30252-4. doi: 10.1016/j.schres.2018.04.041. [Epub ahead of print] No abstract available.

73. Associations between P3a and P3b amplitudes and cognition in antipsychotic-naïve first-episode schizophrenia patients.

Kruiper C, Fagerlund B, Nielsen MØ, Düring S, Jensen MH, Ebdrup BH, Glenthøj BY, Oranje B.

Psychol Med. 2018 Jun 19:1-8. doi: 10.1017/S0033291718001575. [Epub ahead of print]

74. Olfactory impairment in first-episode schizophrenia: a case-control study, and sex dimorphism in the relationship between olfactory impairment and psychotic symptoms.

Chen X, Xu J, Li B, Guo W, Zhang J, Hu J.

BMC Psychiatry. 2018 Jun 18;18(1):199. doi: 10.1186/s12888-018-1786-8.

75. Effect of discontinuation v. maintenance of antipsychotic medication on relapse rates in patients with remitted/stable first-episode psychosis: a meta-analysis.

Kishi T, Ikuta T, Matsui Y, Inada K, Matsuda Y, Mishima K, Iwata N.

Psychol Med. 2018 Jun 18:1-8. doi: 10.1017/S0033291718001393. [Epub ahead of print]

76. [Epidemiology, etiology and treatment of patients with psychosis and co-morbid substance use disorder].

Moggi F.

Ther Umsch. 2018 Jun;75(1):37-43. doi: 10.1024/0040-5930/a000964. German.

77. [Early detection of psychosis: evidence and perspectives].

Theodoridou A.

Ther Umsch. 2018 Jun;75(1):45-49. doi: 10.1024/0040-5930/a000965. German.

78. Reply to comments on "A pilot study assessing retinal pathology in psychosis using optical coherence tomography: Choroidal and macular thickness".

Ahmad M, Joe P, Malaspina D, Smith RT.

Psychiatry Res. 2018 May 30. pii: S0165-1781(18)30957-0. doi: 10.1016/j.psychres.2018.05.073. [Epub ahead of print] No abstract available.

79. Commentary on "Improvement of postpartum depression and psychosis after electroconvulsive therapy - A population-based study with a matched comparison group".

Kessler U.

J Affect Disord. 2018 Jun 6;238:351-352. doi: 10.1016/j.jad.2018.06.011. [Epub ahead of print] No abstract available.

80. What prevents youth at clinical high risk for psychosis from engaging in physical activity? An examination of the barriers to physical activity.

Newberry RE, Dean DJ, Sayyah MD, Mittal VA.

Schizophr Res. 2018 Jun 13. pii: S0920-9964(18)30343-8. doi: 10.1016/j.schres.2018.06.011. [Epub ahead of print]

81. Implementing cognitive remediation and social cognitive interaction training into standard psychosis care.

Dark F, Harris M, Gore-Jones V, Newman E, Whiteford H.

BMC Health Serv Res. 2018 Jun 15;18(1):458. doi: 10.1186/s12913-018-3240-5.

82. Cardiovascular disease lifestyle risk factors in people with psychosis: a cross-sectional study.

Mucheru D, Hanlon MC, Campbell LE, McEvoy M, MacDonald-Wicks L.

BMC Public Health. 2018 Jun 15;18(1):742. doi: 10.1186/s12889-018-5649-5.

83. Overall cortisol, diurnal slope, and stress reactivity in psychosis: An experience sampling approach.

Vaessen T, Kasanova Z, Hernaus D, Lataster J, Collip D, van Nierop M, Myin-Germeys I.

Psychoneuroendocrinology. 2018 Jun 7;96:61-68. doi: 10.1016/j.psyneuen.2018.06.007. [Epub ahead of print]

84. Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up.

Faerden A, Lyngstad SH, Simonsen C, Ringen PA, Papsuev O, Dieset I, Andreassen OA, Agartz I, Marder SR, Melle I.

Psychiatry Res. 2018 May 31;267:140-147. doi: 10.1016/j.psychres.2018.05.065. [Epub ahead of print]

85. TSPO expression and brain structure in the psychosis spectrum.

Hafizi S, Guma E, Koppel A, Da Silva T, Kiang M, Houle S, Wilson AA, Rusjan PM, Chakravarty MM, Mizrahi R.

Brain Behav Immun. 2018 Jun 12. pii: S0889-1591(18)30225-3. doi: 10.1016/j.bbi.2018.06.009. [Epub ahead of print]

86. The provision of physical health care by nurses to young people with first episode psychosis: A cross sectional study.

Chee GL, Wynaden D, Heslop K.

J Psychiatr Ment Health Nurs. 2018 Jun 14. doi: 10.1111/jpm.12487. [Epub ahead of print]

87. Impaired Binocular Depth Perception in First-Episode Drug-Naive Patients With Schizophrenia.

Wang Z, Yu Z, Pan Z, Zhao K, Zhao Q, Zhou D, Shen HW, Wu X.

Front Psychol. 2018 May 31;9:850. doi: 10.3389/fpsyg.2018.00850. eCollection 2018.

88. Affective versus non-affective first episode psychoses: A longitudinal study.

Torrent C, Reinares M, Martinez-Arán A, Cabrera B, Amoretti S, Corripio I, Contreras F, Sarró S, González-Pinto A, Lobo A, Cuesta MJ, Sánchez-Torres A, Bergé D, Castro-Fornieles J, Moreno C, Bernardo M, Vieta E; PEPS group.

J Affect Disord. 2018 Jun 4;238:297-304. doi: 10.1016/j.jad.2018.06.005. [Epub ahead of print]

89. Visual Acuity in Late Adolescence and Future Psychosis Risk in a Cohort of 1 Million Men.

Hayes JF, Picot S, Osborn DPJ, Lewis G, Dalman C, Lundin A.

Schizophr Bull. 2018 Jun 12. doi: 10.1093/schbul/sby084. [Epub ahead of print]

90. Comorbid addictive behaviors in disordered gamblers with psychosis.

Kim HS, Cassetta BD, Hodgins DC, McGrath DS, Tomfohr-Madsen LM, Tavares H.

Rev Bras Psiquiatr. 2018 Jun 11. pii: S1516-44462018005005101. doi: 10.1590/1516-4446-2017-2307. [Epub ahead of print]

91. Transdiagnostic Risk Calculator for the Automatic Detection of Individuals at Risk and the Prediction of Psychosis: Second Replication in an Independent National Health Service Trust.

Fusar-Poli P, Werbeloff N, Rutigliano G, Oliver D, Davies C, Stahl D, McGuire P, Osborn D.

Schizophr Bull. 2018 Jun 12. doi: 10.1093/schbul/sby070. [Epub ahead of print]

92. Changes in Gray Matter Density, Regional Homogeneity, and Functional Connectivity in Methamphetamine-Associated Psychosis: A Resting-State Functional Magnetic Resonance Imaging (fMRI) Study.

Zhang S, Hu Q, Tang T, Liu C, Li C, Zang YY, Cai WX.

Med Sci Monit. 2018 Jun 13;24:4020-4030. doi: 10.12659/MSM.905354.

93. Learning to trust: social feedback normalizes trust behavior in first-episode psychosis and clinical high risk.

Lemmers-Jansen ILJ, Fett AJ, Hanssen E, Veltman DJ, Krabbendam L.

Psychol Med. 2018 Jun 13:1-11. doi: 10.1017/S003329171800140X. [Epub ahead of print]

94. Large-scale mapping of cortical alterations in 22q11.2 deletion syndrome: Convergence with idiopathic psychosis and effects of deletion size.

Sun D, Ching CRK, Lin A, Forsyth JK, Kushan L, Vajdi A, Jalbrzikowski M, Hansen L, Villalon-Reina JE, Qu X, Jonas RK, van Amelsvoort T, Bakker G, Kates WR, Antshel KM, Fremont W, Campbell LE, McCabe KL, Daly E, Gudbrandsen M, Murphy CM, Murphy D, Craig M, Vorstman J, Fiksinski A, Koops S, Ruparel K, Roalf DR, Gur RE, Schmitt JE, Simon TJ, Goodrich-Hunsaker NJ, Durdle CA, Bassett AS, Chow EWC, Butcher NJ, Vila-Rodriguez F, Doherty J, Cunningham A, van den Bree MBM, Linden DEJ, Moss H, Owen MJ, Murphy KC, McDonald-McGinn DM, Emanuel B, van Erp TGM, Turner JA, Thompson PM, Bearden CE.

Mol Psychiatry. 2018 Jun 13. doi: 10.1038/s41380-018-0078-5. [Epub ahead of print]

95. White matter abnormalities of the tapetum and their associations with duration of untreated psychosis and symptom severity in first-episode psychosis.

Lee SW, Lee A, Choi TK, Kim B, Lee KS, Bang M, Lee SH.

Schizophr Res. 2018 Jun 9. pii: S0920-9964(18)30315-3. doi: 10.1016/j.schres.2018.06.004. [Epub ahead of print] No abstract available.

96. Receipt and targeting of evidence-based psychosocial interventions for people living with psychoses: findings from the second Australian national survey of psychosis.

Harvey C, Lewis J, Farhall J.

Epidemiol Psychiatr Sci. 2018 Jun 12;1-17. doi: 10.1017/S2045796018000288. [Epub ahead of print]

97. Transcranial Direct Current Stimulation, Symptomatology, and Cognition in Psychosis: A Qualitative Review.

Gupta T, Kelley NJ, Pelletier-Baldelli A, Mittal VA.

Front Behav Neurosci. 2018 May 28;12:94. doi: 10.3389/fnbeh.2018.00094. eCollection 2018. Review.

98. Study of immunotherapy in antibody positive psychosis: feasibility and acceptability (SINAPPS1).

Lennox BR, Tomei G, Vincent SA, Yeeles K, Pollard R, Palmer-Cooper E, Jones P, Zandi MS, Coles A.

J Neurol Neurosurg Psychiatry. 2018 Jun 11. pii: jnnp-2018-318124. doi: 10.1136/jnnp-2018-318124. [Epub ahead of print] No abstract available.

99. Changes in heart rate variability in first-episode drug-naïve adolescents with major depressive disorder: A 12-week prospective study.

Park SW, Lee JH, Kim J, Suh S, Lee MS.

J Affect Disord. 2018 Jun 2;238:250-255. doi: 10.1016/j.jad.2018.05.068. [Epub ahead of print]

100. Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis.

McDonald M, Christoforidou E, Van Rijsbergen N, Gajwani R, Gross J, Gumley AI, Lawrie SM, Schwannauer M, Schultze-Lutter F, Uhlhaas PJ.

Schizophr Bull. 2018 Jun 8. doi: 10.1093/schbul/sby069. [Epub ahead of print]

101. Impact of psychosis in bipolar disorder during manic episodes.

Nehme E, Obeid S, Hallit S, Haddad C, Salame W, Tahan F.

Int J Neurosci. 2018 Jun 11;1-15. doi: 10.1080/00207454.2018.1486833. [Epub ahead of print]

102. Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students.

Hui CLM, Leung WWT, Wong AKH, Loong KY, Kok J, Hwang A, Lee EHM, Chan SKW, Chang WC, Chen EYH.

Early Interv Psychiatry. 2018 Jun 11. doi: 10.1111/eip.12692. [Epub ahead of print]

103. Job- and schoolprescription: A local adaptation to individual placement and support for first episode psychosis.

Hegelstad WTV, Joa I, Heitmann L, Johannessen JO, Langeveld J.

Early Interv Psychiatry. 2018 Jun 11. doi: 10.1111/eip.12686. [Epub ahead of print]

104. Medication, hospitalizations and mortality in 5 years after first-episode psychosis in a Swedish nation-wide cohort.

Strålin P, Hetta J.

Early Interv Psychiatry. 2018 Jun 11. doi: 10.1111/eip.12697. [Epub ahead of print]

105. Are patterns of violence and aggression at presentation in patients with first-episode psychosis temporally stable? A comparison of 2 cohorts.

Keane S, Szigeti A, Fanning F, Clarke M.

Early Interv Psychiatry. 2018 Jun 11. doi: 10.1111/eip.12694. [Epub ahead of print]

105. Is there rebound psychosis on withdrawal of antipsychotic medication in schizophrenia?

Taylor MJ, Yim S.

Schizophr Res. 2018 Jun 8. pii: S0920-9964(18)30341-4. doi: 10.1016/j.schres.2018.06.008. [Epub ahead of print] No abstract available.

106. Insight and cortisol responses in women with first episode psychosis.

Touskova TP, Bob P, Pec O, Mishara A, Vanickova Z, Raboch J, Lysaker P.

Schizophr Res. 2018 Jun 6. pii: S0920-9964(18)30313-X. doi: 10.1016/j.schres.2018.06.002. [Epub ahead of print] No abstract available.

107. Assessment of choroidal and retinal thickness in psychosis.

Tan CS, Lim LW, Ting DS.

Psychiatry Res. 2018 May 30. pii: S0165-1781(18)30704-2. doi: 10.1016/j.psychres.2018.05.072. [Epub ahead of print] No abstract available.

108. Aberrant Cortical Integration in First-Episode Psychosis During Natural Audiovisual Processing.

Mäntylä T, Nummenmaa L, Rikandi E, Lindgren M, Kieseppä T, Hari R, Suvisaari J, Raij TT.

Biol Psychiatry. 2018 May 3. pii: S0006-3223(18)31469-0. doi: 10.1016/j.biopsych.2018.04.014. [Epub ahead of print]

109. Obstructive hydrocephalus caused by colloid cyst presenting as a schizophrenia-like psychosis.

Højlund M, Hansen P, Krone W, Høgh L.

BMJ Case Rep. 2018 Jun 8;2018. pii: bcr-2017-223037. doi: 10.1136/bcr-2017-223037.

110. Survey of the European Psychiatric Association on the European status and perspectives in early detection and intervention in at-risk mental state and first-episode psychosis.

Maric NP, Petrovic SA, Raballo A, Rojnic-Kuzman M, Klosterkötter J, Riecher-Rössler A.

Early Interv Psychiatry. 2018 Jun 8. doi: 10.1111/eip.12682. [Epub ahead of print]

111. Which components of specialized early intervention for psychosis do senior providers see as most important?

Savill M, Sardo A, Patel P, Loewy R, Melnikow J, Niendam T.

Early Interv Psychiatry. 2018 Jun 8. doi: 10.1111/eip.12690. [Epub ahead of print]

112. Fidelity scales and performance measures to support implementation and quality assurance for first episode psychosis services.

Addington D, Birchwood M, Jones P, Killackey E, McDauid D, Melau M, Mizuno M, Mueser K, Nordentoft M.

Early Interv Psychiatry. 2018 Jun 8. doi: 10.1111/eip.12684. [Epub ahead of print]

113. Assessment of metacognitive beliefs in an at risk mental state for psychosis: A validation study of the Metacognitions Questionnaire-30.

Bright M, Parker S, French P, Morrison AP, Tully S, Stewart SLK, Wells A.

Clin Psychol Psychother. 2018 Jun 7. doi: 10.1002/cpp.2301. [Epub ahead of print]

114. Response to initial antipsychotic treatment in first episode psychosis is related to anterior cingulate glutamate levels: a multicentre 1H-MRS study (OPTiMiSE).

Egerton A, Broberg BV, Van Haren N, Merritt K, Barker GJ, Lythgoe DJ, Perez-Iglesias R, Baandrup L, Düring SW, Sendt KV, Stone JM, Rostrup E, Sommer IE, Glenthøj B, Kahn RS, Dazzan P, McGuire P.

Mol Psychiatry. 2018 Jun 7. doi: 10.1038/s41380-018-0082-9. [Epub ahead of print]

115. Effectiveness of a social inclusion program in people with non-affective psychosis.

Mazzi F, Baccari F, Mungai F, Ciambellini M, Brescancin L, Starace F.

BMC Psychiatry. 2018 Jun 7;18(1):179. doi: 10.1186/s12888-018-1728-5.

116. The Relevance of Emotion Regulation in Explaining Why Social Exclusion Triggers Paranoia in Individuals at Clinical High Risk of Psychosis.

Lincoln TM, Sundag J, Schlier B, Karow A.

Schizophr Bull. 2018 Jun 6;44(4):757-767. doi: 10.1093/schbul/sbx135.

117. Editorial: Family Interventions in Psychosis Change Outcomes in Early Intervention Settings - How Much Does the Evidence Support This?

Onwumere J, Jansen JE, Kuipers E.

Front Psychol. 2018 May 23;9:406. doi: 10.3389/fpsyg.2018.00406. eCollection 2018. No abstract available.

118. Successful Management of Patient with Sheehan's Syndrome Presenting with Psychosis and Catatonia.

Nath S, Ranjan R, Mohapatra D, Mishra BR.

Indian J Psychol Med. 2018 May-Jun;40(3):276-279. doi: 10.4103/IJPSYM.IJPSYM_280_17.

119. A longitudinal study of alterations of S100b, sRAGE and Fas Ligand in association to olanzapine medication in a sample of first episode patients with schizophrenia.

Gerasimou C, Tsoporis JN, Siafakas N, Hatzigelaki E, Kallergi M, Chatziioannou SN, Parker TG, Parissis J, Salpeas V, Papageorgiou C, Rizos E.

CNS Neurol Disord Drug Targets. 2018 Jun 5. doi: 10.2174/1871527317666180605120244. [Epub ahead of print]

120. Does reason for referral to an ultra-high risk clinic predict transition to psychosis?

Rice S, Polari A, Thompson A, Hartmann J, McGorry P, Nelson B.

Early Interv Psychiatry. 2018 Jun 6. doi: 10.1111/eip.12679. [Epub ahead of print]

121. Treatment Retention Among Patients Participating in Coordinated Specialty Care for First-Episode Psychosis: a Mixed-Methods Analysis.

Hamilton JE, Srivastava D, Womack D, Brown A, Schulz B, Macakanja A, Walker A, Wu MJ, Williamson M, Cho RY.

J Behav Health Serv Res. 2018 Jun 5. doi: 10.1007/s11414-018-9619-6. [Epub ahead of print]

122. Gut microbiome and magnetic resonance spectroscopy study of subjects at ultra-high risk for psychosis may support the membrane hypothesis.

He Y, Kosciolk T, Tang J, Zhou Y, Li Z, Ma X, Zhu Q, Yuan N, Yuan L, Li C, Jin K, Knight R, Tsuang MT, Chen X.

Eur Psychiatry. 2018 Jun 2;53:37-45. doi: 10.1016/j.eurpsy.2018.05.011. [Epub ahead of print]

123. Cycloid Psychosis.

El-Mallakh RS, Furdek C.

Am J Psychiatry. 2018 Jun 1;175(6):502-505. doi: 10.1176/appi.ajp.2017.17030282. No abstract available.

124. Understanding the Barriers to Accessing Symptom-Specific Cognitive Behavior Therapy (CBT) for Distressing Voices: Reflecting on and Extending the Lessons Learnt From the CBT for Psychosis Literature.

Hazell CM, Greenwood K, Fielding-Smith S, Rammou A, Bogen-Johnston L, Berry C, Jones AM, Hayward M.

Front Psychol. 2018 May 15;9:727. doi: 10.3389/fpsyg.2018.00727. eCollection 2018.

125. Altered Serum Tumor Necrosis Factor and Interleukin-1 β in First-Episode Drug-Naive and Chronic Schizophrenia.

Zhu F, Zhang L, Liu F, Wu R, Guo W, Ou J, Zhang X, Zhao J.

Front Neurosci. 2018 May 11;12:296. doi: 10.3389/fnins.2018.00296. eCollection 2018.

126. Integrated Specialized Early-Course Psychosis Treatment Services - University Psychiatric Hospital Vrapce Model.

Ostojić D, Čulo I, Silić A, Kos S, Savić A.

Psychiatr Danub. 2018 Jun;30(Suppl 4):208-215.

127. Psychodynamic Group Psychotherapy in the Early Intervention Program for Patients with Psychosis (RIPEPP).

Restek-Petrović B, Mayer N, Grah M.

Psychiatr Danub. 2018 Jun;30(Suppl 4):198-202.

128. Challenges of assessment and treatment of ultra high risk for psychosis in an adolescent.

Boričević Maršanić V, Jukić J, Flander M.

Psychiatr Danub. 2018 Jun;30(Suppl 4):166-168.

129. Early Intervention Services for Early-Phase Psychosis - Centre for integrative psychiatry in Psychiatric Hospital "Sveti Ivan", Croatia.

Matić K, Gereš N, Gerlach J, Prskalo-Čule D, Zadavec Vrbanc T, Lovretić V, Librenjak D, Vuk Pisk S, Ivezić E, Šimunović Filipčić I, Jeleč V, Filipčić I.

Psychiatr Danub. 2018 Jun;30(Suppl 4):158-165.

130. Age of onset of Cannabis use and cognitive function in first-episode non-affective psychosis patients: Outcome at three-year follow-up.

Setién-Suero E, Martínez-García O, de la Foz VO, Vázquez-Bourgon J, Correa-Ghisays P, Ferro A, Crespo-Facorro B, Ayesa-Arriola R.

Schizophr Res. 2018 May 31. pii: S0920-9964(18)30301-3. doi: 10.1016/j.schres.2018.05.036. [Epub ahead of print]

131. At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging.

Hartmann JA, Nelson B, Ratheesh A, Treen D, McGorry PD.

Psychol Med. 2018 Jun 4:1-13. doi: 10.1017/S0033291718001435. [Epub ahead of print]

132. Childhood Trauma Associated White Matter Abnormalities in First-Episode Schizophrenia.

Asmal L, Kilian S, du Plessis S, Scheffler F, Chiliza B, Fouche JP, Seedat S, Dazzan P, Emsley R.

Schizophr Bull. 2018 Jun 1. doi: 10.1093/schbul/sby062. [Epub ahead of print]

133. Changes in metabolism and microbiota after 24-week risperidone treatment in drug naïve, normal weight patients with first episode schizophrenia.

Yuan X, Zhang P, Wang Y, Liu Y, Li X, Kumar BU, Hei G, Lv L, Huang XF, Fan X, Song X.

Schizophr Res. 2018 May 30. pii: S0920-9964(18)30274-3. doi: 10.1016/j.schres.2018.05.017. [Epub ahead of print]

134. Hippocampal subfield atrophy in patients with Parkinson's disease and psychosis.

Lenka A, Ingahalikar M, Shah A, Saini J, Arumugham SS, Hegde S, George L, Reddy V, Reddy YCJ, Yadav R, Pal PK.

J Neural Transm (Vienna). 2018 Jun 1. doi: 10.1007/s00702-018-1891-3. [Epub ahead of print]

135. The right occipital lobe and poor insight in first-episode psychosis.

Tordesillas-Gutierrez D, Ayesa-Arriola R, Delgado-Alvarado M, Robinson JL, Lopez-Morinigo J, Pujol J, Dominguez-Ballesteros ME, David AS, Crespo-Facorro B. PLoS One. 2018 Jun 1;13(6):e0197715. doi: 10.1371/journal.pone.0197715. eCollection 2018.

136. Lack of evidence to favor specific preventive interventions in psychosis: a network meta-analysis.

Davies C, Cipriani A, Ioannidis JPA, Radua J, Stahl D, Provenzani U, McGuire P, Fusar-Poli P. World Psychiatry. 2018 Jun;17(2):196-209. doi: 10.1002/wps.20526.

137. Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder - The Danish High Risk and Resilience Study - VIA 7, a population-based cohort study.

Ellersgaard D, Jessica Plessen K, Richardt Jepsen J, Soeborg Spang K, Hemager N, Klee Burton B, Jerlang Christiani C, Gregersen M, Søndergaard A, Uddin MJ, Poulsen G, Greve A, Gantriis D, Mors O, Nordentoft M, Elgaard Thorup AA. World Psychiatry. 2018 Jun;17(2):210-219. doi: 10.1002/wps.20527.

138. Cognitive effects of bilateral high frequency repetitive transcranial magnetic stimulation in early phase psychosis: a pilot study.

Francis MM, Hummer TA, Vohs JL, Yung MG, Visco AC, Mehdiyou NF, Kulig TC, Um M, Yang Z, Motamed M, Liffick E, Zhang Y, Breier A. Brain Imaging Behav. 2018 May 31. doi: 10.1007/s11682-018-9902-4. [Epub ahead of print]

139. Diametric effects of autism tendencies and psychosis proneness on attention control irrespective of task demands.

Abu-Akel A, Apperly I, Spaniol MM, Geng JJ, Mevorach C. Sci Rep. 2018 May 31;8(1):8478. doi: 10.1038/s41598-018-26821-7.

140. Psychosis.

Schrimpf LA, Aggarwal A, Lauriello J. Continuum (Minneapolis Minn). 2018 Jun;24(3, BEHAVIORAL NEUROLOGY AND PSYCHIATRY):845-860. doi: 10.1212/CON.0000000000000602.

141. Dysregulated Maturation of the Functional Connectome in Antipsychotic-Naïve, First-Episode Patients With Adolescent-Onset Schizophrenia.

Li M, Becker B, Zheng J, Zhang Y, Chen H, Liao W, Duan X, Liu H, Zhao J, Chen H. Schizophr Bull. 2018 May 30. doi: 10.1093/schbul/sby063. [Epub ahead of print]

142. Psychosis as a Dialectic of Aha- and Anti-Aha-Experiences.

Sips R.

Schizophr Bull. 2018 May 29. doi: 10.1093/schbul/sby072. [Epub ahead of print] No abstract available.

143. Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings.

Swets M, Schirmbeck F, Dekker J, de Haan L; Genetic Risk and Outcome of Psychosis (GROUP) Investigators.

Eur Arch Psychiatry Clin Neurosci. 2018 May 29. doi: 10.1007/s00406-018-0898-y. [Epub ahead of print]

144. Pathogenicity of Antibodies against NMDA Receptor: Molecular Insights into Autoimmune Psychosis.

Jézéquel J, Johansson EM, Leboyer M, Groc L.

Trends Neurosci. 2018 May 25. pii: S0166-2236(18)30115-2. doi: 10.1016/j.tins.2018.05.002. [Epub ahead of print] Review.

145. Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study.

Ganella EP, Seguin C, Pantelis C, Whittle S, Baune BT, Olver J, Amminger GP, McGorry PD, Cropley V, Zalesky A, Bartholomeusz CF.

Aust N Z J Psychiatry. 2018 May 1:4867418775833. doi: 10.1177/0004867418775833. [Epub ahead of print]

146. Developmental vulnerability to psychosis: Selective aggregation of basic self-disturbance in early onset schizophrenia.

Raballo A, Monducci E, Ferrara M, Fiori Nastro P, Dario C; RODIN group.

Schizophr Res. 2018 May 25. pii: S0920-9964(18)30269-X. doi: 10.1016/j.schres.2018.05.012. [Epub ahead of print]

147. Factor structure of the positive and negative syndrome scale (PANSS) in people at ultra high risk (UHR) for psychosis.

Yang Z, Lim K, Lam M, Keefe R, Lee J.

Schizophr Res. 2018 May 24. pii: S0920-9964(18)30281-0. doi: 10.1016/j.schres.2018.05.024. [Epub ahead of print]

148. Computerised working memory-based cognitive remediation therapy does not affect Reading the Mind in The Eyes test performance or neural activity during a Facial Emotion Recognition test in psychosis.

Mothersill D, Dillon R, Hargreaves A, Castorina M, Furey E, Fagan AJ, Meaney JF, Fitzmaurice B, Hallahan B, McDonald C, Wykes T, Corvin A, Robertson IH, Donohoe G.

Eur J Neurosci. 2018 May 27. doi: 10.1111/ejn.13976. [Epub ahead of print]

149. Cytokine alterations in first-episode schizophrenia and bipolar disorder: relationships to brain structure and symptoms.

Lesh TA, Careaga M, Rose DR, McAllister AK, Van de Water J, Carter CS, Ashwood P.

J Neuroinflammation. 2018 May 26;15(1):165. doi: 10.1186/s12974-018-1197-2.

150. Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression.

Correll CU, Galling B, Pawar A, Krivko A, Bonetto C, Ruggeri M, Craig TJ, Nordentoft M, Srihari VH, Guloksuz S, Hui CLM, Chen EYH, Valencia M, Juarez F, Robinson DG, Schooler NR, Brunette MF, Mueser KT, Rosenheck RA, Marcy P, Addington J, Estroff SE, Robinson J, Penn D, Severe JB, Kane JM.

JAMA Psychiatry. 2018 Jun 1;75(6):555-565. doi: 10.1001/jamapsychiatry.2018.0623.

151. Association Between Psychosis in Elderly Patients With Alzheimer Disease and Impaired Social Cognition.

Koppel J, Sousa A, Gordon ML, Giliberto L, Christen E, Davies P.

JAMA Psychiatry. 2018 Jun 1;75(6):652-653. doi: 10.1001/jamapsychiatry.2018.0482.

No abstract available.

152. Immune modulating therapy: An effective add-on intervention for psychosis of anti-N-methyl-d-aspartate receptor encephalitis in Taiwan.

Tzang RF, Chang CH, Chang YC, Hsu K, Chen CC.

Psychiatry Clin Neurosci. 2018 May 24. doi: 10.1111/pcn.12679. [Epub ahead of print]

No abstract available.

153. Inpatient use and area-level socio-environmental factors in people with psychosis.

Heslin M, Khondoker M, Shetty H, Pritchard M, Jones PB, Osborn D, Kirkbride JB, Roberts A, Stewart R.

Soc Psychiatry Psychiatr Epidemiol. 2018 May 23. doi: 10.1007/s00127-018-1534-x.

[Epub ahead of print]

154. Thyroid Storm Presenting as Psychosis.

Desai D, Zahedpour Anaraki S, Reddy N, Epstein E, Tabatabaie V.

J Investig Med High Impact Case Rep. 2018 May 18;6:2324709618777014. doi:

10.1177/2324709618777014. eCollection 2018 Jan-Dec.

155. Evidence that the association of childhood trauma with psychosis and related psychopathology is not explained by gene-environment correlation: A monozygotic twin differences approach.

Lecei A, Decoster J, De Hert M, Derom C, Jacobs N, Menne-Lothmann C, van Os J, Thiery E, Rutten BPF, Wichers M, van Winkel R.

Schizophr Res. 2018 May 21. pii: S0920-9964(18)30282-2. doi:

10.1016/j.schres.2018.05.025. [Epub ahead of print]

156. Expanding the Reach of Early Psychosis Intervention.

Macnaughton E.

Can J Psychiatry. 2018 Jun;63(6):354-355. doi: 10.1177/0706743718771874. No abstract available.

157. The over-35s: early intervention in psychosis services entering uncharted territory.

Clay F, Allan S, Lai S, Laverty S, Jagger G, Treise C, Perez J.

BJPsych Bull. 2018 May 24;1-4. doi: 10.1192/bjb.2018.28. [Epub ahead of print]

158. Hopkins syndrome following the first episode of bronchial asthma associated with enterovirus D68: a case report.

Hayashi F, Hayashi S, Matsuse D, Yamasaki R, Yonekura K, Kira JI.

BMC Neurol. 2018 May 23;18(1):71. doi: 10.1186/s12883-018-1075-7.

159. Risk of Psychosis in Recurrent Episodes of Psychotic and Nonpsychotic Major Depressive Disorder: A Systematic Review and Meta-Analysis.

Nelson JC, Bickford D, Delucchi K, Fiedorowicz JG, Coryell WH.

Am J Psychiatry. 2018 May 24;appiajp201817101138. doi: 10.1176/appi.ajp.2018.17101138. [Epub ahead of print]

160. Towards a new classification of stable phase schizophrenia into major and simple neuro-cognitive psychosis: Results of unsupervised machine learning analysis.

Kanchanatawan B, Sriswasdi S, Thika S, Stoyanov D, Sirivichayakul S, Carvalho AF, Geffard M, Maes M.

J Eval Clin Pract. 2018 May 23. doi: 10.1111/jep.12945. [Epub ahead of print]

161. Continue, adjust, or stop antipsychotic medication: developing and user testing an encounter decision aid for people with first-episode and long-term psychosis.

Zisman-Ilani Y, Shern D, Deegan P, Kreyenbuhl J, Dixon L, Drake R, Torrey W, Mishra M, Gorbenko K, Elwyn G.

BMC Psychiatry. 2018 May 22;18(1):142. doi: 10.1186/s12888-018-1707-x.

162. Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative.

Docherty AR, Fonseca-Pedrero E, Debbané M, Chan RCK, Linscott RJ, Jonas KG, Cicero DC, Green MJ, Simms LJ, Mason O, Watson D, Ettinger U, Waszczuk M, Rapp A, Grant P, Kotov R, DeYoung CG, Ruggero CJ, Eaton NR, Krueger RF, Patrick C, Hopwood C, O'Neill FA, Zald DH, Conway CC, Adkins DE, Waldman ID, van Os J, Sullivan PF, Anderson JS, Shabalin AA, Sponheim SR, Taylor SF, Grazioplene RG, Bacanu SA, Bigdeli TB, Haenschel C, Malaspina D, Gooding DC, Nicodemus K, Schultze-Lutter F, Barrantes-Vidal N, Mohr C, Carpenter WT, Cohen AS.

Schizophr Bull. 2018 May 16. doi: 10.1093/schbul/sby059. [Epub ahead of print]

163. Benzodiazepines for Psychosis-Induced Aggression or Agitation.

Zaman H, Sampson S, Beck A, Sharma T, Clay F, Spyridi S, Zhao S, Gillies D.

Schizophr Bull. 2018 May 16. doi: 10.1093/schbul/sby056. [Epub ahead of print] No abstract available.

164. Cortical thickness correlates of minor neurological signs in patients with first episode psychosis.

Ciufolini S, Ponteduro MF, Reis-Marques T, Taylor H, Mondelli V, Pariante CM, Bonaccorso S, Chan R, Simmons A, David A, Di Forti M, Murray RM, Dazzan P. Schizophr Res. 2018 May 18. pii: S0920-9964(18)30262-7. doi: 10.1016/j.schres.2018.05.005. [Epub ahead of print]

165. The neuropsychology of emerging psychosis and the role of working memory in episodic memory encoding.

Pflueger MO, Calabrese P, Studerus E, Zimmermann R, Gschwandtner U, Borgwardt S, Aston J, Stieglitz RD, Riecher-Rössler A. Psychol Res Behav Manag. 2018 May 10;11:157-168. doi: 10.2147/PRBM.S149425. eCollection 2018.

166. Expressed emotion and family burden in relatives of patients in first-episode psychosis.

Zanetti ACG, Souza TMP, Tressoldi LS, de Azevedo-Marques JM, Corrêa-Oliveira GE, Silva AHSD, Martin IDS, Vedana KGG, Cardoso L, Galera SAF, Gherardi-Donato ECDS. Arch Psychiatr Nurs. 2018 Jun;32(3):390-395. doi: 10.1016/j.apnu.2017.12.003. Epub 2017 Dec 5. No abstract available.

167. Self-esteem and Symptoms in Individuals at Clinical High Risk for Psychosis.

Benavides C, Brucato G, Kimhy D. J Nerv Ment Dis. 2018 Jun;206(6):433-438. doi: 10.1097/NMD.0000000000000824.

168. Longitudinal stability of cognitive control in early psychosis: Nondegenerative deficits across diagnoses.

Smucny J, Lesh TA, Iosif AM, Niendam TA, Tully LM, Carter CS. J Abnorm Psychol. 2018 May 21. doi: 10.1037/abn0000356. [Epub ahead of print]

169. Neurological Soft Signs, Spontaneous and Treatment Emergent Extrapyramidal Syndromes in Black Africans With First Episode Schizophrenia.

Ojagbemi A, Chiliza B, Bello T, Asmal L, Esan O, Emsley R, Gureje O. Front Psychiatry. 2018 May 1;9:172. doi: 10.3389/fpsy.2018.00172. eCollection 2018.

170. Childhood trauma and clinical high risk for psychosis.

Loewy RL, Corey S, Amirfathi F, Dabit S, Fulford D, Pearson R, Hua JPY, Schlosser D, Stuart BK, Mathalon DH, Vinogradov S. Schizophr Res. 2018 May 18. pii: S0920-9964(18)30259-7. doi: 10.1016/j.schres.2018.05.003. [Epub ahead of print]

171. Leave the levofloxacin? A case report of levofloxacin-induced psychosis.

Steuber H, Williams D, Rech MA. Am J Emerg Med. 2018 May 18. pii: S0735-6757(18)30403-0. doi: 10.1016/j.ajem.2018.05.026. [Epub ahead of print]

172. Of minds and men: Suits, spirits, and psychosis.

Dee EC.

Schizophr Res. 2018 May 17. pii: S0920-9964(18)30264-0. doi: 10.1016/j.schres.2018.05.008. [Epub ahead of print] No abstract available.

173. Cognitive and functional deficits in bipolar disorder and schizophrenia as a function of the presence and history of psychosis.

Bowie CR, Best MW, Depp C, Mausbach BT, Patterson TL, Pulver AE, Harvey PD. Bipolar Disord. 2018 May 18. doi: 10.1111/bdi.12654. [Epub ahead of print]

174. Treatment-Refractory Mania with Psychosis in a Post-Transplant Patient on Tacrolimus: A Case Report.

Ithman M, Malhotra K, Bordoloi M, Singh G. Clin Med Res. 2018 May 18. pii: cmr.2018.1409. doi: 10.3121/cmr.2018.1409. [Epub ahead of print]

175. Cortisol awakening response is decreased in patients with first-episode psychosis and increased in healthy controls with a history of severe childhood abuse.

Ciufolini S, Gayer-Anderson C, Fisher HL, Marques TR, Taylor H, Di Forti M, Zunszain P, Morgan C, Murray RM, Pariante CM, Dazzan P, Mondelli V. Schizophr Res. 2018 May 15. pii: S0920-9964(18)30260-3. doi: 10.1016/j.schres.2018.05.002. [Epub ahead of print]

176. Frontal cortical thickness correlates positively with impulsivity in early psychosis male patients.

Baumann PS, Klauser P, Griffa A, Golay P, Palix J, Alameda L, Moulin V, Hagmann P, Do KQ, Conus P. Early Interv Psychiatry. 2018 May 17. doi: 10.1111/eip.12678. [Epub ahead of print]

177. Impact of NTRK2, DRD2 and ACE polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis.

Gassó P, Mas S, Bioque M, Cabrera B, Lobo A, González-Pinto A, Díaz-Caneja CM, Corripio I, Vieta E, Castro-Fornieles J, Sarró S, Mané A, Sanjuan J, Llerena A, Lafuente A, Saiz-Ruiz J, Bernardo M; PEPs Group. J Psychopharmacol. 2018 Jun;32(6):702-710. doi: 10.1177/0269881118773026. Epub 2018 May 16.

178. Suicidal Behavior and Personality Traits Contribute to Disability in First-episode Psychosis: A 1-Year Follow-up Study.

Canal-Rivero M, Lopez-Moriñigo JD, Barrigón ML, Ayesa-Arriola R, Crespo-Facorro B, Ruiz-Veguilla M, Obiols-Llandrich JE. Suicide Life Threat Behav. 2018 May 16. doi: 10.1111/sltb.12470. [Epub ahead of print]

179. Inconclusive Evidence in Support of the Dopamine Hypothesis of Psychosis: Why Neurobiological Research Must Consider Medication Use, Adjust for Important Confounders, Choose Stringent Comparators, and Use Larger Samples.

Hengartner MP, Moncrieff J. Front Psychiatry. 2018 May 1;9:174. doi: 10.3389/fpsy.2018.00174. eCollection 2018. No abstract available.

180. The modern role of antipsychotics for the treatment of agitation and psychosis in Alzheimer's disease.

Creese B, Da Silva MV, Johar I, Ballard C.

Expert Rev Neurother. 2018 Jun;18(6):461-467. doi: 10.1080/14737175.2018.1476140. Epub 2018 May 21.

181. Results of a Coordinated Specialty Care Program for Early Psychosis and Predictors of Outcomes.

Nossel I, Wall MM, Scodes J, Marino LA, Zilkha S, Bello I, Malinovsky I, Lee R, Radigan M, Smith TE, Sederer L, Gu G, Dixon L.

Psychiatr Serv. 2018 May 15:appips201700436. doi: 10.1176/appi.ps.201700436. [Epub ahead of print]

182. Motives, Offending Behavior, and Gender Differences in Murder Perpetrators With or Without Psychosis.

Hachtel H, Nixon M, Bennett D, Mullen P, Ogloff J.

J Interpers Violence. 2018 May 1:886260518774304. doi: 10.1177/0886260518774304. [Epub ahead of print]

183. LGI1 antibody encephalitis and psychosis.

Wang D, Hao Q, He L, Wang Q.

Australas Psychiatry. 2018 May 1:1039856218771513. doi: 10.1177/1039856218771513. [Epub ahead of print]

184. Sexual abuse and psychosis: The security of research findings.

Bebbington PE.

Schizophr Res. 2018 May 10. pii: S0920-9964(18)30251-2. doi: 10.1016/j.schres.2018.04.038. [Epub ahead of print] No abstract available.

185. Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study.

Davidson CA, Piskulic D, Addington J, Cadenhead KS, Cannon TD, Cornblatt BA, McGlashan TH, Perkins DO, Seidman LJ, Tsuang MT, Walker EF, Bearden CE, Mathalon DH, Woods SW, Johannesen JK.

Schizophr Res. 2018 May 8. pii: S0920-9964(18)30258-5. doi: 10.1016/j.schres.2018.05.001. [Epub ahead of print]

186. Attenuated psychotic symptom interventions in youth at risk of psychosis: A systematic review and meta-analysis.

Devoe DJ, Farris MS, Townes P, Addington J.

Early Interv Psychiatry. 2018 May 11. doi: 10.1111/eip.12677. [Epub ahead of print] Review.

187. Evaluating verbal learning and memory in patients with an at-risk mental state or first episode psychosis using structural equation modelling.

Egloff L, Studerus E, Zimmermann R, Heitz U, Menghini-Müller S, Ittig S, Beck K, Andreou C, Borgwardt S, Riecher-Rössler A.

PLoS One. 2018 May 10;13(5):e0196936. doi: 10.1371/journal.pone.0196936. eCollection 2018.

188. Frontal lobe functioning during a simple response conflict task in first-episode psychosis and its relationship to treatment response.

Shafritz KM, Ikuta T, Greene A, Robinson DG, Gallego J, Lencz T, DeRosse P, Kingsley PB, Szeszko PR.

Brain Imaging Behav. 2018 May 9. doi: 10.1007/s11682-018-9876-2. [Epub ahead of print]

189. Is psychosis a multisystem disorder? A meta-review of central nervous system, immune, cardiometabolic, and endocrine alterations in first-episode psychosis and perspective on potential models.

Pillinger T, D'Ambrosio E, McCutcheon R, D Howes O.

Mol Psychiatry. 2018 May 9. doi: 10.1038/s41380-018-0058-9. [Epub ahead of print] Review.

190. The relationship between the level of exposure to stress factors and cannabis in recent onset psychosis.

Arranz S, Monferrer N, Jose Algora M, Cabezas A, Sole M, Vilella E, Labad J, Sanchez-Gistau V.

Schizophr Res. 2018 May 6. pii: S0920-9964(18)30255-X. doi: 10.1016/j.schres.2018.04.040. [Epub ahead of print]

191. Structural and functional alterations in the brain during working memory in medication-naïve patients at clinical high-risk for psychosis.

Gisselgård J, Lebedev AV, Dæhli Kurz K, Joa I, Johannessen JO, Brønne K.

PLoS One. 2018 May 9;13(5):e0196289. doi: 10.1371/journal.pone.0196289. eCollection 2018.

192. Recent violence and legal involvement among young adults with early psychosis enrolled in Coordinated Specialty Care.

Rolin SA, Marino LA, Pope LG, Compton MT, Lee RJ, Rosenfeld B, Rotter M, Nossel I, Dixon L.

Early Interv Psychiatry. 2018 May 9. doi: 10.1111/eip.12675. [Epub ahead of print]

193. Recovery After Psychosis: Qualitative Study of Service User Experiences of Lived Experience Videos on a Recovery-Oriented Website.

Williams A, Fossey E, Farhall J, Foley F, Thomas N.

JMIR Ment Health. 2018 May 8;5(2):e37. doi: 10.2196/mental.9934.

194. Successful Treatment with Olanzapine of Psychosis in Dentatorubral-pallidoluysian Atrophy: A Case Report.

Narita Z, Sumiyoshi T.

Clin Psychopharmacol Neurosci. 2018 May 31;16(2):221-223. doi: 10.9758/cpn.2018.16.2.221.

195. Abnormalities of regional homogeneity and its correlation with clinical symptoms in Naïve patients with first-episode schizophrenia.

Zhao X, Yao J, Lv Y, Zhang X, Han C, Chen L, Ren F, Jin Z, Li Y, Sui Y.

Brain Imaging Behav. 2018 May 7. doi: 10.1007/s11682-018-9882-4. [Epub ahead of print]

196. Metabolic Syndrome in First Episode Schizophrenia, Based on the National Mental Health Registry of Schizophrenia (NMHR) in a General Hospital in Malaysia: A 10-Year Retrospective Cohort Study.

Lee AMH, Ng CG, Koh OH, Gill JS, Aziz SA.

Int J Environ Res Public Health. 2018 May 7;15(5). pii: E933. doi: 10.3390/ijerph15050933.

197. Is psychosis associated with impulse control disorders in Parkinson's disease?

Erga AH, Bjørnstad A, Tysnes OB, Alves G, Pedersen KF.

Parkinsonism Relat Disord. 2018 May 2. pii: S1353-8020(18)30214-1. doi: 10.1016/j.parkreldis.2018.04.026. [Epub ahead of print] No abstract available.

198. Dynamic Resting State Connectivity as a Tool for Understanding Neurobiological Correlates of Cognition Across the Psychosis Spectrum.

Sheffield JM.

Biol Psychiatry Cogn Neurosci Neuroimaging. 2018 May;3(5):407-408. doi: 10.1016/j.bpsc.2018.03.011. No abstract available.

199. Association between catechol-O-methyltransferase genetic variation and functional connectivity in patients with first-episode schizophrenia.

Wang H, Zhang B, Zeng B, Tang Y, Zhang T, Zhao S, Li C, Wang J, Goff DC.

Schizophr Res. 2018 May 3. pii: S0920-9964(18)30236-6. doi: 10.1016/j.schres.2018.04.023. [Epub ahead of print]

200. Exercise effects on cognitive functioning in young adults with first-episode psychosis: FitForLife.

Hallgren M, Skott M, Ekblom Ö, Firth J, Schembri A, Forsell Y.

Psychol Med. 2018 May 6:1-9. doi: 10.1017/S0033291718001022. [Epub ahead of print]

201. Psychological interventions in psychosis in children and adolescents: a systematic review.

Anagnostopoulou N, Kyriakopoulos M, Alba A.

Eur Child Adolesc Psychiatry. 2018 May 4. doi: 10.1007/s00787-018-1159-3. [Epub ahead of print] Review.

202. Sharing information about diagnosis and outcome of first-episode psychosis in patients presenting to early intervention services.

Farooq S, Green DJ, Singh SP.

Early Interv Psychiatry. 2018 May 4. doi: 10.1111/eip.12670. [Epub ahead of print]

203. Psychosis screening practices in schools: A survey of school-based mental health providers.

Kline ER, Chokran C, Rodenhiser-Hill J, Seidman LJ, Woodberry KA.
Early Interv Psychiatry. 2018 May 4. doi: 10.1111/eip.12672. [Epub ahead of print]

204. A New Machine Learning Framework for Understanding the Link Between Cannabis Use and First-Episode Psychosis.

Alghamdi W, Stamate D, Stahl D, Zamyatin A, Murray R, Di Forti M.
Stud Health Technol Inform. 2018;248:9-16.

205. Prognostic influence of prior chronic obstructive pulmonary disease in patients admitted for their first episode of acute heart failure: comment.

Siniorakis E, Arvanitakis S, Derveni V, Veldekis D, Limberi S.
Intern Emerg Med. 2018 May 3. doi: 10.1007/s11739-018-1864-4. [Epub ahead of print]
No abstract available.

206. Serum uric acid levels in first episode mania, effect on clinical presentation and treatment response: Data from a case control study.

Chatterjee SS, Ghosal S, Mitra S, Mallik N, Ghosal MK.
Asian J Psychiatr. 2018 Jun;35:15-17. doi: 10.1016/j.ajp.2018.04.030. Epub 2018 Apr 26.

207. Implementing cognitive behavioral therapy for psychosis: An international survey of clinicians' attitudes and obstacles.

Lecomte T, Samson C, Naeem F, Schachte L, Farhall J.
Psychiatr Rehabil J. 2018 Jun;41(2):141-148. doi: 10.1037/prj0000292. Epub 2018 May 3.

208. Amantadine in Chinese 'Cold and Flu' tablets: the cause of psychosis in a healthy man.

Turbayne AKB, Xu TT, Swaminathan A.
Intern Med J. 2018 May;48(5):601-602. doi: 10.1111/imj.13780. No abstract available.

209. Adverse obstetric and neonatal outcomes complicated by psychosis among pregnant women in the United States.

Zhong QY, Gelaye B, Fricchione GL, Avillach P, Karlson EW, Williams MA.
BMC Pregnancy Childbirth. 2018 May 2;18(1):120. doi: 10.1186/s12884-018-1750-0.

210. Cognitive Analytic Therapy for psychosis: A case series.

Taylor PJ, Perry A, Hutton P, Tan R, Fisher N, Focone C, Griffiths D, Seddon C.
Psychol Psychother. 2018 May 2. doi: 10.1111/papt.12183. [Epub ahead of print]

211. Mobile Intensive Care Unit: A case management team dedicated to early psychosis in France.

Lecardeur L, Meunier-Cussac S, Dollfus S.
Early Interv Psychiatry. 2018 May 2. doi: 10.1111/eip.12674. [Epub ahead of print]

212. Progress of negative symptoms over the initial 5 years of a first episode of psychosis - CORRIGENDUM.

Lutgens D, Joober R, Iyer S, Lepage M, Norman R, Schmitz N, Mustafa S, Abadi S, Malla A.

Psychol Med. 2018 May 2;1-3. doi: 10.1017/S0033291718000843. [Epub ahead of print]
No abstract available.

213. Brain morphologic changes in early stages of psychosis: Implications for clinical application and early intervention.

Takahashi T, Suzuki M.

Psychiatry Clin Neurosci. 2018 May 1. doi: 10.1111/pcn.12670. [Epub ahead of print]

214. Developmental Delay, Treatment-Resistant Psychosis, and Early-Onset Dementia in a Man With 22q11 Deletion Syndrome and Huntington's Disease.

Farrell M, Lichtenstein M, Crowley JJ, Filmyer DM, Lázaro-Muñoz G, Shaughnessy RA, Mackenzie IR, Hirsch-Reinshagen V, Stowe R, Evans JP, Berg JS, Szatkiewicz J, Josiassen RC, Sullivan PF.

Am J Psychiatry. 2018 May 1;175(5):400-407. doi: 10.1176/appi.ajp.2017.17060638. No abstract available.

215. Toward Dissemination of Secondary Prevention for Psychosis.

Rosenheck R.

Am J Psychiatry. 2018 May 1;175(5):393-394. doi: 10.1176/appi.ajp.2018.18010029. No abstract available.

216. Disorganized Gyrfication Network Properties During the Transition to Psychosis.

Das T, Borgwardt S, Hauke DJ, Harrisberger F, Lang UE, Riecher-Rössler A, Palaniyappan L, Schmidt A.

JAMA Psychiatry. 2018 Jun 1;75(6):613-622. doi: 10.1001/jamapsychiatry.2018.0391.

217. Drama review: "watch me vanish": formlessness and the immersive psychiatric phenomenology of Sarah Kane's "4.48 Psychosis".

Simon FAJ.

J Ment Health. 2018 Jun;27(3):290-291. doi: 10.1080/09638237.2018.1466053. Epub 2018 Apr 28. No abstract available.

218. Impact of age of onset of psychosis and engagement in higher education on duration of untreated psychosis.

Hardy KV, Noordsy DL, Ballon JS, McGovern MP, Salomon C, Wiltsey Stirman S.

J Ment Health. 2018 Jun;27(3):257-262. doi: 10.1080/09638237.2018.1466047. Epub 2018 Apr 28.

219. Voxel-wise brain-wide functional connectivity abnormalities in first-episode, drug-naïve patients with major depressive disorder.

Cui X, Liu F, Chen J, Xie G, Wu R, Zhang Z, Chen H, Zhao J, Guo W.

Am J Med Genet B Neuropsychiatr Genet. 2018 Jun;177(4):447-453. doi: 10.1002/ajmg.b.32633. Epub 2018 Apr 28.

220. Evidence That Environmental and Familial Risks for Psychosis Additively Impact a Multidimensional Subthreshold Psychosis Syndrome.

Pries LK, Guloksuz S, Ten Have M, de Graaf R, van Dorsselaer S, Gunther N, Rauschenberg C, Reininghaus U, Radhakrishnan R, Bak M, Rutten BPF, van Os J. Schizophr Bull. 2018 Jun 6;44(4):710-719. doi: 10.1093/schbul/sby051.

221. Evaluating correlations between physical activity, psychological mediators of physical activity, and negative symptoms in individuals living with psychosis and diabetes.

Gorczynski P, Vancampfort D, Patel H. Psychiatr Rehabil J. 2018 Jun;41(2):153-156. doi: 10.1037/prj0000298. Epub 2018 Apr 26.

222. Dispensary cannabidiol marijuana and first-episode mania.

Ismail Z. J Psychiatry Neurosci. 2018 May;43(3):215-216. No abstract available.

223. Altered serum levels of vascular endothelial growth factor in first-episode drug-naïve and chronic medicated schizophrenia.

Ye F, Zhan Q, Xiao W, Tang X, Li J, Dong H, Sha W, Zhang X. Psychiatry Res. 2018 Jun;264:361-365. doi: 10.1016/j.psychres.2018.04.027. Epub 2018 Apr 11.

224. The Relationship Between Dopamine Synthesis Capacity and Release: Implications for Psychosis.

Nour MM, McCutcheon R, Howes OD. Neuropsychopharmacology. 2018 May;43(6):1195-1196. doi: 10.1038/npp.2017.293. No abstract available.

225. Clozapine Titration for People in Early Psychosis: A Chart Review and Treatment Guideline.

Ballon JS, Ashfaq H, Noordsy DL. J Clin Psychopharmacol. 2018 Jun;38(3):234-238. doi: 10.1097/JCP.0000000000000860.

226. Steroid-Induced Psychosis in the Pediatric Population: A New Case and Review of the Literature.

Hodgins GE, Saltz SB, Gibbs EP, Gonzalez R, Regan J, Nemeroff C. J Child Adolesc Psychopharmacol. 2018 Jun;28(5):354-359. doi: 10.1089/cap.2018.0017. Epub 2018 Apr 11.

227. Commentary on Degenhardt et al. (2018): Cause or consequence? Disentangling the relationship between psychosis and substance use.

DeVylder JE, Oh HY, Kelleher I. Addiction. 2018 May;113(5):935-936. doi: 10.1111/add.14186. No abstract available.

228. Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients.

Nordholm D, Rostrup E, Mondelli V, Randers L, Nielsen MØ, Wulff S, Nørbak-Emig H, Broberg BV, Krakauer K, Dazzan P, Zunszain PA, Nordentoft M, Glenthøj B. Psychoneuroendocrinology. 2018 Jun;92:72-80. doi: 10.1016/j.psyneuen.2018.03.015. Epub 2018 Mar 27.

229. Coping styles in individuals at ultra-high risk for psychosis: Associations with cognitive appraisals.

Kang M, Bang M, Lee SY, Lee E, Yoo SW, An SK. Psychiatry Res. 2018 Jun;264:162-168. doi: 10.1016/j.psychres.2018.03.079. Epub 2018 Mar 30.

230. Non-adherence to antipsychotic medication in first-episode psychosis patients.

Hickling LM, Kouvaras S, Nterian Z, Perez-Iglesias R. Psychiatry Res. 2018 Jun;264:151-154. doi: 10.1016/j.psychres.2018.04.002. Epub 2018 Apr 3.

231. Associations between adolescent cannabis use and brain structure in psychosis.

Abush H, Ghose S, Van Enkevort EA, Clementz BA, Pearlson GD, Sweeney JA, Keshavan MS, Tamminga CA, Ivleva EI. Psychiatry Res Neuroimaging. 2018 Jun 30;276:53-64. doi: 10.1016/j.pscychresns.2018.03.008. Epub 2018 Mar 28.

232. Cerebellar abnormalities in first-episode, drug-naïve schizophrenia at rest.

Guo W, Zhang F, Liu F, Chen J, Wu R, Chen DQ, Zhang Z, Zhai J, Zhao J. Psychiatry Res Neuroimaging. 2018 Jun 30;276:73-79. doi: 10.1016/j.pscychresns.2018.03.010. Epub 2018 Mar 29.

233. Baseline symptoms and basal forebrain volume predict future psychosis in early Parkinson disease.

Barrett MJ, Blair JC, Sperling SA, Smolkin ME, Druzgal TJ. Neurology. 2018 May 1;90(18):e1618-e1626. doi: 10.1212/WNL.0000000000005421. Epub 2018 Apr 4.

234. Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders.

Chan SKW, Chan SWY, Pang HH, Yan KK, Hui CLM, Chang WC, Lee EHM, Chen EYH. JAMA Psychiatry. 2018 May 1;75(5):458-464. doi: 10.1001/jamapsychiatry.2018.0185.

235. Early Intervention Service for Young People With Psychosis: Saving Young Lives.

Albert N, Madsen T, Nordentoft M. JAMA Psychiatry. 2018 May 1;75(5):427-428. doi: 10.1001/jamapsychiatry.2018.0662. No abstract available.

236. Acceptability of Psychosis Screening and Factors Affecting Its Implementation: Interviews With Community Health Care Providers.

Savill M, Skymba HV, Ragland JD, Niendam T, Loewy RL, Lesh TA, Carter C, Goldman HH.

Psychiatr Serv. 2018 Jun 1;69(6):689-695. doi: 10.1176/appi.ps.201700392. Epub 2018 Apr 2.

237. Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study.

Morrison AP, Law H, Carter L, Sellers R, Emsley R, Pyle M, French P, Shiers D, Yung AR, Murphy EK, Holden N, Steele A, Bowe SE, Palmier-Claus J, Brooks V, Byrne R, Davies L, Haddad PM.

Lancet Psychiatry. 2018 May;5(5):411-423. doi: 10.1016/S2215-0366(18)30096-8. Epub 2018 Apr 5.

238. Cognitive behavioural therapy-a valid alternative to antipsychotics for psychosis?

Jauhar S.

Lancet Psychiatry. 2018 May;5(5):381-383. doi: 10.1016/S2215-0366(18)30123-8. Epub 2018 Apr 5. No abstract available.

239. Alterations of complex mismatch negativity (cMMN) elicited by a two-tone pattern paradigm in early-phase psychosis.

Ells EML, Rudolph ED, Sculthorpe-Petley L, Abriel SC, Campbell DJ, Tibbo PG, Fisher DJ.

Biol Psychol. 2018 May;135:128-135. doi: 10.1016/j.biopsycho.2018.03.010. Epub 2018 Mar 27.

240. Physical health problems in people with psychosis: The issue for informal carers.

Onwumere J, Howes S, Shiers D, Gaughran F.

Int J Soc Psychiatry. 2018 Jun;64(4):381-388. doi: 10.1177/0020764018763684. Epub 2018 Mar 27.

241. Development, validation and cultural-adaptation of the knowledge about psychosis questionnaire for African-Caribbean people in the UK.

Degnan A, Berry K, James S, Edge D.

Psychiatry Res. 2018 May;263:199-206. doi: 10.1016/j.psychres.2018.03.013. Epub 2018 Mar 15.

242. Theory of mind in a first-episode psychosis population using the Hinting Task.

Lindgren M, Torniainen-Holm M, Heiskanen I, Voutilainen G, Pulkkinen U, Mehtälä T, Jokela M, Kieseppä T, Suvisaari J, Therman S.

Psychiatry Res. 2018 May;263:185-192. doi: 10.1016/j.psychres.2018.03.014. Epub 2018 Mar 14.

243. A pilot study on immuno-psychiatry in the 22q11.2 deletion syndrome: A role for Th17 cells in psychosis?

Vergaelen E, Schiweck C, Van Steeland K, Counotte J, Veling W, Swillen A, Drexhage H, Claes S.

Brain Behav Immun. 2018 May;70:88-95. doi: 10.1016/j.bbi.2018.03.022. Epub 2018 Mar 19.

244. A pilot study assessing retinal pathology in psychosis using optical coherence tomography: Choroidal and macular thickness.

Joe P, Ahmad M, Riley G, Weissman J, Smith RT, Malaspina D.

Psychiatry Res. 2018 May;263:158-161. doi: 10.1016/j.psychres.2018.03.011. Epub 2018 Mar 6.

245. Disparities in Access to Early Psychosis Intervention Services: Comparison of Service Users and Nonusers in Health Administrative Data.

Anderson KK, Norman R, MacDougall AG, Edwards J, Palaniyappan L, Lau C, Kurdyak P.

Can J Psychiatry. 2018 Jun;63(6):395-403. doi: 10.1177/0706743718762101. Epub 2018 Mar 21.

246. Motor Dysfunction as a Risk Factor for Conversion to Psychosis Independent of Medication Use in a Psychosis-Risk Cohort.

Masucci MD, Lister A, Corcoran CM, Brucato G, Girgis RR.

J Nerv Ment Dis. 2018 May;206(5):356-361. doi: 10.1097/NMD.0000000000000806.

247. Career Decision-Making Processes of Young Adults With First-Episode Psychosis.

Boychuk C, Lysaght R, Stuart H.

Qual Health Res. 2018 May;28(6):1016-1031. doi: 10.1177/1049732318761864. Epub 2018 Mar 20.

248. Interleukin-3, symptoms and cognitive deficits in first-episode drug-naïve and chronic medicated schizophrenia.

Xiu MH, Wang D, Chen S, Du XD, Chen DC, Chen N, Wang YC, Yin G, Zhang Y, Tan YL, Cho RY, Soares JC, Zhang XY.

Psychiatry Res. 2018 May;263:147-153. doi: 10.1016/j.psychres.2018.02.054. Epub 2018 Mar 6.

249. Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial.

Hui CLM, Honer WG, Lee EHM, Chang WC, Chan SKW, Chen ESM, Pang EPF, Lui SSY, Chung DWS, Yeung WS, Ng RMK, Lo WTL, Jones PB, Sham P, Chen EYH.

Lancet Psychiatry. 2018 May;5(5):432-442. doi: 10.1016/S2215-0366(18)30090-7. Epub 2018 Mar 15.

250. Immune and metabolic alterations in first episode psychosis (FEP) patients.

Bocchio-Chiavetto L, Zanardini R, Tosato S, Ventriglia M, Ferrari C, Bonetto C, Lasalvia A, Giubilini F, Fioritti A, Pileggi F, Pratelli M, Pavanati M, Favaro A, De Girolamo G, Frisoni GB, Ruggeri M, Gennarelli M; GET UP Group.

Brain Behav Immun. 2018 May;70:315-324. doi: 10.1016/j.bbi.2018.03.013. Epub 2018 Mar 13.

251. Investigating brain structural patterns in first episode psychosis and schizophrenia using MRI and a machine learning approach.

de Moura AM, Pinaya WHL, Gadelha A, Zugman A, Noto C, Cordeiro Q, Belangero SI, Jackowski AP, Bressan RA, Sato JR.

Psychiatry Res Neuroimaging. 2018 May 30;275:14-20. doi: 10.1016/j.psychresns.2018.03.003. Epub 2018 Mar 6.

252. Psychosis and homicide.

Taylor PJ, Kalebic N.

Curr Opin Psychiatry. 2018 May;31(3):223-230. doi: 10.1097/YCO.0000000000000411.

253. Screening for psychosis risk among help-seeking adolescents: Application of the Italian version of the 16-item prodromal questionnaire (iPQ-16) in child and adolescent neuropsychiatry services.

Pelizza L, Azzali S, Paterlini F, Garlassi S, Scazza I, Chiri LR, Poletti M, Pupo S, Raballo A.

Early Interv Psychiatry. 2018 Mar 14. doi: 10.1111/eip.12554. [Epub ahead of print]

254. CAN WE PREVENT PSYCHOSIS? INNOVATIVE SERVICE OFFERS NEW HOPE.

Mulholland C, Mongan D, Boyd A, Shannon C.

Ulster Med J. 2017 May;86(2):149. Epub 2017 May 20. No abstract available.

255. Disturbed functional connectivity within the left prefrontal cortex and sensorimotor areas predicts impaired cognitive speed in patients with first-episode schizophrenia.

Krukow P, Jonak K, Karakuła-Juchnowicz H, Podkowiński A, Jonak K, Borys M, Harciarek M.

Psychiatry Res Neuroimaging. 2018 May 30;275:28-35. doi: 10.1016/j.psychresns.2018.03.001. Epub 2018 Mar 4.

256. Social anxiety and risk factors in patients with schizophrenia: Relationship with duration of untreated psychosis.

Aikawa S, Kobayashi H, Nemoto T, Matsuo S, Wada Y, Mamiya N, Yamaguchi T, Katagiri N, Tsujino N, Mizuno M.

Psychiatry Res. 2018 May;263:94-100. doi: 10.1016/j.psychres.2018.02.038. Epub 2018 Feb 20.

257. Understanding the experience of "burnout" in first-episode psychosis carers.

Onwumere J, Sirykaite S, Schulz J, Man E, James G, Afsharzagdegan R, Khan S, Harvey R, Souray J, Raune D.

Compr Psychiatry. 2018 May;83:19-24. doi: 10.1016/j.comppsy.2018.02.003. Epub 2018 Feb 12.

258. Effectiveness of Early Psychosis Intervention: Comparison of Service Users and Nonusers in Population-Based Health Administrative Data.

Anderson KK, Norman R, MacDougall A, Edwards J, Palaniyappan L, Lau C, Kurdyak P.

Am J Psychiatry. 2018 May 1;175(5):443-452. doi: 10.1176/appi.ajp.2017.17050480. Epub 2018 Mar 2.

259. Understanding Pathways to Care of Individuals Entering a Specialized Early Intervention Service for First-Episode Psychosis.

Cabassa LJ, Piscitelli S, Haselden M, Lee RJ, Essock SM, Dixon LB.

Psychiatr Serv. 2018 Jun 1;69(6):648-656. doi: 10.1176/appi.ps.201700018. Epub 2018 Mar 1.

260. Community-Academic Partnership: Establishing the Institute for Mental Health Research Early Psychosis Intervention Center.

Breitborde NJK, Labrecque L, Moe A, Gary T, Meyer M.

Psychiatr Serv. 2018 May 1;69(5):505-507. doi: 10.1176/appi.ps.201700516. Epub 2018 Mar 1.

261. Neutrophil-lymphocyte ratio is increased in elderly patients with first episode depression, but not in recurrent depression.

Arabska J, Łucka A, Magierski R, Sobów T, Wysokiński A.

Psychiatry Res. 2018 May;263:35-40. doi: 10.1016/j.psychres.2018.02.043. Epub 2018 Feb 21.

262. Impairment of perceptual metacognitive accuracy and reduced prefrontal grey matter volume in first-episode psychosis.

Davies G, Rae CL, Garfinkel SN, Seth AK, Medford N, Critchley HD, Greenwood K.

Cogn Neuropsychiatry. 2018 May;23(3):165-179. doi: 10.1080/13546805.2018.1444597. Epub 2018 Feb 27.

263. Cognitive impairments and low BDNF serum levels in first-episode drug-naïve patients with schizophrenia.

Man L, Lv X, Du XD, Yin G, Zhu X, Zhang Y, Soares JC, Yang XN, Chen X, Zhang XY.

Psychiatry Res. 2018 May;263:1-6. doi: 10.1016/j.psychres.2018.02.034. Epub 2018 Feb 15.

264. Association between abnormal serum myelin-specific protein levels and white matter integrity in first-episode and drug-naïve patients with major depressive disorder.

Jiang L, Cheng Y, Jiang H, Xu J, Lu J, Shen Z, Lu Y, Liu F, Li L, Xu X.

J Affect Disord. 2018 May;232:61-68. doi: 10.1016/j.jad.2018.02.044. Epub 2018 Feb 16.

265. Attachment and therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis.

Berry K, Palmer T, Gregg L, Barrowclough C, Lobban F.

Clin Psychol Psychother. 2018 May;25(3):440-445. doi: 10.1002/cpp.2178. Epub 2018 Feb 15.

266. Aberrant topographical organization in default-mode network in first-episode remitted geriatric depression: a graph-theoretical analysis.

Zhu Y, Wang D, Liu Z, Li Y.

Int Psychogeriatr. 2018 May;30(5):619-628. doi: 10.1017/S1041610218000054. Epub 2018 Feb 12.

267. Neural correlates of working memory in first episode and recurrent depression: An fMRI study.

Yüksel D, Dietsche B, Konrad C, Dannlowski U, Kircher T, Krug A.

Prog Neuropsychopharmacol Biol Psychiatry. 2018 Jun 8;84(Pt A):39-49. doi: 10.1016/j.pnpbp.2018.02.003. Epub 2018 Feb 5.

268. History of psychosis and mania, and outcomes after kidney transplantation - a retrospective study.

Molnar MZ, Eason JD, Gaipov A, Talwar M, Potukuchi PK, Joglekar K, Rempert A, Mathe Z, Mucsi I, Novak M, Kalantar-Zadeh K, Kovesdy CP.

Transpl Int. 2018 May;31(5):554-565. doi: 10.1111/tri.13127. Epub 2018 Feb 27.

269. Family communication with teens at clinical high-risk for psychosis or bipolar disorder.

Salinger JM, O'Brien MP, Miklowitz DJ, Marvin SE, Cannon TD.

J Fam Psychol. 2018 Jun;32(4):507-516. doi: 10.1037/fam0000393. Epub 2018 Feb 1.