

Nos meses de Setembro e Outubro de 2018 foram publicados os seguintes artigos na área das fases iniciais da psicose:

1. Hearing spirits? Religiosity in individuals at risk for psychosis-Results from the Brazilian SSAPP cohort.

Loch AA, Freitas EL, Hortêncio L, Chianca C, Alves TM, Serpa MH, Andrade JC, van de Bilt MT, Gattaz WF, Rössler W.

Schizophr Res. 2018 Sep 25. pii: S0920-9964(18)30578-4. doi: 10.1016/j.schres.2018.09.020. [Epub ahead of print]

2. Smart Pills for Psychosis: The Tricky Ethical Challenges of Digital Medicine for Serious Mental Illness.

Swartz AK.

Am J Bioeth. 2018 Sep;18(9):65-67. doi: 10.1080/15265161.2018.1498948. No abstract available.

3. Investigation of the COMT Val158Met variant association with age of onset of psychosis, adjusting for cannabis use.

Lodhi RJ, Wang Y, Rossolatos D, MacIntyre G, Bowker A, Crocker C, Ren H, Dimitrijevic A, Bugbee DA, Loverock A, Majeau B, Sivapalan S, Newton VM, Tibbo P, Purdon SE, Aitchison KJ.

Brain Behav. 2018 Sep;8(9):e01120. doi: 10.1002/brb3.1120. No abstract available.

4. The Effect of Reducing the "Jumping to Conclusions" Bias on Treatment Decision-Making Capacity in Psychosis: A Randomized Controlled Trial With Mediation Analysis.

Turner DT, MacBeth A, Larkin A, Moritz S, Livingstone K, Campbell A, Hutton P.

Schizophr Bull. 2018 Sep 26. doi: 10.1093/schbul/sby136. [Epub ahead of print]

5. Genetic risk for schizophrenia and autism, social impairment and developmental pathways to psychosis.

Velthorst E, Froudast-Walsh S, Stahl E, Ruderfer D, Ivanov I, Buxbaum J; iPSYCH-Broad ASD Group, the IMAGEN consortium, Banaschewski T, Bokde ALW, Dipl-Psych UB, Büchel C, Quinlan EB, Desrivières S, Flor H, Frouin V, Garavan H, Gowland P, Heinz A, Ittermann B, Martinot MP, Artiges E, Nees F, Orfanos DP, Paus T, Poustka L, Hohmann S, Fröhner JH, Smolka MN, Walter H, Whelan R, Schumann G, Reichenberg A.

Transl Psychiatry. 2018 Sep 26;8(1):204. doi: 10.1038/s41398-018-0229-0.

6. Mortality in patients with Parkinson disease psychosis receiving pimavanserin and quetiapine.

Moreno GM, Gandhi R, Lessig SL, Wright B, Litvan I, Nahab FB.

Neurology. 2018 Oct 23;91(17):797-799. doi: 10.1212/WNL.0000000000006396. Epub 2018 Sep 26. No abstract available.

7. Cushing's Syndrome and Psychosis: A Case Report and Literature Review.

Fujii Y, Mizoguchi Y, Masuoka J, Matsuda Y, Abe T, Anzai K, Kunitake Y, Tateishi H, Inaba T, Murakawa T, Kato TA, Monji A.

Prim Care Companion CNS Disord. 2018 Sep 13;20(5). pii: 18br02279. doi: 10.4088/PCC.18br02279. Review.

8. Digital Trajectories to Care in First-Episode Psychosis.

Birnbaum ML, Rizvi AF, Faber K, Addington J, Correll CU, Gerber C, Lahti AC, Loewy RL, Mathalon DH, Nelson LA, Voineskos AN, Walker EF, Ward E, Kane JM.

Psychiatr Serv. 2018 Sep 26;appips201800180. doi: 10.1176/appi.ps.201800180. [Epub ahead of print]

9. GABA levels and TSPO expression in people at clinical high risk for psychosis and healthy volunteers: a PET-MRS study.

Da Silva T, Hafizi S, Rusjan PM, Houle S, Wilson AA, Puce I, Sailasuta N, Mizrahi R.

J Psychiatry Neurosci. 2018 Sep 26;43(6):170201. doi: 10.1503/jpn.170201. [Epub ahead of print]

10. Insight and risk of suicidal behaviour in two first-episode psychosis cohorts: Effects of previous suicide attempts and depression.

Lopez-Morinigo JD, Di Forti M, Ajnakina O, Wiffen BD, Morgan K, Doody GA, Jones PB, Ayesa-Arriola R, Canal-Rivero M, Crespo-Facorro B, Murray RM, Dazzan P, Morgan C, Dutta R, David AS.

Schizophr Res. 2018 Sep 22. pii: S0920-9964(18)30574-7. doi: 10.1016/j.schres.2018.09.016. [Epub ahead of print]

11. Autism, Early Psychosis, and Social Anxiety Disorder: a transdiagnostic examination of executive function cognitive circuitry and contribution to disability.

Demetriou EA, Song CY, Park SH, Pepper KL, Naismith SL, Hermens DF, Hickie IB, Thomas EE, Norton A, White D, Guastella AJ.

Transl Psychiatry. 2018 Sep 24;8(1):200. doi: 10.1038/s41398-018-0193-8.

12. Metabolic abnormalities and low dietary Omega 3 are associated with symptom severity and worse functioning prior to the onset of psychosis: Findings from the North American Prodrome Longitudinal Studies Consortium.

Cadenhead KS, Minichino A, Kelsven S, Addington J, Bearden C, Cannon TD, Cornblatt BA, Mathalon D, McGlashan TH, Perkins DO, Seidman LJ, Tsuang M, Walker EF, Woods SW, Yao J; North American Prodromal Longitudinal Studies (NAPLS) consortium.

Schizophr Res. 2018 Sep 21. pii: S0920-9964(18)30580-2. doi: 10.1016/j.schres.2018.09.022. [Epub ahead of print]

13. Deficient auditory predictive coding during vocalization in the psychosis risk syndrome and in early illness schizophrenia: the final expanded sample.

Mathalon DH, Roach BJ, Ferri JM, Loewy RL, Stuart BK, Perez VB, Trujillo TH, Ford JM.

Psychol Med. 2018 Sep 25:1-8. doi: 10.1017/S0033291718002659. [Epub ahead of print]

14. Oral health in psychosis: An unmet need.

Palmier-Claus JE, Shiers D, French P, Harris R, Lavery L.
Schizophr Res. 2018 Sep 19. pii: S0920-9964(18)30561-9. doi:
10.1016/j.schres.2018.09.011. [Epub ahead of print] No abstract available.

15. Is It Ethical to Use Prognostic Estimates from Machine Learning to Treat Psychosis?

Martinez-Martin N, Dunn LB, Roberts LW.
AMA J Ethics. 2018 Sep 1;20(9):E804-811. doi: 10.1001/amajethics.2018.804.

16. Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization.

Cao H, Chén OY, Chung Y, Forsyth JK, McEwen SC, Gee DG, Bearden CE, Addington J, Goodyear B, Cadenhead KS, Mirzakhani H, Cornblatt BA, Carrión RE, Mathalon DH, McGlashan TH, Perkins DO, Belger A, Seidman LJ, Thermenos H, Tsuang MT, van Erp TGM, Walker EF, Hamann S, Anticevic A, Woods SW, Cannon TD.
Nat Commun. 2018 Sep 21;9(1):3836. doi: 10.1038/s41467-018-06350-7.

17. Brain responses to different types of salience in antipsychotic naïve first episode psychosis: An fMRI study.

Knolle F, Ermakova AO, Justicia A, Fletcher PC, Bunzeck N, Düzel E, Murray GK.
Transl Psychiatry. 2018 Sep 21;8(1):196. doi: 10.1038/s41398-018-0250-3.

18. A potential role for adjunctive omega-3 polyunsaturated fatty acids for depression and anxiety symptoms in recent onset psychosis: Results from a 16 week randomized placebo-controlled trial for participants concurrently treated with risperidone.

Robinson DG, Gallego JA, John M, Hanna LA, Zhang JP, Birnbaum ML, Greenberg J, Naraine M, Peters BD, McNamara RK, Malhotra AK, Szeszko PR.
Schizophr Res. 2018 Sep 18. pii: S0920-9964(18)30556-5. doi:
10.1016/j.schres.2018.09.006. [Epub ahead of print]

19. Glutamate-dopamine matters in psychosis.

Hernaus D, van Amelsvoort T.
Lancet Psychiatry. 2018 Oct;5(10):773-774. doi: 10.1016/S2215-0366(18)30299-2. Epub
2018 Sep 17. No abstract available.

20. The relationship between cortical glutamate and striatal dopamine in first-episode psychosis: a cross-sectional multimodal PET and magnetic resonance spectroscopy imaging study.

Jauhar S, McCutcheon R, Borgan F, Veronese M, Nour M, Pepper F, Rogdaki M, Stone J, Egerton A, Turkheimer F, McGuire P, Howes OD.
Lancet Psychiatry. 2018 Oct;5(10):816-823. doi: 10.1016/S2215-0366(18)30268-2. Epub
2018 Sep 17. Erratum in: Lancet Psychiatry. 2018 Dec;5(12):e28.

21. Psychotherapy in Psychosis: Experiences of Fully Recovered Service Users.

Bjornestad J, Veseth M, Davidson L, Joa I, Johannessen JO, Larsen TK, Melle I, Hegelstad WTV.
Front Psychol. 2018 Sep 4;9:1675. doi: 10.3389/fpsyg.2018.01675. eCollection 2018.

22. Informal Caregiving Relationships in Psychosis: Reviewing the Impact of Patient Violence on Caregivers.

Onwumere J, Zhou Z, Kuipers E.

Front Psychol. 2018 Sep 3;9:1530. doi: 10.3389/fpsyg.2018.01530. eCollection 2018.

23. Metacognitive approaches to the treatment of psychosis: a comparison of four approaches.

Lysaker PH, Gagen E, Moritz S, Schweitzer RD.

Psychol Res Behav Manag. 2018 Sep 5;11:341-351. doi: 10.2147/PRBM.S146446. eCollection 2018. Review.

24. Isolated hallucination is less predictive than thought disorder in psychosis: Insight from a longitudinal study in a clinical population at high risk for psychosis.

Zhang T, Xu L, Tang Y, Cui H, Wei Y, Tang X, Hu Q, Wang Y, Zhu Y, Jiang L, Hui L, Liu X, Li C, Wang J.

Sci Rep. 2018 Sep 18;8(1):13962. doi: 10.1038/s41598-018-32215-6.

25. Comparison of cognitive functions between first-episode schizophrenia patients, their unaffected siblings and individuals at clinical high-risk for psychosis.

Chu AOK, Chang WC, Chan SKW, Lee EHM, Hui CLM, Chen EYH.

Psychol Med. 2018 Sep 18;1-8. doi: 10.1017/S0033291718002726. [Epub ahead of print]

26. Relationship between Sleep and Psychosis in the Pediatric Population: A Brief Review.

Bordoloi M, Ramtekkar U.

Med Sci (Basel). 2018 Sep 14;6(3). pii: E76. doi: 10.3390/medsci6030076. Review.

27. The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis.

Karambelas GJ, Allott KA, Killackey E, Farhall J, Cotton SM.

Psychiatr Rehabil J. 2018 Dec;41(4):319-327. doi: 10.1037/prj0000317. Epub 2018 Sep 17.

28. The Trauma and Life Events (TALE) checklist: development of a tool for improving routine screening in people with psychosis.

Carr S, Hardy A, Fornells-Ambrojo M.

Eur J Psychotraumatol. 2018 Sep 11;9(1):1512265. doi: 10.1080/20008198.2018.1512265. eCollection 2018.

29. Comparing Patient, Clinician, and Caregiver Perceptions of Care for Early Psychosis: A Free Listing Study.

Dress EM, Frasso R, Calkins ME, Curry AE, Kohler CG, Schmidt LR, Sisti DA.

Narrat Inq Bioeth. 2018;8(2):157-178. doi: 10.1353/nib.2018.0054.

30. An Interleukin-1 beta (IL1B) haplotype linked with psychosis transition is associated with IL1B gene expression and brain structure.

Mostaid MS, Dimitrakopoulos S, Wannan C, Cropley V, Weickert CS, Everall IP, Pantelis C, Bousman CA.

Schizophr Res. 2018 Sep 14. pii: S0920-9964(18)30558-9. doi: 10.1016/j.schres.2018.09.008. [Epub ahead of print]

31. Psychosis Literacy Among Latinos With First-Episode Psychosis and Their Caregivers.

López SR, Gamez D, Mejia Y, Calderon V, Lopez D, Ullman JB, Kopelowicz A. Psychiatr Serv. 2018 Sep 17:appips201700400. doi: 10.1176/appi.ps.201700400. [Epub ahead of print]

32. Federated multi-site longitudinal study of at-risk mental state for psychosis in Japan.

Matsumoto K, Katsura M, Tsujino N, Nishiyama S, Nemoto T, Katagiri N, Takahashi T, Higuchi Y, Ohmuro N, Matsuoka H, Suzuki M, Mizuno M.

Schizophr Res. 2018 Sep 12. pii: S0920-9964(18)30550-4. doi: 10.1016/j.schres.2018.09.001. [Epub ahead of print]

33. Chorea, psychosis, acanthocytosis, and prolonged survival associated with ELAC2 mutations.

Paucar M, Pajak A, Freyer C, Bergendal Å, Döry M, Laffita-Mesa JM, Stranneheim H, Lagerstedt-Robinson K, Savitcheva I, Walker RH, Wedell A, Wredenberg A, Svenningsson P.

Neurology. 2018 Oct 9;91(15):710-712. doi: 10.1212/WNL.0000000000006320. Epub 2018 Sep 14. No abstract available.

34. Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk.

Cao H, McEwen SC, Chung Y, Chén OY, Bearden CE, Addington J, Goodyear B, Cadenhead KS, Mirzakhani H, Cornblatt BA, Carrión RE, Mathalon DH, McGlashan TH, Perkins DO, Belger A, Seidman LJ, Thermenos H, Tsuang MT, van Erp TGM, Walker EF, Hamann S, Anticevic A, Woods SW, Cannon TD.

Schizophr Bull. 2018 Sep 11. doi: 10.1093/schbul/sby122. [Epub ahead of print]

35. Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator.

Zhang T, Xu L, Tang Y, Li H, Tang X, Cui H, Wei Y, Wang Y, Hu Q, Liu X, Li C, Lu Z, McCarley RW, Seidman LJ, Wang J; SHARP (ShangHai At Risk for Psychosis) Study Group.

Psychol Med. 2018 Sep 14:1-9. doi: 10.1017/S0033291718002738. [Epub ahead of print]

36. Psychoses sans Frontieres: towards an interdisciplinary understanding of psychosis risk amongst migrants and their descendants.

Dyckhoorn J, Kirkbride JB.

Epidemiol Psychiatr Sci. 2018 Sep 13:1-7. doi: 10.1017/S2045796018000501. [Epub ahead of print]

37. Improving the cardiometabolic health of people with psychosis: A protocol for a randomised controlled trial of the Physical Health Nurse Consultant service.

Happell B, Curtis J, Banfield M, Goss J, Niyonsenga T, Watkins A, Platania-Phung C, Moon L, Batterham P, Scholz B, Prescott V, Stanton R.
Contemp Clin Trials. 2018 Oct;73:75-80. doi: 10.1016/j.cct.2018.09.001. Epub 2018 Sep 9.

38. Family functioning moderates the impact of psychosis-risk symptoms on social and role functioning.

Thompson E, Rakhshan P, Pitts SC, Demro C, Millman ZB, Bussell K, DeVlyder J, Kline E, Reeves GM, Schiffman J.
Schizophr Res. 2018 Sep 8. pii: S0920-9964(18)30548-6. doi: 10.1016/j.schres.2018.08.035. [Epub ahead of print]

39. Vulnerability to psychosocial disability in psychosis.

Griffiths SL, Wood SJ, Birchwood M.
Epidemiol Psychiatr Sci. 2018 Sep 12:1-6. doi: 10.1017/S2045796018000495. [Epub ahead of print]

40. Recover recovery style from psychosis: a psychometric evaluation of the German version of the Recovery Style Questionnaire (RSQ).

Gruber M, Rumpold T, Schrank B, Sibitz I, Otzelberger B, Jahn R, Amering M, Unger A.
Epidemiol Psychiatr Sci. 2018 Sep 11:1-9. doi: 10.1017/S2045796018000471. [Epub ahead of print]

41. Sleep Disorders in Early Psychosis: Incidence, Severity, and Association With Clinical Symptoms.

Reeve S, Sheaves B, Freeman D.
Schizophr Bull. 2018 Sep 8. doi: 10.1093/schbul/sby129. [Epub ahead of print]

42. Association of schizophrenia polygenic risk score with manic and depressive psychosis in bipolar disorder.

Markota M, Coombes BJ, Larrabee BR, McElroy SL, Bond DJ, Veldic M, Colby CL, Chauhan M, Cuellar-Barboza AB, Fuentes M, Kung S, Prieto ML, Rummans TA, Bobo WV, Frye MA, Biernacka JM.
Transl Psychiatry. 2018 Sep 10;8(1):188. doi: 10.1038/s41398-018-0242-3.

43. Elevated allostatic load index is associated with working memory deficits in first-episode psychosis.

Misiak B, Kotowicz K, Loska O, Stramecki F, Beszlej JA, Samochowiec J, Samochowiec A, Jabłoński M, Podwalski P, Waszczuk K, Wroński M, Michalczyk A, Sagan L, Piotrowski P.
Schizophr Res. 2018 Sep 7. pii: S0920-9964(18)30552-8. doi: 10.1016/j.schres.2018.09.003. [Epub ahead of print] No abstract available.

44. What constitutes 'good practice' in early intervention for psychosis? Analysis of clinical guidelines.

Corsico P, Griffin-Doyle M, Singh I.
Child Adolesc Ment Health. 2018 Sep;23(3):185-193. doi: 10.1111/camh.12229. Epub 2017 Aug 8.

45. Alteration of functional brain architecture in 22q11.2 deletion syndrome - Insights into susceptibility for psychosis.

Larsen KM, Dzafic I, Siebner HR, Garrido MI.

Neuroimage. 2018 Sep 5. pii: S1053-8119(18)30774-2. doi: 10.1016/j.neuroimage.2018.09.001. [Epub ahead of print] Review.

46. N400 event-related brain potential evidence for semantic priming deficits in persons at clinical high risk for psychosis.

Lepock JR, Mizrahi R, Korostil M, Maheandiran M, Gerritsen CJ, Drvaric L, Ahmed S, Bagby RM, Kiang M.

Schizophr Res. 2018 Sep 4. pii: S0920-9964(18)30546-2. doi: 10.1016/j.schres.2018.08.033. [Epub ahead of print] No abstract available.

47. A causality dilemma: ARFID, malnutrition, psychosis, and hypomagnesemia.

Wassenaar E, O'Melia AM, Mehler PS.

Int J Eat Disord. 2018 Sep;51(9):1113-1116. doi: 10.1002/eat.22939. Epub 2018 Sep 7.

48. Healthy pregnancy and prevention of psychosis.

Susser E, Keyes K, Mascayano F.

World Psychiatry. 2018 Oct;17(3):357-358. doi: 10.1002/wps.20554. No abstract available.

49. Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study.

Reininghaus U, Oorschot M, Moritz S, Gayer-Anderson C, Kempton MJ, Valmaggia L, McGuire P, Murray R, Garety P, Wykes T, Morgan C, Myin-Germeys I.

Schizophr Bull. 2018 Sep 5. doi: 10.1093/schbul/sby116. [Epub ahead of print]

50. Chordoid Glioma with Psychosis: Case Report.

Estronza S, Saavedra FM, De Jesus O, Pastrana EA.

P R Health Sci J. 2018 Sep;37(3):174-176.

51. Development of a Boston Treatment Program for Youth at Clinical High Risk for Psychosis: Center for Early Detection, Assessment, and Response to Risk (CEDAR).

Friedman-Yakoobian MS, West ML, Woodberry KA, O'Donovan KE, Zimmet SV, Gngong-Granato A, Giuliano AJ, Guyer ME, Rodenhiser-Hill J, Keshavan MS, Seidman LJ.

Harv Rev Psychiatry. 2018 Sep/Oct;26(5):274-286. doi: 10.1097/HRP.0000000000000181.

52. Digital Technology for Caregivers of People With Psychosis: Systematic Review.

Onwumere J, Amaral F, Valmaggia LR.

JMIR Ment Health. 2018 Sep 5;5(3):e55. doi: 10.2196/mental.9857. Review.

53. Longitudinal changes in social cognition in individuals at clinical high risk for psychosis: An outcome based analysis.

Shakeel MK, Lu L, Cannon TD, Cadenhead KS, Cornblatt BA, McGlashan TH, Perkins DO, Seidman LJ, Tsuang MT, Woods SW, Walker EF, Mathalon DH, Bearden CE, Addington J.

Schizophr Res. 2018 Sep 1. pii: S0920-9964(18)30545-0. doi: 10.1016/j.schres.2018.08.032. [Epub ahead of print]

54. Clinical and functional characteristics of youth at clinical high-risk for psychosis who do not transition to psychosis.

Addington J, Stowkowy J, Liu L, Cadenhead KS, Cannon TD, Cornblatt BA, McGlashan TH, Perkins DO, Seidman LJ, Tsuang MT, Walker EF, Bearden CE, Mathalon DH, Santesteban-Echarri O, Woods SW.

Psychol Med. 2018 Sep 4:1-8. doi: 10.1017/S0033291718002258. [Epub ahead of print]

55. First-episode psychosis in treatment-resistant schizophrenia: a cross-sectional study of a long-term follow-up cohort.

Kanahara N, Yamanaka H, Suzuki T, Takase M, Iyo M.

BMC Psychiatry. 2018 Sep 3;18(1):274. doi: 10.1186/s12888-018-1853-1.

56. Aberrant Tendency of Noncurrent Emotional Experiences in Individuals at Ultra-High Risk for Psychosis.

Seo E, Bang M, Lee E, An SK.

Psychiatry Investig. 2018 Sep;15(9):876-883. doi: 10.30773/pi.2018.07.29.2. Epub 2018 Sep 5.

57. Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program.

Zhang T, Li H, Tang Y, Niznikiewicz MA, Shenton ME, Keshavan MS, Stone WS, McCarley RW, Seidman LJ, Wang J.

Am J Psychiatry. 2018 Sep 1;175(9):906-908. doi: 10.1176/appi.ajp.2018.18010036. No abstract available.

58. Deficits in context-dependent adaptive coding in early psychosis and healthy individuals with schizotypal personality traits.

Kirschner M, Haugg A, Manoliu A, Simon JJ, Huys QJM, Seifritz E, Tobler PN, Kaiser S.

Brain. 2018 Sep 1;141(9):2806-2819. doi: 10.1093/brain/awy203.

59. Investigation of the Video-EEG Findings and Clinical Data in Patients Diagnosed With Epilepsy and Psychosis.

Mehdikhanova L, Vanli Yavuz EN, Çikrikçili U, Baral Kulaksizoğlu I, Bebek N, Gürses C, Gökyiğit A, Baykan B.

Neurologist. 2018 Sep;23(5):167-174. doi: 10.1097/NRL.0000000000000195.

60. Guided by Voices: Hallucinations and the Psychosis Spectrum.

Powers AR, Corlett PR, Ross DA.

Biol Psychiatry. 2018 Sep 15;84(6):e43-e45. doi: 10.1016/j.biopsych.2018.07.015. No abstract available.

61. The relationship between serum cytokine levels and degree of psychosis in patients with schizophrenia.

Dahan S, Bragazzi NL, Yogev A, Bar-Gad M, Barak V, Amital H, Amital D.

Psychiatry Res. 2018 Oct;268:467-472. doi: 10.1016/j.psychres.2018.07.041. Epub 2018 Jul 31.

62. Psychosis and synthetic cannabinoids.

Deng H, Verrico CD, Kosten TR, Nielsen DA.

Psychiatry Res. 2018 Oct;268:400-412. doi: 10.1016/j.psychres.2018.08.012. Epub 2018 Aug 10. Review.

63. Longitudinal assessment of the effect of cannabis use on hospital readmission rates in early psychosis: A 6-year follow-up in an inpatient cohort.

Colizzi M, Burnett N, Costa R, De Agostini M, Griffin J, Bhattacharyya S.

Psychiatry Res. 2018 Oct;268:381-387. doi: 10.1016/j.psychres.2018.08.005. Epub 2018 Aug 2.

64. Meeting the needs of young people with psychosis: We must do better.

Roche M, Jackson D, Usher K, Cross W.

Int J Ment Health Nurs. 2018 Oct;27(5):1303-1304. doi: 10.1111/inm.12534. Epub 2018 Aug 18. No abstract available.

65. Depression and functioning are important to subjective quality of life after a first episode psychosis.

Gardsjord ES, Romm KL, Røssberg JI, Friis S, Barder HE, Evensen J, Haahr U, Ten Velden Hegelstad W, Joa I, Johannessen JO, Langeveld J, Larsen TK, Opjordsmoen S, Rund BR, Simonsen E, Vaglum P, Melle I.

Compr Psychiatry. 2018 Oct;86:107-114. doi: 10.1016/j.comppsy.2018.07.014. Epub 2018 Jul 30.

66. ERP indices of performance monitoring and feedback processing in psychosis: A meta-analysis.

Martin EA, McCleery A, Moore MM, Wynn JK, Green MF, Horan WP.

Int J Psychophysiol. 2018 Oct;132(Pt B):365-378. doi: 10.1016/j.ijpsycho.2018.08.004. Epub 2018 Aug 10. Review.

67. The relationship between theory of mind deficits and neurocognition in first episode-psychosis.

Catalan A, Angosto V, Díaz A, Martínez N, Guede D, Pereda M, Madrazo A, Bustamante S, Bilbao A, Osa L, Inchausti L, Gonzalez-Torres MA.

Psychiatry Res. 2018 Oct;268:361-367. doi: 10.1016/j.psychres.2018.06.066. Epub 2018 Jul 22.

68. Maladaptive personality traits in patients identified at lower-risk and higher-risk for psychosis.

Drvaric L, Bagby RM, Kiang M, Mizrahi R.

Psychiatry Res. 2018 Oct;268:348-353. doi: 10.1016/j.psychres.2018.08.004. Epub 2018 Aug 2.

69. The dynamic relationship between insight and suicidal behavior in first episode psychosis patients over 3-year follow-up.

Ayasa-Arriola R, Terán JMP, Morínigo JDL, Rivero MC, Setién-Suero E, Al-Halabi S, Cuesta MJ, David AS, Crespo-Facorro B.

Eur Neuropsychopharmacol. 2018 Oct;28(10):1161-1172. doi: 10.1016/j.euroneuro.2018.05.005. Epub 2018 Aug 8.

70. Recognizing and Managing Postpartum Psychosis: A Clinical Guide for Obstetric Providers.

Osborne LM.

Obstet Gynecol Clin North Am. 2018 Sep;45(3):455-468. doi: 10.1016/j.ogc.2018.04.005. Review.

71. Hippocampal glutamate metabolites and glial activation in clinical high risk and first episode psychosis.

Shakory S, Watts JJ, Hafizi S, Da Silva T, Khan S, Kiang M, Bagby RM, Chavez S, Mizrahi R.

Neuropsychopharmacology. 2018 Oct;43(11):2249-2255. doi: 10.1038/s41386-018-0163-0. Epub 2018 Jul 28.

72. Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial.

Cather C, Brunette MF, Mueser KT, Babbin SF, Rosenheck R, Correll CU, Kalos-Meyer P.

Psychiatry Res. 2018 Oct;268:303-311. doi: 10.1016/j.psychres.2018.06.055. Epub 2018 Jul 24.

73. Consequences of persistent depression and apathy in first-episode psychosis - A one-year follow-up study.

Lyngstad SH, Gardsjord ES, Simonsen C, Engen MJ, Romm KL, Melle I, Færden A.

Compr Psychiatry. 2018 Oct;86:60-66. doi: 10.1016/j.comppsy.2018.07.015. Epub 2018 Jul 29.

74. Metabolomics in patients with psychosis: A systematic review.

Li C, Wang A, Wang C, Ramamurthy J, Zhang E, Guadagno E, Trakadis Y.

Am J Med Genet B Neuropsychiatr Genet. 2018 Sep;177(6):580-588. doi: 10.1002/ajmg.b.32662. Epub 2018 Aug 4. Review.

75. Medication discontinuation in first episode psychosis: thinking about the offset of psychotic disorders.

Galletly C, Suetani S, Dark F.

Aust N Z J Psychiatry. 2018 Sep;52(9):819-821. doi: 10.1177/0004867418790087. Epub 2018 Jul 30. No abstract available.

76. Prosody abilities in a large sample of affective and non-affective first episode psychosis patients.

Caletti E, Delvecchio G, Andreella A, Finos L, Perlini C, Tavano A, Lasalvia A, Bonetto C, Cristofalo D, Lamonaca D, Ceccato E, Pileggi F, Mazzi F, Santonastaso P, Ruggeri M, Bellani M, Brambilla P; GET UP Group.

Compr Psychiatry. 2018 Oct;86:31-38. doi: 10.1016/j.comppsy.2018.07.004. Epub 2018 Jul 26.

77. The Course of Cognition and Functioning in Patients at Ultrahigh Risk of Developing Psychosis: The Roles of Remission and Persistent Nonconverting Symptoms.

Harvey PD.

JAMA Psychiatry. 2018 Sep 1;75(9):882-883. doi: 10.1001/jamapsychiatry.2018.1618. No abstract available.

78. Longitudinal Cognitive Changes in Young Individuals at Ultrahigh Risk for Psychosis.

Lam M, Lee J, Rapisarda A, See YM, Yang Z, Lee SA, Abdul-Rashid NA, Kraus M, Subramaniam M, Chong SA, Keefe RSE.

JAMA Psychiatry. 2018 Sep 1;75(9):929-939. doi: 10.1001/jamapsychiatry.2018.1668.

79. Implementing Cognitive-Behavioral Therapy for People With Psychosis: Local and National Initiatives in the United Kingdom.

Jolley S.

Psychiatr Serv. 2018 Sep 1;69(9):952-955. doi: 10.1176/appi.ps.201800131. Epub 2018 Jul 25.

80. Thalamo-cortical system involving higher-order nuclei in patients with first-episode psychosis.

Cho KIK, Kwak YB, Hwang WJ, Lee J, Kim M, Lee TY, Kwon JS.

BMB Rep. 2018 Sep;51(9):427-428.

81. The relationship between negative symptoms and cognitive functioning in patients at clinical high risk for psychosis.

Leanza L, Egloff L, Studerus E, Andreou C, Heitz U, Ittig S, Beck K, Uttinger M, Riecher-Rössler A.

Psychiatry Res. 2018 Oct;268:21-27. doi: 10.1016/j.psychres.2018.06.047. Epub 2018 Jun 21.

82. Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study.

Sanada K, de Azúa SR, Nakajima S, Alberich S, Ugarte A, Zugasti J, Vega P, Martínez-Cengotitabengoa M, González-Pinto A.

Psychiatry Res. 2018 Oct;268:1-7. doi: 10.1016/j.psychres.2018.06.053. Epub 2018 Jun 28.

83. Decreased use of active coping styles contributes to elevated allostatic load index in first-episode psychosis.

Misiak B, Kotowicz K, Loska O, Stramecki F, Beszlej JA, Samochowicz J, Jabłoński M, Podwalski P, Waszczuk K, Wroński M, Michalczyk A, Sagan L, Piotrowski P.

Psychoneuroendocrinology. 2018 Oct;96:166-172. doi: 10.1016/j.psyneuen.2018.06.021. Epub 2018 Jun 28.

84. Use of Machine Learning to Determine Deviance in Neuroanatomical Maturity Associated With Future Psychosis in Youths at Clinically High Risk.

Chung Y, Addington J, Bearden CE, Cadenhead K, Cornblatt B, Mathalon DH, McGlashan T, Perkins D, Seidman LJ, Tsuang M, Walker E, Woods SW, McEwen S, van Erp TGM, Cannon TD; North American Prodrome Longitudinal Study (NAPLS)

Consortium and the Pediatric Imaging, Neurocognition, and Genetics (PING) Study Consortium.

JAMA Psychiatry. 2018 Sep 1;75(9):960-968. doi: 10.1001/jamapsychiatry.2018.1543.

85. The highly selective 5-HT_{2A} antagonist EMD-281,014 reduces dyskinesia and psychosis in the L-DOPA-treated parkinsonian marmoset.

Hamadjida A, Nuara SG, Bédard D, Gaudette F, Beaudry F, Gourdon JC, Huot P.

Neuropharmacology. 2018 Sep 1;139:61-67. doi: 10.1016/j.neuropharm.2018.06.038.

Epub 2018 Jun 30.

86. Individuals with Borderline Personality Disorder manifest cognitive biases implicated in psychosis.

Puri P, Kumar D, Muralidharan K, Kishore MT.

Psychiatry Res. 2018 Sep;267:414-419. doi: 10.1016/j.psychres.2018.06.040. Epub 2018

Jun 19.

87. Oral health experiences and needs among young adults after a first-episode psychosis : a phenomenological study.

Kuipers S, Castelein S, Malda A, Kronenberg L, Boonstra N.

J Psychiatr Ment Health Nurs. 2018 Oct;25(8):475-485. doi: 10.1111/jpm.12490. Epub

2018 Aug 13.

88. Structured physical exercise and recovery from first episode psychosis in young adults, the FitForLife study.

Lambden B, Berge J, Forsell Y.

Psychiatry Res. 2018 Sep;267:346-353. doi: 10.1016/j.psychres.2018.06.001. Epub 2018

Jun 19.

89. Duration of untreated psychosis (DUP) and outcome of people with schizophrenia in rural China: 14-year follow-up study.

Ran MS, Xiao Y, Chui CHK, Hu XZ, Yu YH, Peng MM, Mao WJ, Liu B, Chen Eric YH, Chan CL.

Psychiatry Res. 2018 Sep;267:340-345. doi: 10.1016/j.psychres.2018.06.043. Epub 2018

Jun 20.

90. Factors affecting mental health nurses working with clients with first-episode psychosis: A qualitative study.

Odeyemi C, Morrissey J, Donohue G.

J Psychiatr Ment Health Nurs. 2018 Sep;25(7):423-431. doi: 10.1111/jpm.12489. Epub

2018 Aug 16.

91. Predicting suicidal behaviour after first episode of non-affective psychosis: The role of neurocognitive functioning.

Canal-Rivero M, López-Morínigo JD, Setién-Suero E, Ruiz-Veguilla M, Ayuso-Mateos JL, Ayesa-Arriola R, Crespo-Facorro B.

Eur Psychiatry. 2018 Sep;53:52-57. doi: 10.1016/j.eurpsy.2018.06.001. Epub 2018 Jun

18.

92. Overall cortisol, diurnal slope, and stress reactivity in psychosis: An experience sampling approach.

Vaessen T, Kasanova Z, Hernaus D, Lataster J, Collip D, van Nierop M, Myin-Germeys I.
Psychoneuroendocrinology. 2018 Oct;96:61-68. doi: 10.1016/j.psyneuen.2018.06.007.
Epub 2018 Jun 7.

93. Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up.

Faerden A, Lyngstad SH, Simonsen C, Ringen PA, Papsuev O, Dieset I, Andreassen OA, Agartz I, Marder SR, Melle I.
Psychiatry Res. 2018 Sep;267:140-147. doi: 10.1016/j.psychres.2018.05.065. Epub 2018 May 31.

94. The provision of physical health care by nurses to young people with first episode psychosis: A cross-sectional study.

Chee GL, Wynaden D, Heslop K.
J Psychiatr Ment Health Nurs. 2018 Sep;25(7):411-422. doi: 10.1111/jpm.12487.

95. Comorbid addictive behaviors in disordered gamblers with psychosis.

Kim HS, Cassetta BD, Hodgins DC, McGrath DS, Tomfohr-Madsen LM, Tavares H.
Braz J Psychiatry. 2018 Oct-Dec;40(4):441-443. doi: 10.1590/1516-4446-2017-2307.
Epub 2018 Jun 11.

96. Assessment of metacognitive beliefs in an at risk mental state for psychosis: A validation study of the Metacognitions Questionnaire-30.

Bright M, Parker S, French P, Morrison AP, Tully S, Stewart SLK, Wells A.
Clin Psychol Psychother. 2018 Sep;25(5):710-720. doi: 10.1002/cpp.2301. Epub 2018 Jun 7.

97. Gut microbiome and magnetic resonance spectroscopy study of subjects at ultra-high risk for psychosis may support the membrane hypothesis.

He Y, Kosciolk T, Tang J, Zhou Y, Li Z, Ma X, Zhu Q, Yuan N, Yuan L, Li C, Jin K, Knight R, Tsuang MT, Chen X.
Eur Psychiatry. 2018 Sep;53:37-45. doi: 10.1016/j.eurpsy.2018.05.011. Epub 2018 Jun 2.

98. Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study.

Ganella EP, Seguin C, Pantelis C, Whittle S, Baune BT, Olver J, Amminger GP, McGorry PD, Cropley V, Zalesky A, Bartholomeusz CF.
Aust N Z J Psychiatry. 2018 Sep;52(9):864-875. doi: 10.1177/0004867418775833. Epub 2018 May 27.

99. Inpatient use and area-level socio-environmental factors in people with psychosis.

Heslin M, Khondoker M, Shetty H, Pritchard M, Jones PB, Osborn D, Kirkbride JB, Roberts A, Stewart R.
Soc Psychiatry Psychiatr Epidemiol. 2018 Oct;53(10):1133-1140. doi: 10.1007/s00127-018-1534-x. Epub 2018 May 23.

100. Risk of Psychosis in Recurrent Episodes of Psychotic and Nonpsychotic Major Depressive Disorder: A Systematic Review and Meta-Analysis.

Nelson JC, Bickford D, Delucchi K, Fiedorowicz JG, Coryell WH.

Am J Psychiatry. 2018 Sep 1;175(9):897-904. doi: 10.1176/appi.ajp.2018.17101138. Epub 2018 May 24.

101. Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative.

Docherty AR, Fonseca-Pedrero E, Debbané M, Chan RCK, Linscott RJ, Jonas KG, Cicero DC, Green MJ, Simms LJ, Mason O, Watson D, Ettinger U, Waszczuk M, Rapp A, Grant P, Kotov R, DeYoung CG, Ruggero CJ, Eaton NR, Krueger RF, Patrick C, Hopwood C, O'Neill FA, Zald DH, Conway CC, Adkins DE, Waldman ID, van Os J, Sullivan PF, Anderson JS, Shabalin AA, Sponheim SR, Taylor SF, Grazioplene RG, Bacanu SA, Bigdeli TB, Haenschel C, Malaspina D, Gooding DC, Nicodemus K, Schultze-Lutter F, Barrantes-Vidal N, Mohr C, Carpenter WT, Cohen AS.

Schizophr Bull. 2018 Oct 15;44(suppl_2):S460-S467. doi: 10.1093/schbul/sby059.

102. Cortical thickness correlates of minor neurological signs in patients with first episode psychosis.

Ciufolini S, Ponteduro MF, Reis-Marques T, Taylor H, Mondelli V, Pariante CM, Bonaccorso S, Chan R, Simmons A, David A, Di Forti M, Murray RM, Dazzan P.

Schizophr Res. 2018 Oct;200:104-111. doi: 10.1016/j.schres.2018.05.005. Epub 2018 May 18.