



Nos meses de *Janeiro e Fevereiro de 2019* foram publicados os seguintes artigos na área das fases iniciais da psicose:

1. Cocaine-Induced Psychosis and Asenapine as Treatment: A Case Study.

Palma-Álvarez RF, Ros-Cucurull E, Ramos-Quiroga JA, Roncero C, Grau-López L. *Psychopharmacol Bull.* 2019 Feb 15;49(1):92-97.

2. Factors influencing subjective recovery of people with recent-onset psychosis: A cross-sectional study in a low-income sub-Saharan country.

Temesgen WA, Chien WT, Bressington D.

Psychiatry Res. 2019 Feb 27:12282. doi: 10.1016/j.psychres.2019.01.107. [Epub ahead of print]

3. Association Between Duration of Untreated Psychosis and Frontostriatal Connectivity During Maintenance of Visuospatial Working Memory.

Manivannan A, Foran W, Jalbrzikowski M, Murty VP, Haas GL, Tarcijonas G, Luna B, Sarpal DK.

Biol Psychiatry Cogn Neurosci Neuroimaging. 2019 Jan 30. pii: S2451-9022(19)30021-7. doi: 10.1016/j.bpsc.2019.01.007. [Epub ahead of print]

4. Individual Differences and Psychosis-Risk Screening: Practical Suggestions to Improve the Scope and Quality of Early Identification.

Schiffman J, Ellman LM, Mittal VA.

Front Psychiatry. 2019 Feb 14;10:6. doi: 10.3389/fpsy.2019.00006. eCollection 2019.

5. An Adenosine A2A Receptor Antagonist Improves Multiple Symptoms of Repeated Quinpirole-Induced Psychosis.

Asaoka N, Nishitani N, Kinoshita H, Nagai Y, Hatakama H, Nagayasu K, Shirakawa H, Nakagawa T, Kaneko S.

eNeuro. 2019 Feb 27;6(1). pii: ENEURO.0366-18.2019. doi: 10.1523/ENEURO.0366-18.2019. eCollection 2019 Jan-Feb.

6. Longitudinal trajectory of early functional recovery in patients with first episode psychosis.

Hall MH, Holton KM, Öngür D, Montrose D, Keshavan MS.

Schizophr Res. 2019 Feb 27. pii: S0920-9964(19)30053-2. doi: 10.1016/j.schres.2019.02.003. [Epub ahead of print]

7. Decreased peak alpha frequency and impaired visual evoked potentials in first episode psychosis.

Murphy M, Öngür D.

Neuroimage Clin. 2019 Feb 21;22:101693. doi: 10.1016/j.nicl.2019.101693. [Epub ahead of print]

8. Blending active and passive digital technology methods to improve symptom monitoring in early psychosis.

Cella M, He Z, Killikelly C, Okruszek L, Lewis S, Wykes T.
Early Interv Psychiatry. 2019 Feb 28. doi: 10.1111/eip.12796. [Epub ahead of print]

9. P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature.

Tang Y, Wang J, Zhang T, Xu L, Qian Z, Cui H, Tang X, Li H, Whitfield-Gabrieli S, Shenton ME, Seidman LJ, McCarley RW, Keshavan MS, Stone WS, Wang J, Niznikiewicz MA.
Schizophr Res. 2019 Feb 25. pii: S0920-9964(19)30074-X. doi: 10.1016/j.schres.2019.02.014. [Epub ahead of print]

10. Posttraumatic growth in psychosis: Challenges to the assumptive world.

Mazor Y, Gelkopf M, Roe D.
Psychol Trauma. 2019 Feb 28. doi: 10.1037/tra0000443. [Epub ahead of print]

11. Trends in Subjective Quality of Life Among Patients With First Episode Psychosis-A 1 Year Longitudinal Study.

Tan XW, Shahwan S, Satghare P, Chua BY, Verma S, Tang C, Chong SA, Subramaniam M.
Front Psychiatry. 2019 Feb 13;10:53. doi: 10.3389/fpsyt.2019.00053. eCollection 2019.

12. Social Mindfulness and Psychosis: Neural Response to Socially Mindful Behavior in First-Episode Psychosis and Patients at Clinical High-Risk.

Lemmers-Jansen ILJ, Fett AJ, Van Doesum NJ, Van Lange PAM, Veltman DJ, Krabbendam L.
Front Hum Neurosci. 2019 Feb 13;13:47. doi: 10.3389/fnhum.2019.00047. eCollection 2019.

13. Using Machine Learning and Structural Neuroimaging to Detect First Episode Psychosis: Reconsidering the Evidence.

Vieira S, Gong QY, Pinaya WHL, Scarpazza C, Tognin S, Crespo-Facorro B, Tordesillas-Gutierrez D, Ortiz-García V, Setien-Suero E, Scheepers FE, Van Haren NEM, Marques TR, Murray RM, David A, Dazzan P, McGuire P, Mechelli A.
Schizophr Bull. 2019 Feb 27. pii: sby189. doi: 10.1093/schbul/sby189. [Epub ahead of print]

14. Rehospitalization of Postpartum Depression and Psychosis After Electroconvulsive Therapy: A Population-Based Study With a Matched Control Group.

Rönnqvist I, Brus O, Hammar Å, Landén M, Lundberg J, Nordanskog P, Nordenskjöld A.
J ECT. 2019 Feb 20. doi: 10.1097/YCT.0000000000000578. [Epub ahead of print]

15. Altered risky decision making in patients with early non-affective psychosis.

Msk L, Wc C, Csy C, Cmw S, Skw C, Emh L, Clm H, Yn S, Tmc L, Tl L, Eyh C.
Eur Arch Psychiatry Clin Neurosci. 2019 Feb 26. doi: 10.1007/s00406-019-00994-2. [Epub ahead of print]

16. Neutrophil-lymphocyte ratio, monocyte-lymphocyte ratio and platelet-lymphocyte ratio in non-affective psychosis: a meta-analysis and systematic review.

Mazza MG, Lucchi S, Rossetti A, Clerici M.

World J Biol Psychiatry. 2019 Feb 26;1-37. doi: 10.1080/15622975.2019.1583371.

[Epub ahead of print]

17. Functional Neuroimaging Correlates of Aggression in Psychosis: A Systematic Review With Recommendations for Future Research.

Widmayer S, Borgwardt S, Lang UE, Stieglitz RD, Huber CG.

Front Psychiatry. 2019 Feb 5;9:777. doi: 10.3389/fpsy.2018.00777. eCollection 2018.

18. Mobile App-Based Intervention for Adolescents With First-Episode Psychosis: Study Protocol for a Pilot Randomized Controlled Trial.

Barbeito S, Sánchez-Gutiérrez T, Mayoral M, Moreno M, Ríos-Aguilar S, Arango C, Calvo A.

Front Psychiatry. 2019 Feb 5;10:27. doi: 10.3389/fpsy.2019.00027. eCollection 2019.

19. Implications of religious and spiritual practices for youth at clinical high risk for psychosis.

Severaid KB, Osborne KJ, Mittal VA.

Schizophr Res. 2019 Feb 21. pii: S0920-9964(19)30035-0. doi:

10.1016/j.schres.2019.01.033. [Epub ahead of print] No abstract available.

20. Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk For Psychosis Services.

Foss-Feig JH, Velthorst E, Smith L, Reichenberg A, Addington J, Cadenhead KS, Cornblatt BA, Mathalon DH, McGlashan TH, Perkins DO, Seidman LJ, Stone WS, Keshavan M, Tsuang MT, Walker EF, Woods SW, Cannon TD, Bearden CE.

J Am Acad Child Adolesc Psychiatry. 2019 Feb 20. pii: S0890-8567(19)30121-2. doi:

10.1016/j.jaac.2018.09.446. [Epub ahead of print]

21. Editorial: Autism Spectrum Disorders in Individuals at Clinical High Risk for Psychosis: Possible Association With Social Deficits but Not Conversion Rates.

Kyriakopoulos M.

J Am Acad Child Adolesc Psychiatry. 2019 Feb 20. pii: S0890-8567(19)30122-4. doi:

10.1016/j.jaac.2018.10.015. [Epub ahead of print] No abstract available.

22. Bilateral volume reduction in posterior hippocampus in psychosis of epilepsy.

Allebone J, Kanaan R, Maller J, O'Brien T, Mullen SA, Cook M, Adams SJ, Vogrin S, Vaughan DN, Connelly A, Kwan P, Berkovic SF, D'Souza WJ, Jackson G, Velakoulis D, Wilson SJ.

J Neurol Neurosurg Psychiatry. 2019 Feb 22. pii: jnnp-2018-319396. doi: 10.1136/jnnp-

2018-319396. [Epub ahead of print]

23. Double-sidedness of "laughing gas" on the N-methyl-d-aspartate receptor: A case report of acute psychosis associated with nitrous oxide-induced hyperhomocysteinemia.

Kim S, Lee SH, Bang M.

Schizophr Res. 2019 Feb 19. pii: S0920-9964(19)30066-0. doi: 10.1016/j.schres.2019.02.006. [Epub ahead of print] No abstract available.

24. Extended early intervention versus standard psychiatric care for adults with first-episode psychosis.

Chang WC, Chan SK, Lee EH, Hui CL, Chen EY.

Hong Kong Med J. 2019 Feb;25 Suppl 3(1):4-8. No abstract available.

25. Impact of "psychosis risk" identification: Examining predictors of how youth view themselves.

Yang LH, Woodberry KA, Link BG, Corcoran CM, Bryant C, Shapiro DI, Downing D, Girgis RR, Brucato G, Huang D, Crump FM, Verdi M, McFarlane WR, Seidman LJ.

Schizophr Res. 2019 Feb 19. pii: S0920-9964(19)30040-4. doi:

10.1016/j.schres.2019.01.037. [Epub ahead of print]

26. Implementing a community-based task-shifting psychosocial intervention for individuals with psychosis in Chile: Perspectives from users.

Agrest M, Le PD, Yang LH, Mascayano F, Alves-Nishioka S, Dev S, Kankan T, Tapia-Muñoz T, Sawyer S, Toso-Salman J, Dishy GA, Jorquera MJ, Schilling S, Pratt C, Price L, Valencia E, Conover S, Alvarado R, Susser ES.

Int J Soc Psychiatry. 2019 Feb;65(1):38-45. doi: 10.1177/0020764018815204.

27. White noise speech illusions in the general population: The association with psychosis expression and risk factors for psychosis.

Schepers E, van Os J, Lousberg R.

PLoS One. 2019 Feb 20;14(2):e0211914. doi: 10.1371/journal.pone.0211914.

eCollection 2019.

28. Psychological morbidity is the main predictor of quality of life among caregivers of individuals in first-episode psychosis: data from a year-long longitudinal study in Brazil.

Jorge RC, Cogo-Moreira H, Araripe Neto AG, Chaves AC.

Braz J Psychiatry. 2019 Feb 18. pii: S1516-44462019005003104. doi: 10.1590/1516-4446-2018-0169. [Epub ahead of print]

29. Neurosyphilis presenting as rapidly progressive psychosis & dementia - A forgotten entity.

Mukku S, Safal SS, Pritam R, Nashi S, Nagarathna C, Pt S, Netravathi M.

Asian J Psychiatr. 2019 Feb;40:103-106. doi: 10.1016/j.ajp.2019.02.010. Epub 2019 Feb 13.

30. Using Twitter to assess attitudes to schizophrenia and psychosis.

Passerello GL, Hazelwood JE, Lawrie S.

BJPsych Bull. 2019 Feb 20;1-9. doi: 10.1192/bjb.2018.115. [Epub ahead of print]

31. Multimodal prevention of first psychotic episode through N-acetyl-l-cysteine and integrated preventive psychological intervention in individuals clinically at high risk for psychosis: Protocol of a randomized, placebo-controlled, parallel-group trial.

Schmidt SJ, Hurlermann R, Schultz J, Wasserthal S, Kloss C, Maier W, Meyer-Lindenberg A, Hellmich M, Muthesius-Digón A, Pantel T, Wiesner PS, Klosterkötter J, Ruhrmann S; ESPRIT-B1 Group.

Early Interv Psychiatry. 2019 Feb 19. doi: 10.1111/eip.12781. [Epub ahead of print]

32. Facebook Advertising for Disseminating Early Psychosis Education to the Chinese-Speaking General Public.

Woo BKP.

Health Equity. 2019 Feb 13;3(1):19-21. doi: 10.1089/heq.2018.0087. eCollection 2019.

33. Neuropsychiatric Genetics of African Populations-Psychosis (NeuroGAP-Psychosis): a case-control study protocol and GWAS in Ethiopia, Kenya, South Africa and Uganda.

Stevenson A, Akena D, Stroud RE, Atwoli L, Campbell MM, Chibnik LB, Kwobah E, Kariuki SM, Martin AR, de Menil V, Newton CRJC, Sibeko G, Stein DJ, Teferra S, Zingela Z, Koenen KC.

BMJ Open. 2019 Feb 19;9(2):e025469. doi: 10.1136/bmjopen-2018-025469.

34. HORIZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services.

Alvarez-Jimenez M, Bendall S, Koval P, Rice S, Cagliarini D, Valentine L, D'Alfonso S, Miles C, Russon P, Penn DL, Phillips J, Lederman R, Wadley G, Killackey E, Santesteban-Echarri O, Mihalopoulos C, Herrman H, Gonzalez-Blanch C, Gilbertson T, Lal S, Chambers R, Daglas-Georgiou R, Latorre C, Cotton SM, McGorry PD, Gleeson JF.

BMJ Open. 2019 Feb 19;9(2):e024104. doi: 10.1136/bmjopen-2018-024104.

35. Misidentification Subtype of Alzheimer's Disease Psychosis Predicts a Faster Cognitive Decline.

D'Antonio F, Reeves S, Sheng Y, McLachlan E, de Lena C, Howard R, Bertrand J.

CPT Pharmacometrics Syst Pharmacol. 2019 Feb 19. doi: 10.1002/psp4.12389. [Epub ahead of print]

36. A Brief History of Immunological Research into Psychosis and Pathways for Immune Influence of the Brain.

Müller N.

Curr Top Behav Neurosci. 2019 Feb 19. doi: 10.1007/7854_2018_82. [Epub ahead of print]

37. The Early Psychosis Screener for Internet (EPSI)-SR: Predicting 12 month psychotic conversion using machine learning.

Brodey BB, Girgis RR, Favorov OV, Bearden CE, Woods SW, Addington J, Perkins DO, Walker EF, Cornblatt BA, Brucato G, Purcell SE, Brodey IS, Cadenhead KS.

Schizophr Res. 2019 Feb 14. pii: S0920-9964(19)30015-5. doi: 10.1016/j.schres.2019.01.015. [Epub ahead of print]

38. Patterns of recovery course in early intervention for FIRST episode non-affective psychosis patients: The role of timing.

Ayesa-Arriola R, Pelayo Terán JM, Setién-Suero E, Neergaard K, Ochoa S, Ramírez-Bonilla M, Pérez-Iglesias R, Crespo-Facorro B.
Schizophr Res. 2019 Feb 14. pii: S0920-9964(19)30030-1. doi:
10.1016/j.schres.2019.01.032. [Epub ahead of print]

39. The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis.

Allott K, McGorry PD, Yuen HP, Firth J, Proffitt TM, Berger G, Maruff P, O'Regan MK, Papas A, Stephens TCB, O'Donnell CP.
Biol Psychiatry. 2019 Jan 9. pii: S0006-3223(19)30001-0. doi:
10.1016/j.biopsych.2018.12.018. [Epub ahead of print]

40. Delta-9-tetrahydrocannabinol increases striatal glutamate levels in healthy individuals: implications for psychosis.

Colizzi M, Weltens N, McGuire P, Lythgoe D, Williams S, Van Oudenhove L, Bhattacharyya S.
Mol Psychiatry. 2019 Feb 15. doi: 10.1038/s41380-019-0374-8. [Epub ahead of print]

41. Structural Brain Alterations in Youth With Psychosis and Bipolar Spectrum Symptoms.

Jalbrzikowski M, Freedman D, Hegarty CE, Mennigen E, Karlsgodt KH, Olde Loohuis LM, Ophoff RA, Gur RE, Bearden CE.
J Am Acad Child Adolesc Psychiatry. 2019 Jan 18. pii: S0890-8567(19)30041-3. doi:
10.1016/j.jaac.2018.11.012. [Epub ahead of print]

42. Postpartum Psychosis in a Young VA Patient: Diagnosis, Implications, and Treatment Recommendations.

Cranford K, Gedzior J, Su V.
Fed Pract. 2018 Feb;35(2):28-33.

43. Court diversion for those with psychosis and its impact on re-offending rates: results from a longitudinal data-linkage study.

Albalawi O, Chowdhury NZ, Wand H, Allnut S, Greenberg D, Adily A, Kariminia A, Schofield P, Sara G, Hanson S, O'Driscoll C, Butler T.
BJPsych Open. 2019 Jan;5(1):e9. doi: 10.1192/bjo.2018.71.

44. Two-Year Clinical and Functional Outcomes of an Asian Cohort at Ultra-High Risk of Psychosis.

Chan CT, Abdin E, Subramaniam M, Tay SA, Lim LK, Verma S.
Front Psychiatry. 2019 Jan 25;9:758. doi: 10.3389/fpsyt.2018.00758. eCollection 2018.

45. Treating the "E" in "G × E": Trauma-Informed Approaches and Psychological Therapy Interventions in Psychosis.

Gianfrancesco O, Bubb VJ, Quinn JP.
Front Psychiatry. 2019 Jan 30;10:9. doi: 10.3389/fpsyt.2019.00009. eCollection 2019. Review.

46. Psychosis risk is associated with decreased resting-state functional connectivity between the striatum and the default mode network.

Hua JPY, Karcher NR, Merrill AM, O'Brien KJ, Straub KT, Trull TJ, Kerns JG.
Cogn Affect Behav Neurosci. 2019 Feb 12. doi: 10.3758/s13415-019-00698-z. [Epub ahead of print]

47. Factors responsible for delay in treatment seeking in patients with psychosis: A qualitative study.

Dutta M, Spoorthy MS, Patel S, Agarwala N.
Indian J Psychiatry. 2019 Jan-Feb;61(1):53-59. doi:
10.4103/psychiatry.IndianJPsychiatry_234_17.

48. Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis.

LoPilato AM, Goines K, Addington J, Bearden CE, Cadenhead KS, Cannon TD, Cornblatt BA, Mathalon DH, McGlashan TH, Seidman L, Perkins DO, Tsuang MT, Woods SW, Walker EF.
Schizophr Res. 2019 Feb 7. pii: S0920-9964(19)30050-7. doi:
10.1016/j.schres.2019.01.048. [Epub ahead of print]

49. Adding a neuroanatomical biomarker to an individualized risk calculator for psychosis: A proof-of-concept study.

Chung Y, Addington J, Bearden CE, Cadenhead K, Cornblatt B, Mathalon DH, McGlashan T, Perkins D, Seidman LJ, Tsuang M, Walker E, Woods SW, McEwen S, van Erp TGM, Cannon TD; North American Prodrome Longitudinal Study Consortium.
Schizophr Res. 2019 Feb 7. pii: S0920-9964(19)30023-4. doi:
10.1016/j.schres.2019.01.026. [Epub ahead of print]

50. Dorsolateral Prefrontal Cortex Impairment in Methoxetamine-Induced Psychosis: An 18F-FDG PET/CT Case Study.

Moccia L, Tofani A, Mazza M, Covino M, Martinotti G, Schifano F, Janiri L, Di Nicola M.
J Psychoactive Drugs. 2019 Feb 9:1-6. doi: 10.1080/02791072.2019.1578444. [Epub ahead of print]

51. Applying economic models to estimate local economic benefits of improved coverage of early intervention for psychosis.

Campion J, Taylor MJ, McDaid D, Park AL, Shiers D.
Early Interv Psychiatry. 2019 Feb 10. doi: 10.1111/eip.12787. [Epub ahead of print]

52. Emotion regulation across the psychosis continuum.

Chapman HC, Visser KF, Mittal VA, Gibb BE, Coles ME, Strauss GP.
Dev Psychopathol. 2019 Feb 11:1-9. doi: 10.1017/S0954579418001682. [Epub ahead of print]

53. Meta-analytic studies of the glial cell marker TSPO in psychosis - a question of apples and pears?

Plavén-Sigray P, Cervenka S.
Psychol Med. 2019 Feb 11:1-5. doi: 10.1017/S003329171800421X. [Epub ahead of print] No abstract available.

54. Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning.

Sollychin M, Jack BN, Polari A, Ando A, Amminger GP, Markulev C, McGorry PD, Nelson B, Whitford TJ, Yuen HP, Lavoie S.

Schizophr Res. 2019 Feb 6. pii: S0920-9964(19)30042-8. doi:

10.1016/j.schres.2019.01.039. [Epub ahead of print]

55. Family networks during migration and risk of non-affective psychosis: A population-based cohort study.

Dykxhoorn J, Hollander AC, Lewis G, Dalman C, Kirkbride JB.

Schizophr Res. 2019 Feb 7. pii: S0920-9964(19)30047-7. doi:

10.1016/j.schres.2019.01.044. [Epub ahead of print]

56. Neuroanatomical substrate of chronic psychosis in epilepsy: an MRI study.

Hirakawa N, Kuga H, Hirano Y, Sato J, Oribe N, Nakamura I, Hirano S, Ueno T, Oda Y, Togao O, Hiwatashi A, Honda H, Kanba S, Onitsuka T.

Brain Imaging Behav. 2019 Feb 8. doi: 10.1007/s11682-019-00044-4. [Epub ahead of print]

57. An integrated neurocognitive and social-cognitive treatment for youth at clinical high risk for psychosis: Cognition for Learning and for Understanding Everyday Social Situations (CLUES).

Friedman-Yakoobian M, Parrish EM, Thomas A, Lesser R, Gnong-Granato A, Eack S, Keshavan MS.

Schizophr Res. 2019 Feb 4. pii: S0920-9964(19)30033-7. doi:

10.1016/j.schres.2019.01.029. [Epub ahead of print]

58. Neurogranin as a potential synaptic marker in the cerebrospinal fluid of patients with a first episode psychosis.

Santillo AF, Lundgren S, Xu C, Orhan F, Fatouros-Bergman H, Blennow K, Zetterberg H, Portelius E; Karolinska Schizophrenia Project (KaSP) Consortium, Cervenka S, Jönsson EG, Erhardt S, Engberg G.

Schizophr Res. 2019 Feb 4. pii: S0920-9964(19)30010-6. doi:

10.1016/j.schres.2019.01.010. [Epub ahead of print] No abstract available.

59. How to help homeless youth suffering from first episode psychosis and substance use disorders? The creation of a new intensive outreach intervention team.

Doré-Gauthier V, Côté H, Jutras-Aswad D, Ouellet-Plamondon C, Abdel-Baki A.

Psychiatry Res. 2019 Jan 27;273:603-612. doi: 10.1016/j.psychres.2019.01.076. [Epub ahead of print]

60. A Case of Violent Suicide Attempt in a Context of Myxedema Psychosis following Radioiodine Treatment in a Patient with Graves' Disease.

Todorov L, Ait Boudaoud A, Pascal de Raykeer R, Radu A, Lahlou-Laforêt K, Limosin F, Lemogne C, Czernichow S.

Case Rep Psychiatry. 2019 Jan 9;2019:4972760. doi: 10.1155/2019/4972760.

eCollection 2019.

61. Involuntary hospitalization among young people with early psychosis: A population-based study using health administrative data.

Rodrigues R, MacDougall AG, Zou G, Lebenbaum M, Kurdyak P, Li L, Shariff SZ, Anderson KK.

Schizophr Res. 2019 Feb 4. pii: S0920-9964(19)30046-5. doi: 10.1016/j.schres.2019.01.043. [Epub ahead of print]

62. Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent Onset Depression-Reply.

Koutsouleris N, Upthegrove R, Wood SJ.

JAMA Psychiatry. 2019 Feb 6. doi: 10.1001/jamapsychiatry.2018.4237. [Epub ahead of print] No abstract available.

63. Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent-Onset Depression.

Nelson B, Yung AR, McGorry PD.

JAMA Psychiatry. 2019 Feb 6. doi: 10.1001/jamapsychiatry.2018.4234. [Epub ahead of print] No abstract available.

64. Care-giving by people with psychotic disorders in the second Australian prevalence study of psychosis.

Poon AWC, Hayes L, Harvey C.

Health Soc Care Community. 2019 Feb 5. doi: 10.1111/hsc.12721. [Epub ahead of print]

65. Alterations in white matter microstructure in individuals at persistent risk for psychosis.

Roalf DR, de la Garza AG, Rosen A, Calkins ME, Moore TM, Quarmley M, Ruparel K, Xia CH, Rupert PE, Satterthwaite TD, Shinohara RT, Elliott MA, Gur RC, Gur RE. Mol Psychiatry. 2019 Feb 5. doi: 10.1038/s41380-019-0360-1. [Epub ahead of print]

66. Migration and psychosis: a meta-analysis of incidence studies.

Selten JP, van der Ven E, Termorshuizen F.

Psychol Med. 2019 Feb 6:1-11. doi: 10.1017/S0033291719000035. [Epub ahead of print]

67. The iHOPE-20 study: Relationships between and prospective predictors of remission, clinical recovery, personal recovery and resilience 20 years on from a first episode psychosis.

O'Keeffe D, Hannigan A, Doyle R, Kinsella A, Sheridan A, Kelly A, Madigan K, Lawlor E, Clarke M.

Aust N Z J Psychiatry. 2019 Feb 6:4867419827648. doi: 10.1177/0004867419827648.

68. Gender and 5-years course of psychosis patients: focus on clinical and social variables.

Comacchio C, Lasalvia A, Bonetto C, Cristofalo D, Miglietta E, Petterlini S, De Santi K, Tosato S, Riolo R, Cremonese C, Ceccato E, Zanatta G, Ruggeri M; PICOS Veneto Group.

Arch Womens Ment Health. 2019 Feb 4. doi: 10.1007/s00737-019-0945-3. [Epub ahead of print]

69. Health-economic benefits of treating trauma in psychosis.

de Bont PAJM, van der Vleugel BM, van den Berg DPG, de Roos C, Lokkerbol J, Smit F, de Jongh A, van der Gaag M, van Minnen A.
Eur J Psychotraumatol. 2019 Jan 21;10(1):1565032. doi:
10.1080/20008198.2018.1565032. eCollection 2019.

70. Brain connectivity alterations in early psychosis: from clinical to neuroimaging staging.

Griffa A, Baumann PS, Klauser P, Mullier E, Cleusix M, Jenni R, van den Heuvel MP, Do KQ, Conus P, Hagmann P.
Transl Psychiatry. 2019 Feb 4;9(1):62. doi: 10.1038/s41398-019-0392-y.

71. Hallucinations Beyond Voices: A Conceptual Review of the Phenomenology of Altered Perception in Psychosis.

Pienkos E, Giersch A, Hansen M, Humpston C, McCarthy-Jones S, Mishara A, Nelson B, Park S, Raballo A, Sharma R, Thomas N, Rosen C.
Schizophr Bull. 2019 Feb 1;45(45 Suppl 1):S67-S77. doi: 10.1093/schbul/sby057.

72. Perceived stress and psychosis: The effect of perceived stress on psychotic-like experiences in a community sample of adolescents.

Turley D, Drake R, Killackey E, Yung AR.
Early Interv Psychiatry. 2019 Feb 3. doi: 10.1111/eip.12795. [Epub ahead of print]

73. Psychosis in adolescent abusing inhalants: A unique case of acute manic-psychosis following inhalant abuse.

Saju L, Zhang L, Goyal R.
Asian J Psychiatr. 2019 Feb;40:28-29. doi: 10.1016/j.ajp.2019.01.016. Epub 2019 Jan 28. No abstract available.

74. A symptom-based continuum of psychosis explains cognitive and real-world functional deficits better than traditional diagnoses.

Hanlon FM, Yeo RA, Shaff NA, Wertz CJ, Dodd AB, Bustillo JR, Stromberg SF, Lin DS, Abrams S, Liu J, Mayer AR.
Schizophr Res. 2019 Jan 30. pii: S0920-9964(19)30027-1. doi:
10.1016/j.schres.2019.01.024. [Epub ahead of print]

75. Effects of socio-demographic characteristics, premorbid functioning, and insight on duration of untreated psychosis in first-episode schizophrenia or schizophreniform disorder in Northern Malawi.

Kaminga AC, Dai W, Liu A, Myaba J, Banda R, Wen SW.
Early Interv Psychiatry. 2019 Feb 1. doi: 10.1111/eip.12794. [Epub ahead of print]

76. EEG 40 Hz Coherence Decreases in REM Sleep and Ketamine Model of Psychosis.

Castro-Zaballa S, Cavelli ML, Gonzalez J, Nardi AE, Machado S, Scorza C, Torterolo P.
Front Psychiatry. 2019 Jan 17;9:766. doi: 10.3389/fpsy.2018.00766. eCollection 2018.

77. Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium.

Cao H, Chung Y, McEwen SC, Bearden CE, Addington J, Goodyear B, Cadenhead KS, Mirzakhani H, Cornblatt BA, Carrión R, Mathalon DH, McGlashan TH, Perkins DO, Belger A, Seidman LJ, Thermenos H, Tsuang MT, van Erp TGM, Walker EF, Hamann S, Anticevic A, Woods SW, Cannon TD.

Schizophr Res. 2019 Jan 28. pii: S0920-9964(19)30024-6. doi: 10.1016/j.schres.2019.01.017. [Epub ahead of print]

78. Self-stigma related feelings of shame and facial fear recognition in individuals at clinical high risk for psychosis: A brief report.

Larsen EM, Herrera S, Bilgrami ZR, Shaik RB, Crump F, Sarac C, Shen J, Yang LH, Corcoran CM.

Schizophr Res. 2019 Jan 28. pii: S0920-9964(19)30019-2. doi: 10.1016/j.schres.2019.01.027. [Epub ahead of print] No abstract available.

79. Cost-effectiveness of early intervention in psychosis: systematic review.

Aceituno D, Vera N, Prina AM, McCrone P.

Br J Psychiatry. 2019 Jan 30;1-7. doi: 10.1192/bjp.2018.298. [Epub ahead of print]

80. Cannabidiol May Help Normalize Brain Function in Psychosis.

Slomski A.

JAMA. 2019 Jan 29;321(4):335. doi: 10.1001/jama.2018.22032. No abstract available.

81. Protective Factors for Early Psychotic Phenomena Among Children of Mothers With Psychosis.

Riches S, Arseneault L, Bagher-Niakan R, Alsultan M, Crush E, Fisher HL.

Front Psychiatry. 2019 Jan 14;9:750. doi: 10.3389/fpsy.2018.00750. eCollection 2018.

82. Recurrent Psychosis after Phentermine Administration in a Young Female: A Case Report.

Jo HS, Wang SM, Kim JJ.

Clin Psychopharmacol Neurosci. 2019 Feb 28;17(1):130-133. doi: 10.9758/cpn.2019.17.1.130.

83. Perceived stress mediates the relationship between social adaptation and quality of life in individuals at ultra high risk of psychosis.

Ortega L, Montalvo I, Monseny R, Vilella E, Labad J.

Early Interv Psychiatry. 2019 Jan 28. doi: 10.1111/eip.12791. [Epub ahead of print]

84. Treatment outcomes and associations in an adolescent-specific early intervention for psychosis service.

Thomson A, Griffiths H, Fisher R, McCabe R, Abbott-Smith S, Schwannauer M.

Early Interv Psychiatry. 2019 Jan 28. doi: 10.1111/eip.12778. [Epub ahead of print]

85. Health literacy in clinical-high-risk individuals for psychosis: A systematic mixed-methods review.

Haidl TK, Seves M, Eggers S, Rostamzadeh A, Genske A, Jünger S, Woopen C, Jessen F, Ruhrmann S, Voegeley K.

Early Interv Psychiatry. 2019 Jan 27. doi: 10.1111/eip.12776. [Epub ahead of print] Review.

86. [Psychodynamic psychotherapy of patients with schizophrenia spectrum psychosis].

Rosenbaum B, Alberdi F, Haahr U, Lindhardt A, Urfer-Parnas A.

Ugeskr Laeger. 2019 Jan 14;181(3). pii: V06180425. Danish.

87. Alterations in body mass index and waist-to-hip ratio in never and minimally treated patients with psychosis: A systematic review and meta-analysis.

Shah P, Iwata Y, Caravaggio F, Plitman E, Brown EE, Kim J, Chan N, Hahn M, Remington G, Gerretsen P, Graff-Guerrero A.

Schizophr Res. 2019 Jan 23. pii: S0920-9964(19)30005-2. doi:

10.1016/j.schres.2019.01.005. [Epub ahead of print]

88. Altered functional connectivity and low-frequency signal fluctuations in early psychosis and genetic high risk.

Tang Y, Zhou Q, Chang M, Chekroud A, Gueorguieva R, Jiang X, Zhou Y, He G, Rowland M, Wang D, Fu S, Yin Z, Leng H, Wei S, Xu K, Wang F, Krystal JH, Driesen NR.

Schizophr Res. 2019 Jan 23. pii: S0920-9964(18)30737-0. doi:

10.1016/j.schres.2018.12.041. [Epub ahead of print]

89. P300 amplitude attenuation in high risk and early onset psychosis youth.

Graber K, Bosquet Enlow M, Duffy FH, D'Angelo E, Sideridis G, Hyde DE, Morelli N, Tembulkar S, Gonzalez-Heydrich J.

Schizophr Res. 2019 Jan 23. pii: S0920-9964(18)30725-4. doi:

10.1016/j.schres.2018.12.029. [Epub ahead of print]

90. Child maltreatment and psychosis.

Kaufman J, Torbey S.

Neurobiol Dis. 2019 Jan 24. pii: S0969-9961(19)30017-8. doi:

10.1016/j.nbd.2019.01.015. [Epub ahead of print] Review.

91. Relationships between cognitive event-related brain potential measures in patients at clinical high risk for psychosis.

Lepock JR, Ahmed S, Mizrahi R, Gerritsen CJ, Maheandiran M, Drvaric L, Bagby RM, Korostil M, Light GA, Kiang M.

Schizophr Res. 2019 Jan 22. pii: S0920-9964(19)30014-3. doi:

10.1016/j.schres.2019.01.014. [Epub ahead of print]

92. The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter.

Flückiger R, Michel C, Grant P, Ruhrmann S, Vogeley K, Hubl D, Schimmelmann BG, Klosterkötter J, Schmidt SJ, Schultze-Lutter F.

Schizophr Res. 2019 Jan 22. pii: S0920-9964(18)30734-5. doi:

10.1016/j.schres.2018.12.039. [Epub ahead of print]

93. Individuals at high risk for psychosis experience more childhood trauma, life events and social support deficit in comparison to healthy controls.

Huang ZH, Hou CL, Huang YH, He XY, Wang QW, Chen X, Wang ZL, Wang SB, Jia FJ.

Psychiatry Res. 2019 Jan 15;273:296-302. doi: 10.1016/j.psychres.2019.01.060. [Epub ahead of print]

94. Exploring the use of the Hinting Task in first-episode psychosis.

Mallawaarachchi SR, Cotton SM, Anderson J, Killackey E, Allott KA.

Cogn Neuropsychiatry. 2019 Jan;24(1):65-79. doi: 10.1080/13546805.2019.1568864.

Epub 2019 Jan 24.

95. Evaluation of a Physical health plan for people with psychosis: a protocol for a quality improvement study.

Williams J, Sevdalis N, Gaughran F.

Pilot Feasibility Stud. 2019 Jan 15;5:8. doi: 10.1186/s40814-019-0396-7. eCollection

2019.

96. Duration of early intervention for psychosis: 2 years versus 3 years.

Chen EY, Chang WC, Hui CL, Chan SK, Lee EH, Wong GH.

Hong Kong Med J. 2019 Feb;25 Suppl 2:10-14. No abstract available.

97. Advances in Management of Psychosis in Neurodegenerative Diseases.

Rothenberg KG, Rajaram R.

Curr Treat Options Neurol. 2019 Jan 23;21(1):3. doi: 10.1007/s11940-019-0545-6.

Review.

98. Sexual Identity Disorder and Psychosis in Klinefelter Syndrome: A Synthesis of Literature and a Case Report.

Maillefer A, Sabe M, Coste C, Bartolomei J, Jaafar J, Sentissi O.

J Nerv Ment Dis. 2019 Feb;207(2):121-125. doi: 10.1097/NMD.0000000000000930.

99. Understanding the implementation of coordinated specialty Care for Early Psychosis in New York state: A guide using the RE-AIM framework.

Mascayano F, Nossel I, Bello I, Smith T, Ngo H, Piscitelli S, Malinovsky I, Susser E, Dixon L.

Early Interv Psychiatry. 2019 Jan 22. doi: 10.1111/eip.12782. [Epub ahead of print]

100. Moving on from early intervention for psychosis services: Service user perspectives on the facilitators and barriers of transition.

Loughlin M, Berry K, Brooks J, Bucci S.

Early Interv Psychiatry. 2019 Jan 22. doi: 10.1111/eip.12780. [Epub ahead of print]

101. Early intervention service for first episode psychosis in Modena, Northern Italy: The first hundred cases.

Ferrara M, Tedeschini E, Baccari F, Musella V, Vacca F, Mazzi F, Ferri M, Srihari V, Starace F; Early Psychosis Working Group.

Early Interv Psychiatry. 2019 Jan 22. doi: 10.1111/eip.12788. [Epub ahead of print]

102. Exploring the implementation of cognitive behaviour therapy for psychosis using the Normalization Process Theory framework.

Xanidis N, Gumley A.

Psychol Psychother. 2019 Jan 22. doi: 10.1111/papt.12217. [Epub ahead of print]

103. Effectiveness of a professional development training program in increasing knowledge of mental health clinicians specializing in early psychosis.

Macneil C, Foster F, Nicoll A, Monfries R, Coulson L, Osman H, Grainger M, Cotton S.

Early Interv Psychiatry. 2019 Jan 21. doi: 10.1111/eip.12785. [Epub ahead of print]

104. Treatment of postpartum psychosis in a mother-baby unit: do both mother and baby benefit?

Hill R, Law D, Yelland C, Sved Williams A.

Australas Psychiatry. 2019 Apr;27(2):121-124. doi: 10.1177/1039856218822743. Epub 2019 Jan 21.

105. The Trier Social Stress Test in first episode psychosis patients: Impact of perceived stress, protective factors and childhood trauma.

Seitz R, Vracotas N, Bechard-Evans L, King S, Abadi S, Joobar R, Shah JL, Malla AK, Pruessner M.

Psychoneuroendocrinology. 2019 Jan 11. pii: S0306-4530(18)30594-8. doi: 10.1016/j.psyneuen.2019.01.010. [Epub ahead of print] Review.

106. Assessing validity of retrospective recall of physical activity in individuals with psychosis-like experiences.

Andorko ND, Rakhshan-Rouhakhtar P, Hinkle C, Mittal VA, McAllister M, DeVylder J, Schiffman J.

Psychiatry Res. 2019 Jan 11;273:211-217. doi: 10.1016/j.psychres.2019.01.029. [Epub ahead of print]

107. Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study.

Martinuzzi E, Barbosa S, Daoudlarian D, Bel Haj Ali W, Gilet C, Fillatre L, Khalfallah O, Troudet R, Jamain S, Fond G, Sommer I, Leucht S, Dazzan P, McGuire P, Arango C, Diaz-Caneja CM, Fleischhacker W, Rujescu D, Glenthøj B, Winter I, Kahn RS, Yolken R, Lewis S, Drake R, Davidovic L, Leboyer M, Glaichenhaus N; OPTiMiSE Study Group.

Transl Psychiatry. 2019 Jan 17;9(1):20. doi: 10.1038/s41398-018-0366-5.

108. Mindfulness for Psychosis Groups; Within-Session Effects on Stress and Symptom-Related Distress in Routine Community Care.

Jacobsen P, Richardson M, Harding E, Chadwick P.

Behav Cogn Psychother. 2019 Jan 18:1-10. doi: 10.1017/S1352465818000723. [Epub ahead of print]

109. Abnormal C9orf72 frontotemporal dementia behavioural variant presenting as manic psychosis.

Payman V, Lamb F, Stefanou M.

Aust N Z J Psychiatry. 2019 Jan 17:4867418823271. doi: 10.1177/0004867418823271.

110. Clinical and functional long-term outcome of patients at clinical high risk (CHR) for psychosis without transition to psychosis: A systematic review.

Beck K, Andreou C, Studerus E, Heitz U, Ittig S, Leanza L, Riecher-Rössler A. Schizophr Res. 2019 Jan 14. pii: S0920-9964(18)30743-6. doi: 10.1016/j.schres.2018.12.047. [Epub ahead of print]

111. Anxiety in youth at clinical high risk for psychosis: A case study and conceptual model.

Baer LH, Shah JL, Lepage M.

Schizophr Res. 2019 Jan 14. pii: S0920-9964(19)30006-4. doi: 10.1016/j.schres.2019.01.006. [Epub ahead of print]

112. Tacrolimus-induced psychosis.

Florentino ISM, Braga CM, Machado L, da Silva RCM.

Clin Schizophr Relat Psychoses. 2019 Jan 3. doi: 10.3371/CSRP.IFCB.121218. [Epub ahead of print] No abstract available.

113. Neural Responsivity to Food Cues in Patients With Unmedicated First-Episode Psychosis.

Borgan F, O'Daly O, Hoang K, Veronese M, Withers D, Batterham R, Howes O.

JAMA Netw Open. 2019 Jan 4;2(1):e186893. doi: 10.1001/jamanetworkopen.2018.6893.

114. Specialized, multi-component care for individuals with first-episode psychosis: Effects on autonomy, competence and relatedness.

Breitborde NJK, Pine JG, Moe AM.

Early Interv Psychiatry. 2019 Jan 15. doi: 10.1111/eip.12784. [Epub ahead of print]

115. Dimensional structure of first episode psychosis.

Tonna M, Ossola P, Marchesi C, Bettini E, Lasalvia A, Bonetto C, Lenzi J, Rucci P, Iozzino L, Cellini M, Comacchio C, Cristofalo D, D'Agostino A, de Girolamo G, De Santi K, Ghigi D, Leuci E, Miceli M, Meneghelli A, Pileggi F, Scarone S, Santonastaso P, Torresani S, Tosato S, Veronese A, Fioritti A, Ruggeri M; GET UP Group.

Early Interv Psychiatry. 2019 Jan 15. doi: 10.1111/eip.12789. [Epub ahead of print]

116. High prevalence of metabolic alterations in Latin American patients at initial stages of psychosis.

Iruretagoyena B, Castañeda CP, Undurraga J, Nachar R, Mena C, Gallardo C, Crossley NA, Gonzalez-Valderrama A.

Early Interv Psychiatry. 2019 Jan 15. doi: 10.1111/eip.12777. [Epub ahead of print]

117. Family processes and duration of untreated psychosis among US Latinos.

Hernandez M, Hernandez MY, Lopez D, Barrio C, Gamez D, López SR.

Early Interv Psychiatry. 2019 Jan 15. doi: 10.1111/eip.12779. [Epub ahead of print]

118. The impact of gender and childhood abuse on age of psychosis onset, psychopathology and needs for care in psychosis patients.

Comacchio C, Howard LM, Bonetto C, Lo Parrino R, Furlato K, Semrov E, Preti A, Mesiano L, Neri G, De Girolamo G, de Santi K, Miglietta E, Tosato S, Cristofalo D, Lasalvia A, Ruggeri M; GET UP Group.

Schizophr Res. 2019 Jan 11. pii: S0920-9964(18)30742-4. doi: 10.1016/j.schres.2018.12.046. [Epub ahead of print]

- 119. Does childhood trauma predict poorer metacognitive abilities in people with first-episode psychosis?**
Trauelsen AM, Gumley A, Jansen JE, Pedersen MB, Nielsen HL, Haahr UH, Simonsen E.
Psychiatry Res. 2019 Jan 6;273:163-170. doi: 10.1016/j.psychres.2019.01.018. [Epub ahead of print]
- 120. [Psychosis and behavioural problems as first symptoms of brain tumour?]**
Schildermans J.
Tijdschr Psychiatr. 2019;61(1):53-56. Dutch.
- 121. [Psychosis due to idiopathic basal ganglia calcification].**
Levina N, Maes F, Sabbe BGC.
Tijdschr Psychiatr. 2019;61(1):48-52. Dutch.
- 122. Antisaccade and prosaccade eye movements in individuals clinically at risk for psychosis: comparison with first-episode schizophrenia and prediction of conversion.**
Kleineidam L, Frommann I, Ruhrmann S, Klosterkötter J, Brockhaus-Dumke A, Wölwer W, Gaebel W, Maier W, Wagner M, Ettinger U.
Eur Arch Psychiatry Clin Neurosci. 2019 Jan 11. doi: 10.1007/s00406-018-0973-4. [Epub ahead of print]
- 123. Variant Creutzfeldt-Jakob Disease Presenting as New-onset Psychosis.**
Patniyot NS, Patniyot IR.
J Psychiatr Pract. 2019 Jan;25(1):58-62. doi: 10.1097/PRA.0000000000000352.
- 124. Recovery and economy; salary and allowances: a 10-year follow-up of income for persons diagnosed with first-time psychosis.**
Topor A, Stefansson CG, Denhov A, Bülow P, Andersson G.
Soc Psychiatry Psychiatr Epidemiol. 2019 Jan 10. doi: 10.1007/s00127-019-01655-4. [Epub ahead of print]
- 125. Metacognition strengthens the association between neurocognition and attenuated psychosis syndrome: Preliminary evidence from a pilot study among treatment-seeking versus healthy adolescents.**
Koren D, Scheyer R, Stern Y, Adres M, Reznik N, Apter A, Seidman LJ.
Schizophr Res. 2019 Jan 8. pii: S0920-9964(18)30732-1. doi: 10.1016/j.schres.2018.12.036. [Epub ahead of print]
- 126. Increased BDNF-TrkB signaling in the nucleus accumbens plays a role in the risk for psychosis after cannabis exposure during adolescence.**
Dong C, Tian Z, Zhang K, Chang L, Qu Y, Pu Y, Ren Q, Fujita Y, Ohgi Y, Futamura T, Hashimoto K.
Pharmacol Biochem Behav. 2019 Feb;177:61-68. doi: 10.1016/j.pbb.2019.01.002. Epub 2019 Jan 8.
- 127. Oxytocin modulates hippocampal perfusion in people at clinical high risk for psychosis.**

Davies C, Paloyelis Y, Rutigliano G, Cappucciati M, De Micheli A, Ramella-Cravaro V, Provenzani U, Antoniadou M, Modinos G, Oliver D, Stahl D, Murguia S, Zelaya F, Allen P, Shergill S, Morrison P, Williams S, Taylor D, McGuire P, Fusar-Poli P. *Neuropsychopharmacology*. 2019 Jan 9. doi: 10.1038/s41386-018-0311-6. [Epub ahead of print]

128. Assessing Brain Metabolism With 7-T Proton Magnetic Resonance Spectroscopy in Patients With First-Episode Psychosis.

Wang AM, Pradhan S, Coughlin JM, Trivedi A, DuBois SL, Crawford JL, Sedlak TW, Nucifora FC Jr, Nestadt G, Nucifora LG, Schretlen DJ, Sawa A, Barker PB. *JAMA Psychiatry*. 2019 Jan 9. doi: 10.1001/jamapsychiatry.2018.3637. [Epub ahead of print]

129. Stepped Care as an Implementation and Service Delivery Model for Cognitive Behavioral Therapy for Psychosis.

Kopelovich SL, Strachan E, Sivec H, Kreider V. *Community Ment Health J*. 2019 Jan 8. doi: 10.1007/s10597-018-00365-6. [Epub ahead of print]

130. The neuropsychological profiles of young psychosis patients with and without current cannabis use.

Bogaty SER, Crouse JJ, Hickie IB, Hermens DF. *Cogn Neuropsychiatry*. 2019 Jan;24(1):40-53. doi: 10.1080/13546805.2018.1562887. Epub 2019 Jan 9.

131. Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis.

Bardell-Williams M, Eaton S, Downey L, Bowtell M, Thien K, Ratheesh A, Killackey E, McGorry P, O'Donoghue B. *Int J Law Psychiatry*. 2019 Jan - Feb;62:85-89. doi: 10.1016/j.ijlp.2018.11.007. Epub 2018 Dec 10.

132. Childhood adversities in people at ultra-high risk (UHR) for psychosis: a systematic review and meta-analysis.

Peh OH, Rapisarda A, Lee J. *Psychol Med*. 2019 Jan 8:1-13. doi: 10.1017/S003329171800394X. [Epub ahead of print]

133. The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis.

Byrne M, Codjoe L, Morgan C, Stahl D, Day F, Fearon P, Fusar-Poli P, Power P, McGuire P, Valmaggia L. *Psychiatry Res*. 2019 Feb;272:618-627. doi: 10.1016/j.psychres.2018.12.111. Epub 2018 Dec 21.

134. Increased peripheral levels of TARCC/CCL17 in first episode psychosis patients.

Malmqvist A, Schwieler L, Orhan F, Fatouros-Bergman H, Bauer M, Flyckt L, Cervenka S, Engberg G, Piehl F; Karolinska Schizophrenia Project (KaSP) consortium, Erhardt S.

Schizophr Res. 2019 Jan 3. pii: S0920-9964(18)30729-1. doi: 10.1016/j.schres.2018.12.033. [Epub ahead of print]

135. Commentary: Unmet need for mental health services among people screened but not admitted to an early psychosis intervention program.

Kline ER.

Schizophr Res. 2019 Feb;204:2-3. doi: 10.1016/j.schres.2018.12.049. Epub 2019 Jan 2.

136. Effectiveness of Cognitive Training in an Intensive Outpatient First Episode Psychosis Program.

Murray A, Svendahl K, Lee S, Ramsay IS, Mooney ME.

Clin Schizophr Relat Psychoses. 2019 Jan 3. doi: 10.3371/CSRP.AMKS.121218. [Epub ahead of print]

137. Psychosis and Dharmi-Jhankri: The Clinical Use of DSM-5 Cultural Formulation Interview in Understanding.

Vue NC, Gabor Q.

Clin Schizophr Relat Psychoses. 2019 Jan 3. doi: 10.3371/CSRP.NVQG.121218. [Epub ahead of print]

138. Profiling of lipidomics before and after antipsychotic treatment in first-episode psychosis.

Leppik L, Parksepp M, Janno S, Koido K, Haring L, Vasar E, Zilmer M.

Eur Arch Psychiatry Clin Neurosci. 2019 Jan 2. doi: 10.1007/s00406-018-0971-6. [Epub ahead of print]

139. Diagnostic Uncertainty in a Complex Young Man: Autism Versus Psychosis.

Fogler J, Kuhn J, Prock L, Radesky J, Gonzalez-Heydrich J.

J Dev Behav Pediatr. 2019 Jan;40(1):72-74. doi: 10.1097/DBP.0000000000000635.

140. Transdiagnostic dimensions of psychosis in the Bipolar-Schizophrenia Network on Intermediate Phenotypes (B-SNIP).

Reininghaus U, Böhnke JR, Chavez-Baldini U, Gibbons R, Ivleva E, Clementz BA, Pearlson GD, Keshavan MS, Sweeney JA, Tamminga CA.

World Psychiatry. 2019 Feb;18(1):67-76. doi: 10.1002/wps.20607.

141. Personal growth in psychosis.

Slade M, Blackie L, Longden E.

World Psychiatry. 2019 Feb;18(1):29-30. doi: 10.1002/wps.20585. No abstract available.

142. Testing a neurophenomenological model of basic self disturbance in early psychosis.

Nelson B, Lavoie S, Gaweda L, Li E, Sass LA, Koren D, McGorry PD, Jack BN, Parnas J, Polari A, Allott K, Hartmann JA, Whitford TJ.

World Psychiatry. 2019 Feb;18(1):104-105. doi: 10.1002/wps.20597. No abstract available.

143. Coping styles and symptomatic manifestation of first-episode psychosis: Focus on cognitive performance.

Stramecki F, Kotowicz K, Piotrowski P, Beszłej JA, Rymaszewska J, Samochowiec J, Samochowiec A, Moustafa AA, Jabłoński M, Podwalski P, Waszczuk K, Wroński M, Misiak B.

Psychiatry Res. 2019 Feb;272:246-251. doi: 10.1016/j.psychres.2018.12.083. Epub 2018 Dec 18.

146. Can pimavanserin help patients with Parkinson disease psychosis?

de la Cruz J, Canal C.

JAAPA. 2019 Jan;32(1):44-45. doi: 10.1097/01.JAA.0000547757.46299.3d.

147. Exploring the relationship between fantasy proneness and delusional beliefs in psychosis and non-clinical individuals.

Tan EJ, Fletcher K, Rossell SL.

Psychiatry Res. 2019 Feb;272:80-85. doi: 10.1016/j.psychres.2018.12.081. Epub 2018 Dec 17.

148. Olfactory and cognitive functions in Chinese individuals at clinical high risk for psychosis.

He Y, Li Z, Ma X, Yuan L, Ouyang L, Tang J, Tsuang MT, Chen X.

Psychiatry Res. 2019 Feb;272:51-53. doi: 10.1016/j.psychres.2018.12.074. Epub 2018 Dec 14.

149. Potential role of orbitofrontal surface morphology on social and cognitive functions in high-risk subjects for psychosis and schizophrenia patients.

Takahashi T, Nakamura M, Nishikawa Y, Komori Y, Nishiyama S, Takayanagi Y, Furuichi A, Kido M, Sasabayashi D, Higuchi Y, Noguchi K, Suzuki M.

Psychiatry Res Neuroimaging. 2019 Jan 30;283:92-95. doi: 10.1016/j.psychresns.2018.12.002. Epub 2018 Dec 5.

150. Call for "High-Dose" Olanzapine Research in Treatment-Resistant Psychosis.

Westermeyer J.

J Nerv Ment Dis. 2019 Jan;207(1):45-47. doi: 10.1097/NMD.0000000000000909.

151. Cognitive behavioral therapy for social activation in recent-onset psychosis: Randomized controlled trial.

Pos K, Franke N, Smit F, Wijnen BFM, Staring ABP, Van der Gaag M, Meijer C, de Haan L, Velthorst E, Schirmbeck F.

J Consult Clin Psychol. 2019 Feb;87(2):151-160. doi: 10.1037/ccp0000362. Epub 2018 Dec 20.

152. Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis: A 10-Year Follow-up.

Hui CLM, Honer WG, Lee EHM, Chang WC, Chan SKW, Chen EYH.

JAMA Psychiatry. 2019 Feb 1;76(2):217-219. doi: 10.1001/jamapsychiatry.2018.3120. No abstract available.

153. Gender differences in correlates of cognition in first-episode psychosis.

Li AWY, Hui CLM, Lee EHM, Chang WC, Chan SKW, Chen EYH.

Psychiatry Res. 2019 Jan;271:412-420. doi: 10.1016/j.psychres.2018.12.011. Epub 2018 Dec 3.

154. Early recovery and employment outcome 13 years after first episode psychosis.

Strålin P, Skott M, Cullberg J.

Psychiatry Res. 2019 Jan;271:374-380. doi: 10.1016/j.psychres.2018.12.013. Epub 2018 Dec 3.

155. Neurocognitive and neuroanatomical maturation in the clinical high-risk states for psychosis: A pattern recognition study.

Kambeitz-Ilankovic L, Haas SS, Meisenzahl E, Dwyer DB, Weiske J, Peters H, Möller HJ, Falkai P, Koutsouleris N.

Neuroimage Clin. 2019;21:101624. doi: 10.1016/j.nicl.2018.101624. Epub 2018 Dec 3.

156. Smoking, symptoms, and quality of life in patients with psychosis, siblings, and healthy controls: a prospective, longitudinal cohort study.

Vermeulen J, Schirmbeck F, Blankers M, van Tricht M, van den Brink W, de Haan L; Genetic Risk and Outcome of Psychosis (GROUP) investigators.

Lancet Psychiatry. 2019 Jan;6(1):25-34. doi: 10.1016/S2215-0366(18)30424-3. Epub 2018 Dec 5. Erratum in: Lancet Psychiatry. 2019 Feb;6(2):e5.

157. Investigation of peripheral complement factors across stages of psychosis.

Laskaris L, Zalesky A, Weickert CS, Di Biase MA, Chana G, Baune BT, Bousman C, Nelson B, McGorry P, Everall I, Pantelis C, Cropley V.

Schizophr Res. 2019 Feb;204:30-37. doi: 10.1016/j.schres.2018.11.035. Epub 2018 Dec 6.

158. Evaluating Associations Between Non-neuronal Autoimmune Disorders and Psychosis.

Brown R, Zandi MS.

Biol Psychiatry. 2019 Jan 1;85(1):8-9. doi: 10.1016/j.biopsych.2018.10.010. No abstract available.

159. Diffusion Magnetic Resonance Imaging Advances the Study of Nuclei-Specific Thalamocortical Connectivity in Early Stage Psychosis.

Lyall AE, Rathi Y, Kubicki M, Shenton ME.

Biol Psychiatry. 2019 Jan 1;85(1):10-12. doi: 10.1016/j.biopsych.2018.10.011. No abstract available.

160. Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis.

Goldsmith DR, Haroon E, Miller AH, Addington J, Bearden C, Cadenhead K, Cannon T, Cornblatt B, Matalon D, McGlashan T, Seidman L, Tsuang M, Woods SW, Walker EF, Perkins DO.

Brain Behav Immun. 2019 Feb;76:268-274. doi: 10.1016/j.bbi.2018.11.315. Epub 2018 Nov 26.

161. Adult report of childhood imaginary companions and adversity relates to concurrent prodromal psychosis symptoms.

Davis PE, Webster LAD, Fernyhough C, Ralston K, Kola-Palmer S, Stain HJ.
Psychiatry Res. 2019 Jan;271:150-152. doi: 10.1016/j.psychres.2018.11.046. Epub 2018 Nov 20.

162. Predicting prognosis in patients with first-episode psychosis using auditory P300: A 1-year follow-up study.

Lho SK, Kim M, Lee TH, Kwak YB, Kwon JS.
Clin Neurophysiol. 2019 Jan;130(1):46-54. doi: 10.1016/j.clinph.2018.10.011. Epub 2018 Nov 16.

163. Comparability of the WCST and WCST-64 in the assessment of first-episode psychosis.

Gardizi E, King JP, McNeely HE, Vaz SM.
Psychol Assess. 2019 Feb;31(2):271-276. doi: 10.1037/pas0000670. Epub 2018 Nov 26.

164. Relationship Between Cortical Excitation and Inhibition and Task-Induced Activation and Deactivation: A Combined Magnetic Resonance Spectroscopy and Functional Magnetic Resonance Imaging Study at 7T in First-Episode Psychosis.

Overbeek G, Gawne TJ, Reid MA, Salibi N, Kraguljac NV, White DM, Lahti AC.
Biol Psychiatry Cogn Neurosci Neuroimaging. 2019 Feb;4(2):121-130. doi: 10.1016/j.bpsc.2018.10.002. Epub 2018 Oct 16.

165. Differences in Facial Emotional Recognition Between Patients With the First-Episode Psychosis, Multi-episode Schizophrenia, and Healthy Controls.

Bosnjak Kuharic D, Makaric P, Kekin I, Lukacevic Lovrencic I, Savic A, Ostojic D, Silic A, Brecic P, Bajic Z, Rojnic Kuzman M.
J Int Neuropsychol Soc. 2019 Feb;25(2):165-173. doi: 10.1017/S1355617718001029.

166. Immunomodulatory effects of antipsychotic treatment on gene expression in first-episode psychosis.

Mantere O, Trontti K, García-González J, Balcells I, Saarnio S, Mäntylä T, Lindgren M, Kiesepä T, Raij T, Honkanen JK, Vaarala O, Hovatta I, Suvisaari J.
J Psychiatr Res. 2019 Feb;109:18-26. doi: 10.1016/j.jpsychires.2018.11.008. Epub 2018 Nov 10.

167. Cauliflower ear in late onset psychosis.

Singh LK, Mamidipalli SS, Das S, Tikka SK, Arora R.
Asian J Psychiatr. 2019 Jan;39:6-7. doi: 10.1016/j.ajp.2018.10.025. Epub 2018 Nov 8.
No abstract available.

168. CASPR2 encephalitis presenting as post-partum psychosis.

Warren N, Theodoros T, Gunawardana R, Gillinder L.
Aust N Z J Psychiatry. 2019 Feb;53(2):174-175. doi: 10.1177/0004867418812687.
Epub 2018 Nov 18. No abstract available.

169. Adolescent psychosis risk symptoms predicting persistent psychiatric service use: A 7-year follow-up study.

Lindgren M, Jonninen M, Jokela M, Therman S.

Eur Psychiatry. 2019 Jan;55:102-108. doi: 10.1016/j.eurpsy.2018.10.004. Epub 2018 Nov 15.

170. 5-HT_{2A} blockade for dyskinesia and psychosis in Parkinson's disease: is there a limit to the efficacy of this approach? A study in the MPTP-lesioned marmoset and a literature mini-review.

Kwan C, Frouni I, Bédard D, Nuara SG, Gourdon JC, Hamadjida A, Huot P.
Exp Brain Res. 2019 Feb;237(2):435-442. doi: 10.1007/s00221-018-5434-9. Epub 2018 Nov 15.

171. The Meaning of Glutamate and the Quest for Biomarkers in the Transition to Psychosis.

Bustillo JR, Gaudiot CE, Lenroot RK.
JAMA Psychiatry. 2019 Feb 1;76(2):115-116. doi: 10.1001/jamapsychiatry.2018.3251.
No abstract available.

172. Acute psychosis and Wilson's disease.

Biswas S, Agarwal S, Soneja M, Biswas A.
QJM. 2019 Feb 1;112(2):129-130. doi: 10.1093/qjmed/hcy267. No abstract available.

173. Associations between C-reactive protein levels and cognition during the first 6 months after acute psychosis.

Fathian F, Løberg EM, Gjestad R, Steen VM, Kroken RA, Jørgensen HA, Johnsen E.
Acta Neuropsychiatr. 2019 Feb;31(1):36-45. doi: 10.1017/neu.2018.25. Epub 2018 Nov 5.

174. A case of Baclofen withdrawal induced psychosis treated with lorazepam.

Leandre F, Ginory A.
Aust N Z J Psychiatry. 2019 Feb;53(2):174. doi: 10.1177/0004867418808897. Epub 2018 Nov 2. No abstract available.

175. First episode psychosis and comorbid ADHD, autism and intellectual disability.

Strålin P, Hetta J.
Eur Psychiatry. 2019 Jan;55:18-22. doi: 10.1016/j.eurpsy.2018.09.007. Epub 2018 Oct 29.

176. Individualized Metacognitive Training (MCT+) Reduces Delusional Symptoms in Psychosis: A Randomized Clinical Trial.

Balzan RP, Mattiske JK, Delfabbro P, Liu D, Galletly C.
Schizophr Bull. 2019 Jan 1;45(1):27-36. doi: 10.1093/schbul/sby152.

177. Psychosis in Systemic Lupus Erythematosus: Results From an International Inception Cohort Study.

Hanly JG, Li Q, Su L, Urowitz MB, Gordon C, Bae SC, Romero-Diaz J, Sanchez-Guerrero J, Bernatsky S, Clarke AE, Wallace DJ, Isenberg DA, Rahman A, Merrill JT, Fortin PR, Gladman DD, Bruce IN, Petri M, Ginzler EM, Dooley MA, Steinsson K, Ramsey-Goldman R, Zoma AA, Manzi S, Nived O, Jonsen A, Khamashta MA, Alarcón GS, van Vollenhoven RF, Aranow C, Mackay M, Ruiz-Irastorza G, Ramos-Casals M,

Lim SS, Inanc M, Kalunian KC, Jacobsen S, Peschken CA, Kamen DL, Askanase A, Theriault C, Farewell V.
Arthritis Rheumatol. 2019 Feb;71(2):281-289. doi: 10.1002/art.40764. Epub 2019 Jan 18.

178. The Prevalence of Negative Symptoms Across the Stages of the Psychosis Continuum.

Sauvé G, Brodeur MB, Shah JL, Lepage M.
Harv Rev Psychiatry. 2019 Jan/Feb;27(1):15-32. doi:
10.1097/HRP.000000000000184.

179. The interactive effect of autism and psychosis severity on theory of mind and functioning in schizophrenia.

Vaskinn A, Abu-Akel A.
Neuropsychology. 2019 Feb;33(2):195-202. doi: 10.1037/neu0000499. Epub 2018 Oct 22.

180. Current versus recently resolved attenuated psychotic symptoms: Same level of risk for transition to psychosis?

Rice SM, McGorry PD, Amminger GP, Nelson B.
Schizophr Res. 2019 Feb;204:450-451. doi: 10.1016/j.schres.2018.09.023. Epub 2018 Oct 19. No abstract available.

181. Rethinking the Psychosis Threshold in Clinical High Risk.

Raballo A, Poletti M, Carpenter WT.
Schizophr Bull. 2019 Jan 1;45(1):1-2. doi: 10.1093/schbul/sby149. No abstract available.

182. Association of Pre-onset Subthreshold Psychotic Symptoms With Longitudinal Outcomes During Treatment of a First Episode of Psychosis.

Rosengard RJ, Malla A, Mustafa S, Iyer SN, Joober R, Bodnar M, Lepage M, Shah JL.
JAMA Psychiatry. 2019 Jan 1;76(1):61-70. doi: 10.1001/jamapsychiatry.2018.2552.

183. Compensatory Cognitive Training for psychosis: Effects on negative symptom subdomains.

Mahmood Z, Clark JMR, Twamley EW.
Schizophr Res. 2019 Feb;204:397-400. doi: 10.1016/j.schres.2018.09.024. Epub 2018 Oct 4.

184. Age-varying effects of cannabis use frequency and disorder on symptoms of psychosis, depression and anxiety in adolescents and adults.

Leadbeater BJ, Ames ME, Linden-Carmichael AN.
Addiction. 2019 Feb;114(2):278-293. doi: 10.1111/add.14459. Epub 2018 Nov 16.

185. Hearing spirits? Religiosity in individuals at risk for psychosis-Results from the Brazilian SSAPP cohort.

Loch AA, Freitas EL, Hortêncio L, Chianca C, Alves TM, Serpa MH, Andrade JC, van de Bilt MT, Gattaz WF, Rössler W.
Schizophr Res. 2019 Feb;204:353-359. doi: 10.1016/j.schres.2018.09.020. Epub 2018 Sep 25.

186. Early-onset psychosis in an adolescent with DiGeorge syndrome: A case report.

Molebatsi K, Olashore AA.

S Afr J Psychiatr. 2018 Feb 21;24:1164. doi: 10.4102/sajpsychiatry.v24.i0.1164.
eCollection 2018.